

# SAFETY DATA SHEET

Creation Date 26-September-2009 Revision Date 29-March-2024 Revision Number 3

1. Identification

Product Name Diethylacetic acid

Cat No. : L07427

**CAS-No** 88-09-5

Synonyms 2-Ethyl butanoic acid; Acetic acid, diethyl-; Diethylacetic acid

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

# Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids
Category 4
Acute dermal toxicity
Category 4
Skin Corrosion/Irritation
Category 1
Berious Eye Damage/Eye Irritation
Category 1

Label Elements

## Signal Word

Danger

# **Hazard Statements**

Combustible liquid
Harmful in contact with skin

Causes severe skin burns and eye damage



## **Precautionary Statements**

### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eve protection/face protection

## Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

## Storage

Store locked up

Store in a well-ventilated place. Keep cool

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
2-Ethylbutyric acid	88-09-5	99	

## 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure

may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Revision Date 29-March-2024 Diethylacetic acid

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Dry chemical, Chemical foam. Water mist may be used to cool

closed containers.

**Unsuitable Extinguishing Media** No information available

87 °C / 188.6 °F **Flash Point** 

Method -No information available

345 °C / 653 °F **Autoignition Temperature** 

**Explosion Limits** 

Upper .00% 1.40% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

## 6. Accidental release measures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Remove all sources of ignition. Take precautionary measures

against static discharges.

**Environmental Precautions** Should not be released into the environment.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the

environment. Remove all sources of ignition.

## 7. Handling and storage

Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not get in Handling

eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Remove all sources of ignition. Minimize dust generation and accumulation.

Keep away from open flames, hot surfaces and sources of ignition.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives

area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away

from heat, sparks and flame. Incompatible Materials. Bases. Reducing Agent.

## 8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Butyl rubber	recommendations		
Nitrile rubber			
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

## **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical StateLiquidAppearanceClearOdorpungent

Odor Threshold
pH

No information available
3 18g/L aq sol 20°C

Melting Point/Range -14 °C / 6.8 °F

 Boiling Point/Range
 99 - 101 °C / 210.2 - 213.8 °F @ 18 mmHg

 Flash Point
 87 °C / 188.6 °F

Evaporation Rate 87 C / 100.6 F
No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 .00%

 Lower
 1.40%

Vapor Pressure 0.2 hPa @ 20 °C

Vapor Density4.00Specific Gravity0.920

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

No information available
No data available
345 °C / 653 °F

Revision Date 29-March-2024 Diethylacetic acid

**Decomposition Temperature** No information available 3.3 mPa s at 20 °C Viscosity

**Molecular Formula** C6 H12 O2 **Molecular Weight** 116.16

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stable under normal conditions. Stability

**Conditions to Avoid** Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Bases, Reducing Agent **Incompatible Materials** 

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Ethylbutyric acid	LD50 = 2200 mg/kg (Rat)	Not listed	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Ethylbutyric acid	88-09-5	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. **Developmental Effects** No information available. No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

No information available **Endocrine Disruptor Information** 

#### Other Adverse Effects

The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. .

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

TDG

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

IATA

UN-No UN2922

**Proper Shipping Name** Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

IMDG/IMO

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

# 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
2-Ethylbutyric acid	88-09-5	Х	-	X	ACTIVE	201-796-4	-	-

	Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Γ	2-Ethylbutyric acid	88-09-5	Х	KE-10382	X	X	X	X	X	Х

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Ethylbutyric acid	88-09-5	Not applicable	Not applicable	Not applicable	Not applicable
				••	•

Component	CAS-No	Seveso III Directive Seveso III Directive (2012/18/EC) - (2012/18/EC) -		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		,
		for Major Accident   for Safety Report			
		Notification	Requirements		
2-Ethylbutyric acid	88-09-5	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date26-September-2009Revision Date29-March-2024Print Date29-March-2024

**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**