

Page 1/10 Creation Date 17-Nov-2009 Revision Date 22-Mar-2025

Version 6

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride **Product Description:** Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Cat No.: 429160000: 429161000 Molecular Formula C6 H15 O. B F4

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd Company

> Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number** Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Carcinogenicity	Category 2 (H351)
Specific target organ toxicity - (single exposure)	Category 3 (H336)

#### Label Elements



Signal Word **Danger** 

## **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H336 - May cause drowsiness or dizziness

Revision Date 22-Mar-2025

H351 - Suspected of causing cancer

## **Precautionary Statements**

### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other Hazards

EUH014 - Reacts violently with water

Toxic to terrestrial vertebrates

Contains a known or suspected endocrine disruptor

Contains a substance on the National Authorities Endocrine Disruptor Lists

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Methylene chloride	75-09-2	80 - 90
Oxonium, triethyl-, tetrafluoroborate(1-)	368-39-8	10 - 20

# **SECTION 4: FIRST AID MEASURES**

## Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

# Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Revision Date 22-Mar-2025

medical device. Call a physician immediately.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically. Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media

## **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

Water.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Oxides of boron, Hydrogen fluoride.

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## Environmental precautions

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

ACR42916

Revision Date 22-Mar-2025

# **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water.

## Conditions for Safe Storage, Including any Incompatibilities

Keep away from water or moist air. Corrosives area. Store in freezer. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

DOTILI DI I GIGINICICI 3			
Component	Malaysia	ACGIH TLV	OSHA PEL
Methylene chloride		TWA: 50 ppm	(Vacated) TWA: 500 ppm (Vacated) STEL: 2000 ppm
			(Vacated) Crelling: 1000 ppm
			TWA: 25 ppm
			STEL: 125 ppm
Oxonium, triethyl-, tetrafluoroborate(1-)		TWA: 2.5 mg/m <sup>3</sup>	(Vacated) TWA: 2.5 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Methylene chloride	TWA: 353 mg/m <sup>3</sup> (8h)	STEL: 200 ppm 15 min	TWA: 50 ppm (8 Stunden). AGW -
	TWA: 100 ppm (8h)	STEL: 706 mg/m <sup>3</sup> 15 min	exposure factor 2
	STEL: 706 mg/m <sup>3</sup> (15min)	TWA: 353 mg/m <sup>3</sup> 8 hr	TWA: 180 mg/m³ (8 Stunden). AGW
	STEL: 200 ppm (15min)	TWA: 100 ppm 8 hr	<ul> <li>exposure factor 2</li> </ul>
	Skin	Skin	TWA: 50 ppm (8 Stunden). MAK
			TWA: 180 mg/m³ (8 Stunden). MAK
			Höhepunkt: 100 ppm
			Höhepunkt: 360 mg/m <sup>3</sup>
			Haut
Oxonium, triethyl-,			TWA: 1 mg/m³ (8 Stunden). AGW -
tetrafluoroborate(1-)			exposure factor 4
			TWA: 1 mg/m³ (8 Stunden). MAK
			Haut

### **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective gloves

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

## Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Revision Date 22-Mar-2025

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and

vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Light yellow Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No information available

**Vapor Density** No information available (Air = 1.0)

Specific Gravity / Density 1.328

Bulk Density Not applicable Liquid

Water Solubility Reacts violently with water Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowMethylene chloride1.25

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity No data available

Explosive Properties

Oxidizing Properties

No information available
No information available

Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Molecular Formula C6 H15 O . B F4

Molecular Weight 189.99

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Yes.

**Chemical Stability** 

Reacts violently with water.

Possibility of Hazardous Reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing. Reacts violently with water.

**Conditions to Avoid** 

Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture.

Incompatible Materials

Strong oxidizing agents. Bases. Strong acids. Amines.

<u>Hazardous Decomposition Products</u>

Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of boron. Hydrogen fluoride.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

**Product Information** 

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

## Toxicology data for the components

Component	LD50 Oral	LD50 Oral LD50 Dermal	
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L ( Rat ) 6 h
			76000 mg/m <sup>3</sup> ( Rat ) 4 h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

Revision Date 22-Mar-2025

Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Revision Date 22-Mar-2025

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

(e) germ cell mutagenicity; No data available

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU UK		omponent EU UK Germany		IARC
Methylene chloride				Group 2A	

(g) reproductive toxicity; No data available

Category 3 (h) STOT-single exposure;

Results / Target organs Central nervous system (CNS).

No data available (i) STOT-repeated exposure;

No information available. **Target Organs** 

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness,

nausea and vomiting.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is

available.

Component Freshwater Fish		Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Methylene chloride Pimephales p		Pimephales promelas:	EC50: 140 mg/L/48h	EC50:>660 mg/L/96h	EC50: 1 mg/L/24 h
		LC50:193 mg/L/96h	_	_	EC50: 2.88 mg/L/15 min

No information available Persistence and degradability

Persistence is unlikely, based on information available. **Persistence** 

Reacts with water. Degradability

Degradation in sewage

Reacts violently with water. treatment plant

Bioaccumulative potential Product does not bioaccumulate due to reaction with water: Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)		
Methylene chloride	1.25	6.4 - 40 dimensionless		

Mobility in soil Reacts violently with water. . Is not likely mobile in the environment.

Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

Revision Date 22-Mar-2025

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and

harm aquatic organisms

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (TRIETHYLOXONIUM TETRAFLUOROBORATE,

METHYLENE CHLORIDE)

**Road and Rail Transport** 

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (TRIETHYLOXONIUM TETRAFLUOROBORATE,

METHYLENE CHLORIDE)

<u>IATA</u>

UN-No UN2922
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name Corrosive liquid, toxic, n.o.s. (TRIETHYLOXONIUM TETRAFLUOROBORATE,

METHYLENE CHLORIDE)

Special Precautions for User No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

ACR42916

## Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Methylene chloride	200-838-9	Х	Х	Х	Х	X	Χ	Χ	KE-23893
Oxonium, triethyl-, tetrafluoroborate(1-)	206-705-1	Х	Х	-	-	Х	-	-	-

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Methylene chloride				Annex I - Y45

# **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Revision Date 22-Mar-2025

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

Page 9/10

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

Triethyloxonium tetrafluoroborate, 1M solution in methylene chloride

Revision Date 22-Mar-2025

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**