

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name <u>Mercury</u>

Product Code AJA2618, AJA2642, ROA2834, ROA3747

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary National Code of

Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Acute Dermal Toxicity

Acute Inhalation Toxicity - Vapors

Category 4

Category 4

Skin Corrosion/Irritation Category 1 A Category 2

Serious Eye Damage/Eye Irritation Category 1 Category 2

Skin Sensitization Category 1

Reproductive Toxicity Category 1A Category 1B

Environmental hazards

Chronic aquatic toxicity Category 3

Label Elements

AUS-000698 Version 3 12-Mar-2025 Page 1/11







Signal Word

Danger

Hazard Statements

- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H360 May damage fertility or the unborn child
- H412 Harmful to aquatic life with long lasting effects
- H311 Toxic in contact with skin
- H332 Harmful if inhaled

Precautionary Statements

- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P280 Wear protective gloves/protective clothing/eve protection/face protection
- P272 Contaminated work clothing should not be allowed out of the workplace
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P280 Wear eye protection/ face protection
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P363 Wash contaminated clothing before reuse
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	Balance
Nitric Acid, 69%	7697-37-2	10
Mercury	7439-97-6	0.1

Section 4 - First Aid Measures

Inhalation

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

AUS-000698 Version 3 12-Mar-2025 Page 2/11 proper respiratory medical device. Remove to fresh air. Immediate medical attention is

required. If not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Clean-up methods - large spillage

AUS-000698 Version 3 12-Mar-2025 Page 3 / 11

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Nitric Acid, 69%	STEL: 4 ppm	TWA: 2 ppm	TWA: 2 ppm	STEL: 1 ppm 15 min	TWA: 1 ppm (8
	STEL: 10 mg/m ³	TWA: 5.2 mg/m ³	STEL: 4 ppm	STEL: 2.6 mg/m ³ 15 min	Stunden). AGW -
	TWA: 2 ppm	STEL: 4 ppm		_	TWA: 2.6 mg/m ³ (8
	TWA: 5.2 mg/m ³	STEL: 10 mg/m ³			Stunden). AGW -
Mercury	TWA: 0.003 ppm	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.02 mg/m ³ 8 hr	TWA: 0.02 mg/m ³ (8
	TWA: 0.025 mg/m ³	Skin	Skin		Stunden). AGW -
					exposure factor 8
					TWA: 0.02 mg/m ³ (8
					Stunden). MAK
					Höhepunkt: 0.16 mg/m ³
					Haut

Biological limit values

UK - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Mercury		20 µg/g creatinine		Mercury: 20 µmol/mol	Mercury: 25 μg/g
		(urine) prior to shift		creatinine urine random	Creatinine urine (no
		(Mercury)			restriction)

Exposure Controls

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

AUS-000698 Version 3 12-Mar-2025 Page 4/11

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove materialBreakthrough timeGlove thicknessAUS/NZ StandardGlove commentsNatural rubberSee manufacturers-AS/NZS 2161(minimum requirement)Nitrile rubberrecommendations

Neoprene PVC

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Liquid

Liquid

and maintenance of repiratory protective devices

Recommended Filter type: Particle filter Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colorless Physical State Liquid

Odor No information available
Odor Threshold No data available

pH No information available <1

Melting Point/Range 0 °C / 32 °F
Softening Point No data available
Boiling Point/Range 100 °C / 212 °F

Flash Point Not applicable Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure

No data available

Vapor DensityNo data available(Air = 1.0)Specific Gravity / DensityNo data available

Bulk Density
Water Solubility
Not applicable
Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Nitric Acid, 69% -2.3

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

AUS-000698 Version 3 12-Mar-2025 Page 5 / 11

Explosive PropertiesOxidizing Properties
No information available
No information available

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 3InhalationCategory 4

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)		
Nitric Acid, 69%			LC50 = 2500 ppm (Rat) 1 h
Mercury			LC50 < 27 mg/m ³ (Rat) 2 h
			, ,

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
Sub-category 1A

Sensitization No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Category 1A

AUS-000698 Version 3 12-Mar-2025 Page 6/11

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

No data available (i) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Mercury	0.9 mg/L LC50 96h			
-	0.18 mg/L LC50 96h			
	0.16 mg/L LC50 96h			
	0.5 mg/L LC50 96h			

Persistence and Degradability

Persistence

Soluble in water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant **Bioaccumulative Potential**

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

	Component	log Pow	Bioconcentration factor (BCF)
	Nitric Acid, 69%	-2.3	No data available
Mok	vility.	The product is water soluble, and may enread	in water eyetems. Will likely he mobile in the

Mobility

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

This product does not contain any known or suspected endocrine disruptors

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused **Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Solutions with low pH-value must be neutralized before discharge. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

Section 14 - Transport Information

IMDG/IMO

AUS-000698 Version 3 12-Mar-2025 Page 7/11 UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name contains Nitric acid

Hazard Class 8
Packing Group | |

<u>ADG</u>

UN-No UN3264

Proper Shipping NameCorrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name contains Nitric acid

Hazard Class 8
Packing Group ||

Component	Hazchem Code
Nitric Acid, 69%	2P
7697-37-2 (10)	2R
, ,	2PE
Mercury	2X
7439-97-6 (0.1)	

IATA

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name contains Nitric acid

Hazard Class 8
Packing Group ||

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Component	Health Surveillance
Mercury	Listed
7439-97-6 (0.1)	Demographic, medical and occupational history
	Physical examination with emphasis on dermatological,
	gastrointestinal, neurological and renal systems
	Urinary inorganic Mercury

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

L	Component	Standard for the Uniform Scheduling of Medicines and Poisons	
	Nitric Acid, 69% - 7697-37-2	97-37-2 Schedule 5 listed - except its salts and derivatives;in preparations except in preparations containing <=0.5% of Nitric acid	
		Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, or in preparations containing <=0.5% of Nitric acid	
Γ	Mercury - 7439-97-6	Schedule 2 listed	
		Schedule 4 listed - for cosmetic or therapeutic use except when separately specified in these Schedules, or in a sealed device which prevents access to the mercury S7 Scheduled	

AUS-000698 Version 3 12-Mar-2025 Page 8 / 11

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Nitric Acid, 69% - 7697-37-2	Present	-
Mercury - 7439-97-6	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Nitric Acid, 69% - 7697-37-2		Listed in Appendix A Precursors to homemade explosives - concentration >=30%
Mercury - 7439-97-6	Category 2	

Legend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Nitric Acid, 69% - 7697-37-2	10 tonne/yr. Threshold category 1
Mercury - 7439-97-6	5 kg/yr. Threshold category 1b 20 MW. Threshold category 2b
	60000 MWH. Threshold category 2b
	2000 tonne/yr. Threshold category 2b

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	X	-	X	Х		Х	KE-35400
Nitric Acid, 69%	X	Х	231-714-2	-	X	Х	-	Χ	Х	Х	Х	KE-25911
Mercury	Х	Х	231-106-7	-	X	Х	-	Х	Х		Х	KE-23117

Legend: X - Listed. '-' - Not Listed. S - Indicates a substance that is identified in a proposed or final Significant New Use Rule. **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

AUS-000698 Version 3 12-Mar-2025 Page 9/11

Rotterdam Convention (PIC)	Chemicals Subject to Prior Informed Consent (PIC)
Component	Rotterdam Convention (PIC)
Mercury - 7439-97-6	X

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Nitric Acid, 69% - 7697-37-2	Annex I - Y34	Y34 solid or solution
Mercury - 7439-97-6	Annex I - Y29	Y29

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric Acid, 69%	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Mercury	7439-97-6	Listed	0.1% (Max. Conc.)	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitric Acid, 69%	-	Use restricted. See entry 75.	-
		(see link for restriction details)	
Mercury	-	Use restricted. See entry 18[a].	-
		(see link for restriction details)	
		Use restricted. See entry 30.	
		(see link for restriction details)	
		Use restricted. See entry 75.	
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$ - Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

AUS-000698 Version 3 12-Mar-2025 Page 10 / 11

SAFETY DATA SHEET

WEL - Workplace Exposure Limit RPE - Respiratory Protective Equipment

DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water

NOEC - No Observed Effect Concentration
BCF - Bioconcentration factor

vPvB - very Persistent, very Bioaccumulative

PBT - Persistent, Bioaccumulative, Toxic

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health Hazards Calculation method
Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 12-Mar-2025

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-000698 Version 3 12-Mar-2025 Page 11 / 11