

Category 3 Category 1

### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

**Product Identifier** 

Product Name Chloro[(R)-(+)-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl](p-cymene) ruthenium (II)

chloride

CAS No 145926-28-9

Molecular Formula C54 H46 Cl2 P2 Ru

Molecular Weight 928.88

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code S36893

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

# **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**GHS Classification** 

Physical hazards

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 4

Skin Corrosion/Irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2

Reproductive Toxicity

Category 2

Category 2

Specific target organ toxicity - (single exposure)

**Environmental hazards** 

Based on available data, the classification criteria are not met

ALFAAS36893 Version 2 22-Mar-2023 Page 1/11

#### **Label Elements**



#### Signal Word

Danger

#### **Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H370 - Causes damage to organs

H361 - Suspected of damaging fertility or the unborn child

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

#### **Precautionary Statements**

#### Prevention

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

# **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
(R)-(+)-2,2'-Bis(diphenylphosphino)-1,1'-binaphthalenechl	145926-28-9	95
oro(p-cymene)ruthenium chloride		
Methyl alcohol	67-56-1	5

### **Section 4 - First Aid Measures**

#### **Description of first aid measures**

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

ALFAAS36893 Version 2 22-Mar-2023 Page 2/11

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. If not breathing,

give artificial respiration.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Ingestion** Do NOT induce vomiting. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically.

## **Section 5 - Fire Fighting Measures**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Use spark-proof tools and explosion-proof equipment.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

ALFAAS36893 Version 2 22-Mar-2023 Page 3 / 11

\_\_\_\_\_

# **Section 7 - Handling and Storage**

#### Precautions for Safe Handling

#### Advice on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Use only under a chemical fume hood. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Keep refrigerated.

#### **Incompatible Materials**

Strong oxidizing agents.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Methyl alcohol	TWA: 200 ppm	STEL: 250 ppm	TWA: 200 ppm	WEL - TWA: 200 ppm TWA;
	TWA: 262 mg/m <sup>3</sup>	STEL: 328 mg/m <sup>3</sup>	STEL: 250 ppm	266 mg/m³ TWA
	STEL: 250 ppm	TWA: 200 ppm	Skin	WEL - STEL: 250 ppm
	STEL: 328 mg/m <sup>3</sup>	TWA: 262 mg/m <sup>3</sup>		STEL; 333 mg/m <sup>3</sup> STEL
	Skin			_

#### **Biological limit values**

**NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

Component	New Zealand	Australia	ACGIH - Biological	United Kingdom
-			Exposure Indices	_
Methyl alcohol	15 mg/L (urine) end of shift		15 mg/L	
	(Methyl alcohol)		Medium: urine	
			Time: end of shift	
			Determinant: Methanol	

#### Appropriate engineering controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

ALFAAS36893 Version 2 22-Mar-2023 Page 4/11

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eve protectors for Industrial

applications)

Protective gloves **Hand Protection** 

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber, Neoprene,	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Natural rubber, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Repiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

> other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

> > Solid

and maintenance of repiratory protective devices

Particulates filter conforming to EN 143 (or AUS/NZ equivalent) **Recommended Filter type:** 

Recommended half mask:-Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# **Section 9 - Physical and Chemical Properties**

#### Information on basic physical and chemical properties

**Physical State** Solid

Yellow **Appearance** 

No information available Odor **Odor Threshold** No data available рΗ No information available **Melting Point/Range** No data available **Softening Point** No data available

**Boiling Point/Range** No information available Flammability (liquid) Not applicable

No information available Flammability (solid,gas)

No data available **Explosion Limits** 

No information available **Flash Point** Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available

**Viscosity** Not applicable Solid

hydrolyses **Water Solubility** 

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

ALFAAS36893 Version 2 22-Mar-2023 Page 5/11

# Chloro[(R)-(+)-2,2'-bis(diphenylphos phino)-1,1'-binaphthyl](p-cymene) ruthenium (II) chloride

### SAFETY DATA SHEET

Methyl alcohol -0.74

Vapor PressureNo data availableDensity / Specific GravityNo data availableBulk DensityNo data availableVapor DensityNot applicable

Particle characteristics No data available

Other information

Molecular Formula C54 H46 Cl2 P2 Ru

Molecular Weight 928.88

Evaporation Rate Not applicable - Solid

# **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

**Stability** Moisture sensitive. Air sensitive.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Incompatible products, Excess heat, Avoid dust formation, Exposure to moist air or water,

Solid

Exposure to air.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

# **Section 11 - Toxicological Information**

#### **Acute Effects**

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Harmful by inhalation. Irritating to respiratory system.

Eyes Irritating to eyes.

**Skin** Harmful in contact with skin. Irritating to skin.

**Ingestion** May be fatal or cause blindness if swallowed. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

#### Numerical measures of toxicity

(a) acute toxicity;

OralCategory 4DermalCategory 4InhalationCategory 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 2

ALFAAS36893 Version 2 22-Mar-2023 Page 6/11

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (5)	Guinea Pig Maximisation Test		_
	(GPMT)		

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 (5)			- ' '

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

Optic nerve

Central nervous system (CNS)

(i) STOT-repeated exposure; No data available

Target OrgansNo information available.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and delayed

No information available.

# **Section 12 - Ecological Information**

#### **Ecotoxicity**

**Aquatic ecotoxicity** Reacts with water so no ecotoxicity data for the substance is available.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Methyl alcohol	Pimephales promelas:	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25
	LC50 > 10000 mg/L 96h	_		min
				EC50 = 40000 mg/L 15
				min
				EC50 = 43000 mg/L 5
				l min

**Terrestrial ecotoxicity** 

ALFAAS36893 Version 2 22-Mar-2023 Page 7/11

Component	Earthworm	Avian	Honeybees
Methyl alcohol	Acute toxicity: LC50 > 1 mg/cm2		
	(Eisenia foetida, 48 h, filter paper)		

Persistence and Degradability No information available

Persistence Persistence is unlikely, based on information available.

**Degradability** Decomposes in contact with water.

Component	Degradability
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (5)	>94% after 20d

Degradation in sewage treatment

plant

Decomposes in contact with water.

Bioaccumulative Potential Product does not bioaccumulate due to reaction with water

Component	log Pow	Bioconcentration factor (BCF)
Methyl alcohol	-0.74	<10 dimensionless

**Mobility** Hydrolyses. . Is not likely mobile in the environment.

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **Section 13 - Disposal Considerations**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations . Waste codes should be assigned by the user based

on the application for which the product was used. Do not empty into drains.

# **Section 14 - Transport Information**

Component	Hazchem Code
Methyl alcohol	2WE
67-56-1 ( 5 )	

Not regulated

IATA Not regulated

IMDG/IMO Not regulated

ALFAAS36893 Version 2 22-Mar-2023 Page 8 / 11

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable, packaged goods

**Special Precautions** 

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

# **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Component	` ` '	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	IMDG Marine Pollutant
Methyl alcohol	500 tonne	5000 tonne	

# Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

#### **International Inventories**

ALFAAS36893 Version 2 22-Mar-2023 Page 9/11

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
(R)-(+)-2,2'-Bis(diphenylphosphino	145926-28-9	=	-	-	-	-	-	-	-
)-1,1'-binaphthalenechloro(p-cyme									
ne)ruthenium chloride									
Methyl alcohol	67-56-1	Х	Х	-	-	-	KE-23193	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
(R)-(+)-2,2'-Bis(diphenylphosphino )-1,1'-binaphthalenechloro(p-cyme ne)ruthenium chloride		-	-	-	-	-	-	-
Methyl alcohol	67-56-1	Χ	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **Section 16 - Other Information**

### This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code ADG - Australian Code for the Transport of Dangerous Goods by Road

and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**ALFAAS36893** Version 2 22-Mar-2023 Page 10 / 11 Chloro[(R)-(+)-2,2'-bis(diphenylphos phino)-1,1'-binaphthyl](p-cymene) ruthenium (II) chloride

### SAFETY DATA SHEET

Revision Date 22-Mar-2023
Revision Summary Initial Release

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAS36893 Version 2 22-Mar-2023 Page 11 / 11