

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Methyl alcohol

Product Code ORI951211, ORI951210, ORI2115201

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax NumbersTel: 1300 735 292
Fax: 1800 067 639

ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice

for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

E-mail address

No hazards identified

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (single exposure)

Category 1 A Category 1 Category 1

Environmental hazards

No hazards identified

Label Elements





AUS-002474 Version 3 12-Mar-2025 Page 1/11

Signal Word Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H370 - Causes damage to organs

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	<80
Sodium hydroxide	1310-73-2	>20
Disodium EDTA	139-33-3	2
Thymolphthalein	125-20-2	<1
Methyl alcohol	67-56-1	<1

Section 4 - First Aid Measures

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

AUS-002474 Version 3 12-Mar-2025 Page 2/11

Notes to Physician

Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Ensure adequate ventilation.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists

AUS-002474 Version 3 12-Mar-2025 Page 3 / 11

(ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Sodium hydroxide	2 mg/m³ TWA	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	2 mg/m³ STEL	2 mg/m³ TWA (inhalable
					fraction)
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	TWA: 200 ppm	WEL - TWA: 200 ppm	100 ppm TWA MAK;
	STEL: 328 mg/m ³	TWA: 262 mg/m ³	STEL: 250 ppm	TWA; 266 mg/m ³ TWA	130 mg/m³ TWA
	TWA: 200 ppm	STEL: 250 ppm	Skin	WEL - STEL: 250 ppm	MAKSkin absorber
	TWA: 262 mg/m ³	STEL: 328 mg/m ³		STEL; 333 mg/m ³ STEL	
		Skin			

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Methyl alcohol		15 mg/L (urine) end of			Methanol: 15 mg/L urine
		shift (Methyl alcohol)			(end of shift)
					Methanol: 15 mg/L urine
					(for long-term
					exposures: at the end of
					the shift after several
					shifts)

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protectionLong sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

AUS-002474 Version 3 12-Mar-2025 Page 4/11

Method - No information available

Liquid

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear, colorless solution

Physical State Liquid

No information available Odor

Odor Threshold No data available

14 рH

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** Not applicable Flash Point Not applicable

Evaporation Rate No data available Liquid

Flammability (solid,gas) Not applicable

No data available **Explosion Limits**

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density No data available **Bulk Density** Not applicable

Water Solubility Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Disodium EDTA -4.3 Thymolphthalein 3.682 Methyl alcohol -0.74

Autoignition Temperature No data available **Decomposition Temperature** No data available **Viscosity** No data available **Explosive Properties** No information available **Oxidizing Properties** No information available

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

AUS-002474 Version 3 12-Mar-2025 Page 5/11 (a) acute toxicity;

Oral Based on available data, the classification criteria are not met **Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Sodium hydroxide	LD50 = 325 mg/kg (Rat)	LD50 = 1350 mg/kg (Rabbit)	
Disodium EDTA	LD50 > 2 g/kg (Rat)		
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (<1)	Guinea Pig Maximisation Test		_
	(GPMT)		

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 (<1)			

(h) STOT-single exposure; Category 2

Results / Target organs Optic nerve

Central nervous system (CNS)

No data available (i) STOT-repeated exposure;

Target Organs No information available.

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium hydroxide	LC50: = 45.4 mg/L, 96h	-	-	-
	static (Oncorhynchus			
	mykiss)			

AUS-002474 Version 3 12-Mar-2025 Page 6/11

Disodium EDTA	Leuciscus idus: LC50 > 500 mg/L 96h	> 100 mg/L 24h	EC50 = 56 mg/L 8 h
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min

Persistence and Degradability

Soluble in water, Persistence is unlikely, based on information available. Persistence

Component	Degradability
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (<1)	>94% after 20d

Bioaccumulative Potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Disodium EDTA	-4.3	No data available
Thymolphthalein	3.682	No data available
Methyl alcohol	-0.74	<10 dimensionless

Mobility

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

Section 14 - Transport Information

IMDG/IMO

UN1824 **UN-No**

Proper Shipping Name SODIUM HYDROXIDE SOLUTION **Technical Shipping Name** Orion ammonia pH adjust ISA

Hazard Class 8 **Packing Group** Ш

ADG

UN-No

SODIUM HYDROXIDE SOLUTION **Proper Shipping Name Technical Shipping Name** Orion ammonia pH adjust ISA

Hazard Class Packing Group Ш

Component	Hazchem Code
Sodium hydroxide	2W
1310-73-2 (>20)	2R

AUS-002474 Version 3 12-Mar-2025 Page 7/11

SAFETY DATA SHEET

Methyl alcohol	2WE
67-56-1 (<1)	

<u>IATA</u>

UN-No UN1824

Proper Shipping Name SODIUM HYDROXIDE SOLUTION Orion ammonia pH adjust ISA

Hazard Class 8
Packing Group | |

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Sodium hydroxide - 1310-73-2	Schedule 5 listed - except its salts and derivatives; in preparations being: solid preparations the pH of
	which in a 10 g/L aqueous solution is >11.5; liquid or semi-solid preparations the pH of which is >11.5
	except in food additive preparations for domestic use
	Schedule 6 listed - except its salts and derivatives; except: [a] when included in Schedule 5 or
	Schedule 10, [b] in preparations containing <=5% of Sodium hydroxide being: [i] solid preparations, the
	pH of which in a 10 g/L aqueous solution is <=11.5, or [ii] liquid or semi-solid preparations the pH of
	which is <=11.5
	Schedule 10 listed
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b)
	in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of
	Ethanol
	Schedule 6 listed - except its derivatives; except a) when included in Schedule 5, or b) when included in
	Schedule 10, or c) in preparations containing <=2% of Methanol
	Schedule 10 listed

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Sodium hydroxide - 1310-73-2	Present	•
Disodium EDTA - 139-33-3	Present	-
Thymolphthalein - 125-20-2	Present	÷
Methyl alcohol - 67-56-1	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

AUS-002474 Version 3 12-Mar-2025 Page 8 / 11

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

	Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
S	odium hydroxide - 1310-73-2	Category 3	

Leaend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Sodium hydroxide	Х	Х	215-185-5	-	Х	Х	-	Х	Х	Х	Х	KE-31487
Disodium EDTA	Х	Х	205-358-3	-	X	Χ	-	Χ	Χ	Х	Х	KE-13651
Thymolphthalein	X	Х	204-729-7	-	Х	Х	-	Х	-		Х	KE-03217
Methyl alcohol	Х	X	200-659-6	-	Х	Х	-	Х	Х	Х	Х	KE-23193

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

-	Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories
			of Wastes to Be Controlled
I	Sodium hydroxide - 1310-73-2	Annex I - Y35	Y35 solid or solution

	Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
1	Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable

AUS-002474 Version 3 12-Mar-2025 Page 9 / 11

Sodium hydroxide	1310-73-2	Listed	Not applicable	Not applicable	Not applicable
Disodium EDTA	139-33-3	Listed	Not applicable	Not applicable	Not applicable
Thymolphthalein	125-20-2	Not applicable	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sodium hydroxide	-	Use restricted. See entry 75. (see link for restriction details)	-
Methyl alcohol	-	Use restricted. See entry 69. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method Calculation method **Environmental hazards**

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

Update to GHS format. **Revision Summary**

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

AUS-002474 Version 3 12-Mar-2025 Page 10/11

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-002474 Version 3 12-Mar-2025 Page 11 / 11