

Page 1 / 10 Creation Date 17-Apr-2018 Revision Date 31-Mar-2025 Version 5

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Laemmli SDS sample buffer, reducing (4X)
Product Description: Laemmli SDS sample buffer, reducing (4X)

Cat No. : J60015

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 4 (H302)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Dusts and Mists	Category 4 (H332)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Skin Sensitization	Category 1 Sub-category 1A (H317)
Reproductive Toxicity	Category 2 (H361f)
Chronic aquatic toxicity	Category 3 (H412)

Label Elements



Signal Word Danger

ALFAAJ60015

Revision Date 31-Mar-2025

Hazard Statements

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H361f - Suspected of damaging fertility

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Combustible liquid

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	42.38
Glycerin	56-81-5	40
Sodium lauryl sulfate	151-21-3	8
2-Mercaptoethanol	60-24-2	8
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	1.6
Phenol, 4,4'-(3H-1,2-benzoxathiol-3-ylidene)bis[2,6-dibromo-, S,S-dioxide,	62625-28-9	0.02
monosodium salt		

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Laemmli SDS sample buffer, reducing (4X)

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

Revision Date 31-Mar-2025

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes severe eye damage. Difficulty in breathing. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

Hazardous Combustion Products

None under normal use conditions.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the

ALFAAJ60015

Laemmli SDS sample buffer, reducing (4X)

Revision Date 31-Mar-2025

environment. Collect spillage.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Glycerin			(Vacated) TWA: 10 mg/m ³
			(Vacated) TWA: 5 mg/m ³
			TWA: 15 mg/m ³
			TWA: 5 mg/m ³

Component	European Union	The United Kingdom Germany	
Glycerin		TWA: 10 mg/m ³ 8 hr (mist only)	TWA: 200 mg/m ³ (8 Stunden). AGW
			- exposure factor 2
			TWA: 200 mg/m³ (8 Stunden). MAK
			Höhepunkt: 400 mg/m ³

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Laemmli SDS sample buffer, reducing (4X)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Liquid

(Air = 1.0)

Liquid

Revision Date 31-Mar-2025

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water

system

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point 68 °C / 154.4 °F Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits

No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density

Bulk Density

No data available
Not applicable

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowGlycerin-1.75Sodium lauryl sulfate1.62-Mercaptoethanol-0.0561,3-Propanediol,-3.6

2-amino-2-(hydroxymethyl)-,

hydrochloride

ALFAAJ60015

Laemmli SDS sample buffer, reducing (4X)

Autoignition Temperature
Decomposition Temperature

Viscosity

No data available No data available No data available

Explosive Properties Oxidizing Properties

NO data avallable

No information available

explosive air/vapour mixtures possible

Revision Date 31-Mar-2025

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials

None known.

Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralCategory 4DermalCategory 4InhalationCategory 4

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	-	-	-		
Glycerin	12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 2.75 mg/L/4h (Rat)(mist)		
Sodium lauryl sulfate	LD50 = 1288 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 3900 mg/m ³ (Rat) 1 h		
2-Mercaptoethanol	LD50 = 244 mg/kg (Rat)	150 μL/kg (Rabbit)	-		

Laemmli SDS sample buffer, reducing (4X)

		112 - 224 mg/kg (Rabbit)	
1,3-Propanediol,	OECD 425 (Rat)	OECD 402 (Rat)	-
2-amino-2-(hydroxymethyl)-, hydrochloride	LD50 > 5000 mg/kg bw	LD50 > 5000 mg/kg bw	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1 Sub-category 1A

Component	Test method	Test species	Study result non-sensitising		
1,3-Propanediol,	OECD Test Guideline 406	guinea pig	non-sensitising		
2-amino-2-(hydroxymethyl)-, hydrochloride			-		
1185-53-1 (1.6)					

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 471	Mammalian	negative
2-amino-2-(hydroxymethyl)-, hydrochloride	Bacterial Reverse Mutation Test	in vitro	_
1185-53-1 (1.6)			

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 2

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic **Ecotoxicity effects**

environment. The product contains following substances which are hazardous for the

environment.

ALFAAJ60015

Revision Date 31-Mar-2025

Laemmli SDS sample buffer, reducing (4X)

Water Flea Freshwater Fish Microtox Component Freshwater Algae Glycerin LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss) Sodium lauryl sulfate 1.31 mg/L LC50 96 h EC50: = 1.8 mg/L, 48h EC50: 3.59 - 15.6 mg/L = 0.46 mg/L EC50 9.9-20.1 mg/L LC50 96 (Daphnia magna) 96h static Photobacterium (Pseudokirchneriella phosphoreum 30 min 4.5 mg/L LC50 96 h = 0.72 mg/L EC50 subcapitata) 4.62 mg/L LC50 96 h EC50: = 117 mg/L, 96hPhotobacterium phosphoreum 15 min 7.97 mg/L LC50 96 h (Pseudokirchneriella 10.2-22.5 mg/L LC50 96 subcapitata) = 1.19 mg/L EC50 EC50: 30 - 100 mg/L, Photobacterium h 10.8-16.6 mg/L LC50 96 96h (Desmodesmus phosphoreum 5 min subspicatus) h 13.5-18.3 mg/L LC50 96 EC50: = 53 mg/L, 72 h(Desmodesmus h 15-18.9 mg/L LC50 96 h subspicatus) 22.1-22.8 mg/L LC50 96 4.06-5.75 mg/L LC50 96 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h 4.2 mg/L LC50 96 h 2-Mercaptoethanol EC50: = 1.52 mg/L, 48h EC50: = 12 mg/L, 72h = 125 mg/L EC50 (Desmodesmus Pseudomonas putida 17 (Daphnia magna) subspicatus) h Daphnia Magna OECD 209 1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride EC50 >100 mg/L (48h) EC50 > 1000 mg/L (3h)

Persistence and degradability

Persistence Degradation in sewage treatment plant Miscible with water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

...... p.....

Bioaccumulative potential Bioaccumulation is unlikely

Bioaccamaiative potential	Biodocumananom io armitory	
Component	log Pow	Bioconcentration factor (BCF)
Glycerin	-1.75	Bioconcentration factor (BCF) No data available No data available No data available
Sodium lauryl sulfate	1.6	No data available
2-Mercaptoethanol	-0.056	No data available
1,3-Propanediol,	-3.6	No data available
2-amino-2-(hydroxymethyl)-, hydrochloride		

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Waste is classified as hazardous Dispose of in accordance with the European Directives on

Revision Date 31-Mar-2025

Laemmli SDS sample buffer, reducing (4X)

Products waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Do not let this chemical

Revision Date 31-Mar-2025

enter the environment

SECTION 14: TRANSPORT INFORMATION

Not regulated IMDG/IMO

Not regulated **Road and Rail Transport**

IATA Not regulated

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	Χ	Х	Х	Х		Х	Х	KE-35400
Glycerin	200-289-5	Χ	Χ	Х	Х	Χ	Х	Χ	KE-29297
Sodium lauryl sulfate	205-788-1	X	X	X	Х	X	Х	Χ	KE-21884
2-Mercaptoethanol	200-464-6	Х	X	X	X	X	Χ	Χ	KE-23095
1,3-Propanediol,	214-684-5	Х	Х	X	Х		Х	Х	KE-34819
2-amino-2-(hydroxymethyl)-, hydrochloride									
Phenol,	263-653-2	Х	Х	Х	-		Х	-	-
4,4'-(3H-1,2-benzoxathiol-3-yliden									
e)bis[2,6-dibromo-, S,S-dioxide,									
monosodium salt									

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances/EU List of Notified Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List

Laemmli SDS sample buffer, reducing (4X)

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of ICAO/IATA - International Civil Aviation Organization/International Air Dangerous Goods by Road Transport Association

MARPOL - International Convention for the Prevention of Pollution from IMO/IMDG - International Maritime Organization/International Maritime Ships

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate **BCF** - Bioconcentration factor VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 31-Mar-2025

Revision Summary SDS sections updated, 2, 3, 4, 11, 12.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAAJ60015

Revision Date 31-Mar-2025