

# **SAFETY DATA SHEET**

Revision Date 30-March-2024 Revision Number 3

1. Identification

Product Name Coal tar

Cat No.: 42488

**CAS-No** 8007-45-2

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Carcinogenicity Category 1A

Label Elements

### Signal Word

Danger

# **Hazard Statements**

May cause cancer



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF exposed or concerned: Get medical advice/attention

### Storage

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Coal tar	8007-45-2	<=100

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities:

Evacuate area. Fight fire remotely due to the risk of explosion.

Unsuitable Extinguishing Media No information available

**Flash Point** 96 °C / 204.8 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health Flammability Instability Physical hazards
0 1 0 -

# 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

# 7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Oxidizing agent.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Coal tar			TWA: 0.15				TWA: 0.2 mg/m <sup>3</sup>
			ma/m³				

#### Legend

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

## Personal protective equipment

**Eye Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical State Liquid Viscous liquid

Appearance Dark brown

Odor Petroleum distillates
Odor Threshold No information available
pH No information available

Melting Point/RangeNo data availableBoiling Point/Range66 °C / 150.8 °FFlash Point96 °C / 204.8 °F

Evaporation Rate
No information available
Flammability (solid,gas)
Not applicable

Flammability (solid,gas)
Not
Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor Density

No information available

Specific Gravity 1.2 g/cm3

Solubility
No information available
Partition coefficient; n-octanol/water
No data available

Autoignition Temperature

No information available

No information available

No information available

Viscosity No information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Oxidizing agent

Revision Date 30-March-2024 Coal tar

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

# **Product Information**

**Component Information** 

Con	nponent	LD50 Oral	LD50 Dermal	LC50 Inhalation
C	oal tar	LD50 = 1700 mg/kg (Rat)	LD50 = 15800 mg/kg ( Rabbit )	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Coal tar	8007-45-2	Group 1	Known	Not listed	Х	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

No information available **Mutagenic Effects** 

No information available. **Reproductive Effects** 

**Developmental Effects** No information available.

**Teratogenicity** No information available.

None known STOT - single exposure None known STOT - repeated exposure

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

NTP: (National Toxicity Program)

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

Revision Date 30-March-2024

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generator

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Coal tar	8007-45-2	X	-	Х	ACTIVE	232-361-7	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Coal tar	8007-45-2	Х	KE-06058	X	X	X	Х	Х	Х

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	
		Restrictions on Certain Dangerous	,
	Authorization	Substances	List of Substances of Very High
			Concern (SVHC)
Coal tar	=	Use restricted. See item 28.	-
		(see link for restriction details)	
		Use restricted. See item 75.	
		(see link for restriction details)	

### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
8007-45-2	Listed	Not applicable	Not applicable	Not applicable
CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
			Convention (PIC)	(Hazardous Waste)
	8007-45-2	CAS-No  Seveso III Directive (2012/18/EC) - Qualifying Quantities	Pollutant  8007-45-2 Listed Not applicable  CAS-No Seveso III Directive (2012/18/EC) - (2012/18/EC) -	Pollutant Potential  8007-45-2 Listed Not applicable Not applicable  CAS-No Seveso III Directive (2012/18/EC) - Qualifying Quantities  Pollutant Potential  Not applicable Not applicable  Cas-No Seveso III Directive (2012/18/EC) - Qualifying Quantities

1/ 04 !	
<ol><li>Other information</li></ol>	

Not applicable

Not applicable

Requirements

Not applicable

Prepared By Product Safety Department

8007-45-2

Email: chem.techinfo@thermofisher.com

Notification

Not applicable

www.thermofisher.com

**Revision Date** 30-March-2024 **Print Date** 30-March-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

Coal tar

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**