

Page 1 / 10 Creation Date 29-Apr-2010 Revision Date 31-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Dimethyl sulfate, 98+%</u>
Product Description: <u>Dimethyl sulfate, 98+%</u>

 Cat No. :
 R15600

 Synonyms
 Methyl sulfate

 CAS No
 77-78-1

 Molecular Formula
 C2 H6 O4 S

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute Inhalation Toxicity - Vapors	Category 2 (H330)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 2 (H341)
Carcinogenicity	Category 1B (H350)
Specific target organ toxicity - (single exposure)	Category 3 (H335)

# Label Elements

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025



#### Signal Word

#### Danger

#### **Hazard Statements**

- H301 Toxic if swallowed
- H330 Fatal if inhaled
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H335 May cause respiratory irritation
- H341 Suspected of causing genetic defects
- H350 May cause cancer

#### **Precautionary Statements**

#### Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 Wear respiratory protection

### Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P362 + P364 Take off contaminated clothing and wash it before reuse

#### Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

Combustible liquid

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

	Component	CAS No	Weight %
--	-----------	--------	----------

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

Dimethyl sulfate	77-78-1	>95

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Self-Protection of the First Aider** Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

# **Suitable Extinguishing Media**

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

# Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Store under an inert atmosphere. Corrosives area.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Dimethyl sulfate		TWA: 0.1 ppm	(Vacated) TWA: 0.1 ppm
		Skin	(Vacated) TWA: 0.5 mg/m <sup>3</sup>
			Skin
			TWA: 1 ppm
			TWA: 5 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Dimethyl sulfate		STEL: 0.15 ppm 15 min	Haut
·		STEL: 0.78 mg/m <sup>3</sup> 15 min	
		TWA: 0.05 ppm 8 hr	
		TWA: 0.26 mg/m <sup>3</sup> 8 hr	
		Carc. Carc.	
		Skin	

Exposure Controls
Engineering Measures

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures When using do not eat, drink or smoke Provide regular cleaning of equipment, work area

and clothing

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water

system

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor sweet

Odor Threshold No data available No information available

Melting Point/Range-32 °C / -25.6 °FSoftening PointNo data availableBoiling Point/Range188 °C / 370.4 °FFlash Point83 °C / 181.4 °F

Flash Point 83 °C / 181.4 °F Method - No information available

**Evaporation Rate** No information available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits Lower 3.6 Vol% Upper 23.2 Vol%

Vapor Pressure 1.03 mbar @ 20 °C

Vapor Density 4.35 (Air = 1.0)

\_\_\_\_\_

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

Specific Gravity / Density 1.330

**Bulk Density** Not applicable Liquid

2.8 g/100ml (18°C) Water Solubility Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dimethyl sulfate 0.032

**Autoignition Temperature** 

470 °C / 878 °F > 180°C

**Decomposition Temperature** 

**Viscosity** 

No data available

**Explosive Properties Oxidizing Properties** 

No information available

**Molecular Formula Molecular Weight** 

C2 H6 O4 S 126.13

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Moisture sensitive.

Possibility of Hazardous Reactions

**Hazardous Polymerization Hazardous Reactions** 

Hazardous polymerization does not occur.

None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

explosive air/vapour mixtures possible

sources of ignition. Exposure to moisture.

**Incompatible Materials** 

Strong oxidizing agents. Strong bases. Ammonia. Strong acids.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

**Product Information** 

Revision Date 31-Mar-2025 Dimethyl sulfate, 98+%

(a) acute toxicity;

Oral Category 3

Based on available data, the classification criteria are not met Dermal

Inhalation Category 2

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethyl sulfate	LD50 = 106 mg/kg (Rat)	-	$LC50 = 45 \text{ mg/m}^3 \text{ (Rat) 4 h}$

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met

Skin Category 1

May cause sensitization by skin contact

Category 2 (e) germ cell mutagenicity;

Ames test:; positive

Category 1B (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Dimethyl sulfate	Carc Cat. 1B		Cat. 2	Group 2A

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Respiratory system. Results / Target organs

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

**Target Organs** None known.

Based on available data, the classification criteria are not met (j) aspiration hazard;

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the

hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic **Ecotoxicity effects** 

environment. The product contains following substances which are hazardous for the

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Dimethyl sulfate	LC50: 7.5 mg/L/96h (L.	EC50: 17 mg/L/48h		
	Macrochirus)	(Daphnia)		
	LC50: 14 mg/L/96h			
	(Leuciscus idus)			

Persistence and degradability

Biodegradation 80% (15d) (Zahn-Wellens Test)

**Persistence** 

Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Dimethyl sulfate	0.032	No data available

Mobility in soil The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information** 

No information available Other adverse effects

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Do not flush to sewer Waste codes should be assigned by the user based on the Other Information

application for which the product was used Do not empty into drains Large amounts will

affect pH and harm aquatic organisms

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

**UN-No** UN1595 **Hazard Class** 6.1 **Subsidiary Hazard Class Packing Group** 

**Proper Shipping Name** DIMETHYL SULPHATE

Road and Rail Transport

**UN-No** UN1595 **Hazard Class** 6.1 **Subsidiary Hazard Class** 8 **Packing Group** 

DIMETHYL SULPHATE **Proper Shipping Name** 

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

IATA FORBIDDEN FOR IATA TRANSPORT

**UN-No** UN1595 **Hazard Class** 6.1 **Subsidiary Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** DIMETHYL SULPHATE, FORBIDDEN FOR IATA TRANSPORT

**Special Precautions for User** No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Dimethyl sulfate	201-058-1	X	X	X	X	X	Χ	Χ	KE-32593

	Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
I	Dimethyl sulfate	0.5 tonne	2 tonne		

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Dimethyl sulfate, 98+% Revision Date 31-Mar-2025

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 31-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**