# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/9 Creation Date 26-Sep-2009 Revision Date 15-May-2024 Version 3

FSHSX23

# ScintiSafe™ 30% Cocktail

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: ScintiSafe™ 30% Cocktail Product Description: ScintiSafe™ 30% Cocktail

Cat No.: SX23-5

**Supplier** Fisher Scientific Company

One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals. Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidColorlessCharacteristic

## **Emergency Overview**

Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

## Classification of the substance or mixture

Aspiration Toxicity	Category 1
Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Specific target organ toxicity - (single exposure)	Category 2
Specific target organ toxicity - (repeated exposure)	Category 2
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

## **Label Elements**

Page 2/9 Revision Date 15-May-2024

## ScintiSafe™ 30% Cocktail



## Signal Word

## Danger

#### **Hazard Statements**

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H371 - May cause damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P362 + P364 - Take off contaminated clothing and wash it before reuse

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

### Storage

P403 - Store in a well-ventilated place

## **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## **Physical and Chemical Hazards**

None identified.

#### **Health Hazards**

Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs. May cause damage to organs through prolonged or repeated exposure.

## **Environmental hazards**

Very toxic to aquatic life with long lasting effects. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil. The product is insoluble and sinks in water.

Contains a known or suspected endocrine disruptor. Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties. Contains a substance on the National Authorities Endocrine Disruptor Lists.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Mixture of Phenylethylxylenes	NA	40-60
Ethylene oxide-Nonylphenol polymer	9016-45-9	40-60
Phosphoric acid, 2-ethylhexyl ester	12645-31-7	<=2.5
Oxazole, 2,5-diphenyl-	92-71-7	<=2.5

Page 3/9 Revision Date 15-May-2024

## ScintiSafe™ 30% Cocktail

_			
	Benzene, 1,4-bis[2-(2-methylphenyl)ethenyl]-	13280-61-0	<=2.5
Г	2,6-Di-tert-butyl-p-cresol	128-37-0	<=2.5

## **SECTION 4. FIRST AID MEASURES**

#### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Get medical attention.

#### Most important symptoms and effects

Irritating to eyes. Irritating to skin. Irritating to respiratory system. May cause allergic skin reaction. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### **Notes to Physician**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Foam. Powder. Carbon dioxide (CO<sub>2</sub>).

## Extinguishing media which must not be used for safety reasons

No information available.

## **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with skin and eyes. Keep people away from and upwind of spill/leak.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Page 4/9 Revision Date 15-May-2024

ScintiSafe™ 30% Cocktail

\_\_\_\_\_

## Methods for Containment and Clean Up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or mists.

#### Storage

Keep container tightly closed in a dry and well-ventilated place.

#### Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
2,6-Di-tert-butyl-p-cresol	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 10	TWA: 10 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> 15	
		mg/m³		min	
		_		TWA: 10 mg/m <sup>3</sup> 8 hr	

## Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

## **Exposure Controls**

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber Neoprene Natural rubber PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Page 5 / 9 Revision Date 15-May-2024

ScintiSafe™ 30% Cocktail

Skin and body protection Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Colorless Physical State Liquid

Odor Characteristic
Odor Threshold No data available
pH Not applicable
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range 295 °C / 563 °F
Flash Point 159 °C / 318.2 °F

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Vapor Density

No data available

(Air = 1.0)

Specific Gravity / Density 1 1.00 g/cm3 (8.345 lbs/gal)

Bulk Density
Water Solubility
Not applicable
Immiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Ethylene oxide-Nonylphenol polymer 3.7
Phosphoric acid, 2-ethylhexyl ester 2.18
Oxazole, 2,5-diphenyl- 4.1
2,6-Di-tert-butyl-p-cresol 5.1

Autoignition Temperature

Decomposition Temperature

Viscosity

450 - °C / 842 - °F

No data available

No data available

**Explosive Properties**No information available **Oxidizing Properties**No information available

Method - No information available

Liquid

## **SECTION 10. STABILITY AND REACTIVITY**

Page 6/9 Revision Date 15-May-2024

ScintiSafe™ 30% Cocktail

Stable under normal conditions. Stability

**Hazardous Reactions** No information available.

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Conditions to Avoid** Excess heat. Incompatible products.

Materials to avoid No information available.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene oxide-Nonylphenol polymer	LD50 = 2590 mg/kg (Rat)	LD50 = 1780 µL/kg (Rabbit)	
Phosphoric acid, 2-ethylhexyl ester	LD50 <= 2000 mg/kg (Rat)		
2,6-Di-tert-butyl-p-cresol	> 6 g/kg ( Rat )	> 2 g/kg ( Rat )	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2

**Target Organs** Eyes, Skin.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Page 7/9 Revision Date 15-May-2024

ScintiSafe™ 30% Cocktail

## **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects**The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
2,6-Di-tert-butyl-p-cresol	LC50 = 0.199  mg/L  96h	EC50 >0.31 mg/L 48h	EC50 = 0.758  mg/L  96h	EC50 = 7.82 mg/L 5 min
	_		EC50 = 6  mg/L  72  h	EC50 = 8.57 mg/L 15
				min
				EC50 = 8.98 mg/L 30
				min

Persistence and Degradability

**Persistence** 

Immiscible with water.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential May h

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Ethylene oxide-Nonylphenol polymer	3.7	No data available
Phosphoric acid, 2-ethylhexyl ester	2.18	No data available
Oxazole, 2,5-diphenyl-	4.1	No data available
2,6-Di-tert-butyl-p-cresol	5.1	230 - 2500 dimensionless

Mobility in soil

Spillage unlikely to penetrate soil The product is insoluble and sinks in water Is not likely mobile in the environment due its low water solubility

**Endocrine Disruptor Information** 

Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information				
Ethylene oxide-Nonylphenol polymer	Group III Chemical						
Persistent Organic Pollutant	This product does not contain any known or suspected substance						
Ozone Depletion Potential	This product does not contain any known or suspected substance						

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14. TRANSPORT INFORMATION**

Road and Rail Transport

UN-No UN3082

**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

Page 8 / 9 Revision Date 15-May-2024

## ScintiSafe™ 30% Cocktail

#### IMDG/IMO

UN-No UN3082

**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

**IATA** 

UN-No UN3082

**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

#### International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Ethylene oxide-Nonylphenol polymer	Х	-	Х	Х	-	Х	Х	Х	Х	Х	Х	KE-26244
Phosphoric acid, 2-ethylhexyl ester	-	-	Х	Х	235-741-0	Х	Х	Х	Х	Х	Х	KE-28582
Oxazole, 2,5-diphenyl-	-	-	X	Х	202-181-3	Х	Х	Х	Х	Х	Χ	KE-12092
Benzene, 1,4-bis[2-(2-methylphe nyl)ethenyl]-	-	-	Х	Х	236-285-5	Х	Х	-	-		1	KE-03298
2,6-Di-tert-butyl-p-cres ol	-	Х	Х	Х	204-881-4	Х	Х	Х	Х	Х	Х	KE-03079

## **National Regulations**

Component	Toxic Chemical Substances Control Act
Ethylene oxide-Nonylphenol polymer	Class I (5 wt%)
9016-45-9 ( 40-60 )	TRQ = 50 kg

## **SECTION 16. OTHER INFORMATION**

Creation Date26-Sep-2009Revision Date15-May-2024Revision SummaryNot applicable.

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit

Page 9/9 Revision Date 15-May-2024

ScintiSafe™ 30% Cocktail

and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

**RPE** - Respiratory Protective Equipment

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**