

Page 1/8
Revision Date 29-Mar-2023
Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

Perihalan Produk: <u>BactidropTM Potassium hydroxide 10%</u>
Product Description: <u>BactidropTM Potassium hydroxide 10%</u>

Cat No.: R21524

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

**Company** Thermo Scientific Microbiology Sdn Bhd

No.6, Jalan TTC 6, Taman Teknologi Cheng,

Cheng, 75250 Melaka, Malaysia

+606 334 0975 .

**Supplier** Remel

12076 Santa Fe Drive Lenexa,

KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

**Emergency Telephone Number** 

(603) 5122 8888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

#### Label Elements



Signal Word Danger

**Hazard Statements** 

H314 - Causes severe skin burns and eye damage

Revision Date 29-Mar-2023

#### **Precautionary Statements**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Potassium hydroxide	1310-58-3	10
Glycerin	56-81-5	10

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean Ingestion

mouth with water. Call a physician immediately.

Inhalation If breathing is difficult, give oxygen. Remove from exposure, lie down. Do not use

> mouth-to-mouth method if victim indested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Revision Date 29-Mar-2023

# **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media

## Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ensure adequate ventilation.

Refer to protective measures listed in Sections 7 and 8.

## Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

## Specific End Uses

Use in laboratories.

RMLR21524

BactidropTM Potassium hydroxide 10%

Revision Date 29-Mar-2023

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Potassium hydroxide		Ceiling: 2 mg/m <sup>3</sup>	(Vacated) Ceiling: 2 mg/m <sup>3</sup>
Glycerin			(Vacated) TWA: 10 mg/m³ (Vacated) TWA: 5 mg/m³ TWA: 15 mg/m³ TWA: 5 mg/m³

Component	European Union	The United Kingdom	Germany
Potassium hydroxide		WEL - 2 mg/m <sup>3</sup> STEL	
Glycerin		TWA: 10 mg/m <sup>3</sup> 8 hr (mist only)	TWA: 200 mg/m³ (8 Stunden). AGW - exposure factor 2
			TWA: 200 mg/m³ (8 Stunden). MAK Höhepunkt: 400 mg/m³

### **Exposure Controls**

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Protective gloves
Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

\_\_\_\_\_

#### **BactidropTM Potassium hydroxide 10%**

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

No information available **Method -** No information available

Liquid

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits

No data available

Vapor PressureNo data availableVapor DensityNo data available

Vapor DensityNo data available(Air = 1.0)Specific Gravity / DensityNo data availableBulk DensityNot applicableLiquid

Bulk DensityNot applicableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Componentlog PowPotassium hydroxide0.83Glycerin-1.75

Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No data available
No data available
No information available
No information available

VOC Content(%) 10

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

Incompatible products. Excess heat.

Incompatible Materials

Revision Date 29-Mar-2023

## BactidropTM Potassium hydroxide 10%

Revision Date 29-Mar-2023

None known.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

#### **Acute Toxicity**

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	LD50 = 333-384 mg/kg (Rat)		
Glycerin	12600 mg/kg ( Rat )	> 10 g/kg(Rabbit)	> 2.75 mg/L/4h ( Rat )(mist)

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

SensitizationNo information availableMutagenic EffectsNo information availableReproductive EffectsNo information availableDevelopmental EffectsNo information availableTarget OrgansNo information available

Symptoms Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Harmful to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)			

Persistence and degradability No information available

Bioaccumulative potential No information available

<u>Bioaccamaiative peteritiar</u>	110 IIII OTTI I A VAII ADIO	
Component	log Pow	Bioconcentration factor (BCF)
Potassium hydroxide	0.83	No data available
Glycerin	-1.75	No data available

**BactidropTM Potassium hydroxide 10%** 

Mobility in soil No information available.

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Dispose of in accordance with local regulations

Contaminated Packaging Do not reuse empty containers

Other Information According to the European Waste Catalog, Waste Codes are not product specific, but

application specific Waste codes should be assigned by the user based on the application

Revision Date 29-Mar-2023

for which the product was used

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1814
Hazard Class 8
Packing Group II

Proper Shipping Name POTASSIUM HYDROXIDE SOLUTION

Road and Rail Transport Not regulated

IATA

UN-No UN1814 Hazard Class 8 Packing Group II

Proper Shipping Name POTASSIUM HYDROXIDE SOLUTION

Special Precautions for User No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

	Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Pota	ssium hydroxide	215-181-3	X	X	X	X	X	Χ	Χ	KE-29139
	Glycerin	-	Х	Х	Х	Χ	Χ	Х	Х	KE-29297

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Potassium hydroxide				Annex I - Y35

#### **National Regulations**

RMLR21524

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Substances List

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit TWA - Time Weighted Average

**ACGIH** - American Conference of Governmental Industrial Hygienists RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

LD50 - Lethal Dose 50% EC50 - Effective Concentration 50%

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 29-Mar-2023 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

RMLR21524