

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name Methylamine aqueous solution

Product Code AJA130, TOKM0137

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice

for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 1

**Health hazards** 

Acute Oral ToxicityCategory 4Acute Inhalation Toxicity - VaporsCategory 4Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1

Specific target organ toxicity - (single exposure)

Category 3

**Environmental hazards** 

No hazards identified

**Label Elements** 

AUS-001464 Version 3 12-Mar-2025 Page 1/10







Signal Word

Danger

#### **Hazard Statements**

H224 - Extremely flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H302 + H332 - Harmful if swallowed or if inhaled

### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	60
Methylamine%	74-89-5	40

### Section 4 - First Aid Measures

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

AUS-001464 Version 3 12-Mar-2025 Page 2 / 10

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

### **Emergency procedures**

Remove all sources of ignition. Take precautionary measures against static discharges.

### **Environmental Precautions**

See Section 12 for additional Ecological Information.

### **Methods for Containment and Clean Up**

### Clean-up methods - small spillage

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

AUS-001464 Version 3 12-Mar-2025 Page 3 / 10

# Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

# Section 8 - Exposure Controls and Personal Protection

### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Methylamine%	TWA: 10 ppm	TWA: 5 ppm	TWA: 5 ppm		TWA: 5 ppm (8
	TWA: 13 mg/m <sup>3</sup>	TWA: 6.4 mg/m <sup>3</sup>	STEL: 15 ppm		Stunden). AGW - ceiling
		STEL: 10 ppm			factor 2; exposure factor
		STEL: 13 mg/m <sup>3</sup>			2
					TWA: 6.4 mg/m <sup>3</sup> (8
					Stunden). AGW - ceiling
					factor 2; exposure factor
					2
					TWA: 5 ppm (8
					Stunden). MAK an
					instantaneous value of
					10 ppm corresponding
					to 13 mg/m <sup>3</sup> should not
					be exceeded; even if the
					MAK value is adhered
					to, "odor-associated"
					symptoms cannot be
					ruled out in individual
					cases
					TWA: 6.4 mg/m <sup>3</sup> (8
					Stunden). MAK an
					instantaneous value of
					10 ppm corresponding
					to 13 mg/m³ should not
					be exceeded;even if the
					MAK value is adhered
					to, "odor-associated"
					symptoms cannot be
					ruled out in individual
					cases
					Höhepunkt: 10 ppm
					Höhepunkt: 12.8 mg/m <sup>3</sup>

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

AUS-001464 Version 3 12-Mar-2025 Page 4/10

**Exposure Controls** 

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Method - No information available

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

Appearance Clear, colorless solution

Physical State Liquid

Odor No information available

Odor ThresholdNo data availablepHNot applicableMelting Point/RangeNo data available

Softening Point No data available
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density No data available

Bulk Density Not applicable Liquid

Water Solubility
Solubility
No information available
No information available

AUS-001464 Version 3 12-Mar-2025 Page 5 / 10

Vapors may form explosive mixtures with air

Partition Coefficient (n-octanol/water)

Component log Pow Methylamine ...% -0.713

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

Explosive Properties

Oxidizing Properties No information available

Other information

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization** No information available.

## Section 11 - Toxicological Information

### **Information on Toxicological Effects**

#### **Product Information**

(a) acute toxicity;

OralCategory 4DermalNo data availableInhalationCategory 4

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	=
Methylamine%	698 mg/kg ( Rat )	_	2.9 mg/L/4h ( Rat )

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

AUS-001464 Version 3 12-Mar-2025 Page 6/10

(h) STOT-single exposure; Category 3

Respiratory system Results / Target organs

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## Section 12 - Ecological Information

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Methylamine%		EC50: = 163 mg/L, 48h		
		(Daphnia magna)		
		EC50: 147 - 180 mg/L,		
		48h Static (Daphnia		
		magna)		
		,		

Persistence and Degradability No information available **Bioaccumulative Potential** No information available

Component	log Pow	Bioconcentration factor (BCF)			
Methylamine%	-0.713	2860 - 6910 dimensionless			

**Mobility** 

**Endocrine Disruptor Information Persistent Organic Pollutant** 

No information available.

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

Waste from Residues/Unused

**Ozone Depletion Potential** 

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

# Section 14 - Transport Information

#### IMDG/IMO

AUS-001464 Page 7/10 Version 3 12-Mar-2025

UN-No UN1235

Proper Shipping Name METHYLAMINE, AQUEOUS SOLUTION

Hazard Class 3 Subsidiary Hazard Class 8 Packing Group II

<u>ADG</u>

UN-No UN1235

Proper Shipping Name METHYLAMINE, AQUEOUS SOLUTION

Hazard Class 3 Subsidiary Hazard Class 3, 8 Packing Group II

Component	Hazchem Code
Methylamine%	2WE
74-89-5 ( 40 )	2PE

### **IATA**

UN-No UN1235

Proper Shipping Name METHYLAMINE, AQUEOUS SOLUTION

Hazard Class 3
Subsidiary Hazard Class 8
Packing Group ||

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

	Component	Standard for the Uniform Scheduling of Medicines and Poisons
ı	Methylamine% - 74-89-5	Schedule 5 listed - for use as curing agents for Epoxy resins except when separately specified in these
	•	Schedules

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

	Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
W	ater - 7732-18-5	Present	-
Methyl	amine% - 74-89-5	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

AUS-001464 Version 3 12-Mar-2025 Page 8/10

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Methylamine% - 74-89-5	Category 2	

#### Legend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

National pollutant inventory Not applicable

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	Х	-	X	Х		Х	KE-35400
Methylamine%	Х	Х	200-820-0	-	X	Х	-	Х	Х	Х	Χ	KE-23421

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Methylamine%	74-89-5	Listed	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Γ	Component	. ,	REACH (1907/2006) - Annex XVII -	
		Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
		Authorization	Substances	List of Substances of Very High
L				Concern (SVHC)
Г	Methylamine%	-	Use restricted. See entry 75.	-
			(see link for restriction details)	

AUS-001464 Version 3 12-Mar-2025 Page 9/10

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

 $\mathbf{MARPOL}$  - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Calculation method

Environmental hazards

On basis of test data

Calculation method

Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

AUS-001464 Version 3 12-Mar-2025 Page 10 / 10