

## **SAFETY DATA SHEET**

Creation Date 05-Mar-2018 Revision Date 01-Apr-2024 Revision Number 7

## 1. Identification

Product Name Nichrome etchant

Cat No.: 44585

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Reproductive Toxicity

Effects on or via lactation

Category 1

Category 1

Category 1

Category 1

Category 1

Label Elements

### Signal Word

Danger

#### **Hazard Statements**

May be corrosive to metals Causes severe skin burns and eye damage Harmful if inhaled

#### Nichrome etchant

May damage the unborn child May cause harm to breast-fed children



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid contact during pregnancy/while nursing

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Keep only in original container

Wear respiratory protection

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Spills

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	81.75
Nitric acid% [C ≤ 70 %]	7697-37-2	17.50
1-Octanesulfonic acid,	2795-39-3	0.75
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-,		
potassium salt		

### 4. First-aid measures

Nichrome etchant

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Powder. Water spray. In case of major fire and large quantities:

Evacuate area. Fight fire remotely due to the risk of explosion. CO<sub>2</sub>, dry chemical, dry sand,

alcohol-resistant foam.

No information available

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Sulfur oxides. Hydrogen fluoride. Potassium oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health Flammability Instability Physical hazards
3 0 0 -

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Nichrome etchant

**Environmental Precautions** 

Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

T. Handling and storage

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

· ·

not store in metal containers. Incompatible Materials. Strong bases. Metals.

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Do

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Nitric acid% [C ≤ 70 %]	TWA: 2 ppm	(Vacated) TWA: 2 ppm	IDLH: 25 ppm	TWA: 2 ppm
	STEL: 4 ppm	(Vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 2 ppm	STEL: 4 ppm
		(Vacated) STEL: 4 ppm	TWA: 5 mg/m <sup>3</sup>	
		(Vacated) STEL: 10 mg/m <sup>3</sup>	STEL: 4 ppm	
		TWA: 2 ppm	STEL: 10 mg/m <sup>3</sup>	
		TWA: 5 mg/m <sup>3</sup>	-	

#### Legend

Storage.

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorAcrid

Odor Threshold No information available

**pH** < 1

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

#### Nichrome etchant

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure23 hPa @ 20 °CVapor DensityNo information available

Specific Gravity 1.25 g/cm3
Solubility niscible

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong bases, Metals

Hazardous Decomposition Products Nitrogen oxides (NOx), Sulfur oxides, Hydrogen fluoride, Potassium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Category 3. ATE

= 2 - 10 mg/l. Category 4. ATE = 10 - 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid% [C ≤ 70 %]	Not listed	Not listed	LC50 = 2500 ppm. (Rat) 1h

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Nitric acid% [C ≤ 70	7697-37-2	Not listed				
%]						
1-Octanesulfonic acid,	2795-39-3	Not listed				
1,1,2,2,3,3,4,4,5,5,6,6,						
7,7,8,8,8-heptadecaflu						
oro-, potassium salt						

#### Nichrome etchant

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

### 12. Ecological information

**Ecotoxicity** 

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility** 

Component	log Pow
Nitric acid% [C ≤ 70 %]	-2.3

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN3264 **UN-No** 

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

(NITRIC ACID) **Technical Name** 

**Hazard Class** 8 Ш **Packing Group** 

**TDG** 

UN3264 **UN-No** 

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

**Hazard Class Packing Group** Ш

**UN-No** UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

**Hazard Class Packing Group** 

Ш

IMDG/IMO

UN3264 **UN-No** 

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group

### 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Nitric acid% [C ≤ 70 %]	7697-37-2	Х	ACTIVE	-
1-Octanesulfonic acid,	2795-39-3	X	ACTIVE	S
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-he				
ptadecafluoro-, potassium salt				

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

- X Listed
- '-' Not Listed
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule.

# TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

Component	CAS No	TSCA 12(b) - Notices of Export
1-Octanesulfonic acid,	2795-39-3	Section 5
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-,		
potassium salt		

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Χ	Х		Х	Х	KE-35400
Nitric acid …% [C ≤ 70 %]	7697-37-2	Х	-	231-714-2	Х	Х	Х	Х	Х	KE-25911
1-Octanesulfonic acid,	2795-39-3	Х	-	220-527-1	Χ	Х	Х	Х	Х	KE-18223
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-he										
ptadecafluoro-, potassium salt									[	

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Nitric acid% [C ≤ 70 %]	7697-37-2	17.50	1.0 %	-
1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, potassium salt	2795-39-3	0.75	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

	Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nit	ric acid% [C ≤ 70 %]	X	1000 lb	-	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Nitric acid% [C ≤ 70 %]	-	TQ: 500 lb

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Nitric acid% [C ≤ 70 %]	1000 lb	1000 lb	1000 lb 454 kg

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
1-Octanesulfonic acid,	2795-39-3	Carcinogen	-	Carcinogen
1,1,2,2,3,3,4,4,5,5,6,6,7,7				
,8,8,8-heptadecafluoro-,				
potassium salt				

# U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Nitric acid% [C ≤ 70	X	X	X	X	X
%]					

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security Legend - S

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard		
Nitric acid …% [C ≤ 70 %]	Release STQs - 15000lb		
	Theft STQs - 400lb		

### Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

	Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
١	-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
			Subject to Authorization	on Certain Dangerous	Candidate List of

### Nichrome etchant

			Substances	Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Nitric acid% [C ≤ 70 %]	7697-37-2	-	Use restricted. See item 75. (see link for restriction details)	-
1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hep tadecafluoro-, potassium salt	2795-39-3	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8, 8-heptadecafluoro-, potassium salt		Not applicable	Annex I - Substance subject to prohibitions Annex IV : 50 mg/kg (Waste Management - Conc. Limit)	Not applicable	Not applicable

# Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? See table for values

Component	OECD PFAS	US (EPA) PFAS	EU (ECHA) PFAS	UK (HSE) PFAS	Chemsec PFAS (Sin
					List)
1-Octanesulfonic acid,	Listed	-	Listed	Listed	-
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-hep					
tadecafluoro-, potassium salt					
(CAS #: 2795-39-3)					

### **PFAS Legend**

Listed = Meets the PFAS definition of the named authority

### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Not applicable	Not applicable	Not applicable	Annex I - Y34
1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8, 8-heptadecafluoro-, potassium salt	2795-39-3	Not applicable	Not applicable	X	Not applicable

1/	$\sim$ 11	· . C	1.7 (2.1)
16	OTHER	informa	TION
10.	Other	ппоппа	LIOII

**Prepared By** 

Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 05-Mar-2018

 Revision Date
 01-Apr-2024

 Print Date
 01-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**