

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Product Identifier

Perihalan Produk: **Hydrazine hydrate solution 62%**
 Product Description: **Hydrazine hydrate solution 62%**
 Cat No. : H/0500/PB08, H/0500/PB17, H/0500/17
 Molecular Formula H₄ N₂ . x H₂ O

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
 Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,
 Selangor Darul Ehsan, Malaysia.
 Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888
 CHEMTREC Malaysia **1-800-815-308** (Malay)
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

SECTION 2: HAZARDS IDENTIFICATION
Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 3 (H311)
Acute Inhalation Toxicity - Vapors	Category 2 (H330)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Skin Sensitization	Category 1 (H317)
Carcinogenicity	Category 1B (H350)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 1 (H410)

Label Elements

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025



Signal Word

Danger

Hazard Statements

H301 + H311 - Toxic if swallowed or in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H330 - Fatal if inhaled
H350 - May cause cancer
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves
P284 - Wear respiratory protection

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P330 - Rinse mouth
P331 - Do NOT induce vomiting
P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Hydrazine hydrate	10217-52-4	58 - 64
Hydrazine	302-01-2	-
Water	7732-18-5	36 - 62

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Ingestion	Call a physician immediately. Clean mouth with water.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Ammonia, Hydrogen.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition. Wear

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

protective gloves/clothing and eye/face protection. In case of inadequate ventilation wear respiratory protection.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not flush into surface water or sanitary sewer system.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Handle product only in closed system or provide appropriate exhaust ventilation. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear personal protective equipment/face protection.

Conditions for Safe Storage, Including any Incompatibilities

Keep away from oxidizing agents. Keep away from heat, sparks and flame. Protect from light. Protect from sunlight. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Hydrazine		TWA: 0.01 ppm Skin	(Vacated) TWA: 0.1 ppm (Vacated) TWA: 0.1 mg/m ³ Skin TWA: 1 ppm TWA: 1.3 mg/m ³

Component	European Union	The United Kingdom	Germany
Hydrazine	TWA: 0.013 mg/m ³ (8h) TWA: 0.01 ppm (8h) Skin	STEL: 0.03 ppm 15 min STEL: 0.039 mg/m ³ 15 min TWA: 0.01 ppm 8 hr TWA: 0.013 mg/m ³ 8 hr Carc. Skin	Haut

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

Personal protective equipment

Eye Protection	Goggles
Hand Protection	Protective gloves
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
Recommended Filter type:	Organic gases and vapours filter Type K To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u>	Handle in accordance with good industrial hygiene and safety practice
--------------------------------	---

<u>Environmental exposure controls</u>	Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained
---	--

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Colorless	
Physical State	Liquid	
Odor	Ammonia-like	
Odor Threshold	No data available	
pH	10.6-10.7	(1%)
Melting Point/Range	-65 °C / -85 °F	
Softening Point	No data available	
Boiling Point/Range	109.4 °C / 228.9 °F	
Flash Point	73 - 91 °C / 163.4 - 195.8 °F	Method - Open cup
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 9.3 Upper 83.4	
Vapor Pressure	15 mbar @ 20 °C	
Vapor Density	1.1 @ 15 °C	(Air = 1.0)
Specific Gravity / Density	1.023	
Bulk Density	Not applicable	Liquid
Water Solubility	Miscible	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

Component Hydrazine	log Pow -0.16
Autoignition Temperature	310 °C / 590 °F
Decomposition Temperature	> 250°C
Viscosity	1.26 mPa.s at 20 °C
Explosive Properties	Not explosive
Oxidizing Properties	No information available
Molecular Formula	H4 N2 . x H2 O
Molecular Weight	32.04

SECTION 10: STABILITY AND REACTIVITY

Reactivity

No.

Chemical Stability

Do not allow evaporation to dryness. Air sensitive.

Possibility of Hazardous Reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	No information available.

Conditions to Avoid

Exposure to air. Incompatible products.

Incompatible Materials

Acids. Bases. Finely powdered metals. Halogens. nitrogen oxides (NOx). Organic materials. Peroxides. Lead. Metals. copper. Butyl rubber.

Hazardous Decomposition Products

Nitrogen oxides (NOx). Ammonia. Hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;	
Oral	Category 3 ATE = 244.1 mg/kg
Dermal	Category 3 ATE = 588.2 mg/kg
Inhalation	Category 2

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

ATE = 1.21 mg/l (vapours)

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrazine hydrate	LD50 = 108 mg/kg bw (Rat) OECD TG 401	-	-
Hydrazine	LD50 = 60 mg/kg (Rat)	LD50 = 91 mg/kg (Rabbit)	570 ppm (Rat) 4 h 0.75 mg/L (Rat) 4 h
Water	-	-	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 1B

Possible cancer hazard. May cause cancer based on animal data

Component	EU	UK	Germany	IARC
Hydrazine	Carc Cat. 1B		Cat. 2	Group 2A

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Test species / Duration

Rat

Study result

LOAEL = 0.066 mg/m³

NOAEL = 1.92 mg/kg

Target Organs

None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hydrazine	LC50: 0.28 - 1.34 mg/L, 96h static (Poecilia reticulata) LC50: 1.81 - 2.79 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1.17 mg/L, 96h (Lepomis macrochirus) LC50: 0.54 - 1.31 mg/L, 96h static (Lepomis macrochirus) LC50: 0.7 - 1.3 mg/L, 96h flow-through (Lepomis macrochirus)		EC50: = 0.006 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: = 0.071 mg/L, 72h (Pseudokirchneriella subcapitata) EC50: = 0.02 mg/L, 96h static (Pseudokirchneriella subcapitata)	EC50 = 0.01 mg/L 15 min EC50 = 0.01 mg/L 20 min EC50 = 0.02 mg/L 5 min

Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hydrazine	-0.16	No data available

Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Large amounts will affect pH and harm aquatic organisms Solutions with high pH-value must be neutralized before discharge Do not let this chemical enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No

UN2030

FSUH0500

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II
Proper Shipping Name HYDRAZINE, AQUEOUS SOLUTION

Road and Rail Transport

UN-No UN2030
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II
Proper Shipping Name HYDRAZINE AQUEOUS SOLUTION

IATA

UN-No UN2030
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II
Proper Shipping Name HYDRAZINE, AQUEOUS SOLUTION

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Hydrazine hydrate	-	-	-	-	X	X	X	-	-
Hydrazine	206-114-9	X	X	X	X	X	X	X	KE-19981
Water	231-791-2	X	X	X	X		X	X	KE-35400

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hydrazine	0.5 tonne	2 tonne		

National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

SAFETY DATA SHEET

Hydrazine hydrate solution 62%

Revision Date 23-Mar-2025

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Creation Date 08-Aug-2012

Revision Date 23-Mar-2025

Revision Summary SDS sections updated, 1, 3.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet