SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Creation Date 11-Feb-2010 **Revision Date** 08-Feb-2024 **Revision Number** 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	**2,6-Diisopropylaniline**
Cat No. :	**L10761**
CAS No	24544-04-5
EC No	246-305-4
Molecular Formula	C12 H19 N
REACH registration number	01-2119943383-37

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Intermediate.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company .

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99
CHEMTREC Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Chronic aquatic toxicity	Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements

Hazard Statements

H412 - Harmful to aquatic life with long lasting effects
EUH208 - Contains Aniline. May produce an allergic reaction

Precautionary Statements

P273 - Avoid release to the environment
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Benzenamine, 2,6-bis(1-methylethyl)-	24544-04-5	EEC No. 246-305-4	>99.8	Aquatic Chronic 3 (H412)
Aniline	62-53-3	EEC No. 200-539-3	0.1-0.2	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes

Aniline	STOT RE 1 (H372) :: C>=1% STOT RE 2 (H373) :: 0.2%<=C<1%	1	-

REACH registration number	01-2119943383-37

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Ingestion Do NOT induce vomiting. Get medical attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media
Water spray, carbon dioxide (CO_2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons
No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products
Carbon monoxide (CO), Carbon dioxide (CO_2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures
Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)	Storage Class/LGK 10
Switzerland - Storage of hazardous substances	Storage class - SC 10/12 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits
List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE -** 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Aniline		STEL: 3 ppm 15 min STEL: 12 mg/m³ 15 min TWA: 1 ppm 8 hr TWA: 4 mg/m³ 8 hr Skin	TWA / VME: 2 ppm (8 heures). indicative limit TWA / VME: 7.74 mg/m³ (8 heures). indicative limit STEL / VLCT: 5 ppm.	TWA: 2 ppm 8 uren TWA: 7.7 mg/m³ 8 uren STEL: 5 ppm 15 minuten STEL: 19.35 mg/m³ 15 minuten	STEL / VLA-EC: 5 ppm (15 minutos). STEL / VLA-EC: 19.35 mg/m³ (15 minutos). TWA / VLA-ED: 2 ppm (8 horas)

			indicative limit STEL / VLCT: 19.35 mg/m³. indicative limit Peau	Huid	TWA / VLA-ED: 7.74 mg/m³ (8 horas) Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
Aniline	TWA: 7.74 mg/m³ 8 ore. Time Weighted Average during exposure monitoring, account should be taken of relevant biological monitoring values as suggested by the Scientific Committee on Occupational Exposure Limits for Chemicals Agents (SCOEL) TWA: 2 ppm 8 ore. Time Weighted Average during exposure monitoring, account should be taken of relevant biological monitoring values as suggested by the Scientific Committee on Occupational Exposure Limits for Chemicals Agents (SCOEL) STEL: 19.35 mg/m³ 15 minuti. Short-term during exposure monitoring, account should be taken of relevant biological monitoring values as suggested by the Scientific Committee on Occupational Exposure Limits for Chemicals Agents (SCOEL) STEL: 5 ppm 15 minuti. Short-term during exposure monitoring, account should be taken of relevant biological monitoring values as suggested by the Scientific Committee on Occupational Exposure Limits for Chemicals Agents (SCOEL) Pelle	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 7.7 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 2 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 7.7 mg/m³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 4 ppm Höhepunkt: 15.4 mg/m³ Haut	STEL: 19.35 mg/m³ 15 minutos STEL: 5 ppm 15 minutos TWA: 2 ppm 8 horas Pele	huid STEL: 19.35 mg/m³ 15 minuten TWA: 7.74 mg/m³ 8 uren	TWA: 0.5 ppm 8 tunteina TWA: 1.9 mg/m³ 8 tunteina STEL: 1.0 ppm 15 minuutteina STEL: 3.9 mg/m³ 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
Aniline	Haut MAK-KZGW: 5 ppm 15 Minuten MAK-KZGW: 19.4 mg/m³ 15 Minuten MAK-TMW: 2 ppm 8 Stunden MAK-TMW: 7.7 mg/m³ 8 Stunden	TWA: 1 ppm 8 timer TWA: 4 mg/m³ 8 timer STEL: 19.4 mg/m³ 15 minutter STEL: 5 ppm 15 minutter Hud	Haut/Peau STEL: 4 ppm 15 Minuten STEL: 15 mg/m³ 15 Minuten TWA: 2 ppm 8 Stunden TWA: 8 mg/m³ 8 Stunden	STEL: 3.8 mg/m³ 15 minutach TWA: 1.9 mg/m³ 8 godzinach	TWA: 1 ppm 8 timer TWA: 4 mg/m³ 8 timer STEL: 8 mg/m³ 15 minutter. value from the regulation STEL: 2 ppm 15 minutter. value from the regulation Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Aniline	TWA: 2 ppm TWA: 7.74 mg/m³ STEL : 19.35 mg/m³ STEL : 5 ppm Skin notation	TWA-GVI: 7.74 mg/m³ 8 satima. during the monitoring of exposure the relevant value of biological monitoring shall be taken into	TWA: 2 ppm 8 hr. TWA: 7.74 mg/m³ 8 hr. STEL: 5 ppm 15 min STEL: 19.35 mg/m³ 15 min Skin	Skin-potential for cutaneous absorption STEL: 19.35 mg/m³ STEL: 5 ppm TWA: 7.74 mg/m³ TWA: 2 ppm	TWA: 5 mg/m³ 8 hodinách. Potential for cutaneous absorption Ceiling: 10 mg/m³

		account as suggested by the Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL) TWA-GVI: 2 ppm 8 satima. during the monitoring of exposure the relevant value of biological monitoring shall be taken into account as suggested by the Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL) STEL-KGVI: 5 ppm 15 minutama. during the monitoring of exposure the relevant value of biological monitoring shall be taken into account as suggested by the Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL) STEL-KGVI: 19.35 mg/m³ 15 minutama. during the monitoring of exposure the relevant value of biological monitoring shall be taken into account as suggested by the Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL)			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Aniline	Nahk TWA: 1 ppm 8 tundides. TWA: 4 mg/m³ 8 tundides. STEL: 2 ppm 15 minutites. STEL: 8 mg/m³ 15 minutites.		skin - potential for cutaneous absorption STEL: 5 ppm STEL: 19.35 mg/m³ TWA: 2 ppm TWA: 7.74 mg/m³	STEL: 19.35 mg/m³ 15 percekben. CK TWA: 7.74 mg/m³ 8 órában. AK lehetséges borön keresztüli felszívódás	STEL: 5 ppm STEL: 19.35 mg/m³ TWA: 1 ppm 8 klukkustundum. TWA: 4 mg/m³ 8 klukkustundum. Skin notation Ceiling: 2 ppm Ceiling: 8 mg/m³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Aniline	skin - potential for cutaneous exposure STEL: 19.35 mg/m³ STEL: 5 ppm TWA: 7.74 mg/m³ TWA: 2 ppm	TWA: 1 ppm IPRD in addition to the indicative occupational exposure limit values, biological monitoring values must be taken into account when monitoring exposure TWA: 4 mg/m³ IPRD in addition to the indicative occupational exposure limit values, biological monitoring values must be taken into account when monitoring exposure Oda STEL: 2 ppm	Possibility of significant uptake through the skin TWA: 7.74 mg/m³ 8 Stunden TWA: 2 ppm 8 Stunden STEL: 19.35 mg/m³ 15 Minuten STEL: 5 ppm 15 Minuten	possibility of significant uptake through the skin TWA: 2 ppm TWA: 7.74 mg/m³ STEL: 5 ppm 15 minuti STEL: 19.35 mg/m³ 15 minuti	Skin notation TWA: 0.8 ppm 8 ore TWA: 3 mg/m³ 8 ore STEL: 1.3 ppm 15 minute STEL: 5 mg/m³ 15 minute

		STEL: 8 mg/m³			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Aniline	TWA: 0.1 mg/m³ 0063 Skin notation MAC: 0.3 mg/m³	Potential for cutaneous absorption TWA: 2 ppm TWA: 7.7 mg/m³	TWA: 2 ppm 8 urah TWA: 7.74 mg/m³ 8 urah Koža STEL: 5 ppm 15 minutah STEL: 19.35 mg/m³ 15 minutah	Binding STEL: 2 ppm 15 minuter Binding STEL: 8 mg/m³ 15 minuter TLV: 1 ppm 8 timmar. NGV TLV: 4 mg/m³ 8 timmar. NGV Hud	

Biological limit values
List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Aniline			Total p-Aminophenol: 50 mg/g creatinine urine end of shift Methemoglobin: 1.5 % of hemoglobin blood during or end of shift	: 0.2 mg/L urine end of shift	Aniline (after hydrolysis): 500 µg/L urine (for long-term exposures: at the end of the shift after several shifts) Aniline (after hydrolysis): 500 µg/L urine (end of shift)

Component	Italy	Finland	Denmark	Bulgaria	Romania
Aniline				Methaemoglobin: 30 mg/L blood up to two hours after the end of work shift possible significant absorption through the skin;applies to chemical agents for which biological limit values have been set for the European Community;the biological limit values of these chemical agents, determined by the regulation, are in accordance with the respective values adopted for the European Community, and may be equal to or lower than them Heinz bodies p-Aminophenol: 30 mg/L urine up to two hours after the end of work shift possible significant absorption through the skin;applies to chemical agents for which biological limit values have been set for the European Community;the biological limit values of these chemical agents, determined by the regulation, are in accordance with the respective values adopted for the European Community, and may be equal to or lower than them	p-Aminophenol: 10 µg/L urine end of shift Methemoglobin: 1.5 % total Hemoglobin blood end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Aniline		Aniline: 0.2 µg/L urine end of shift	Aniline (free): 1 mg/L urine end of exposure or work shift Aniline (free): 1 mg/L urine after all work shifts for long-term exposure Aniline (released from hemoglobin): 100 µg/L blood end of exposure or work shift Aniline (released from hemoglobin): 100 µg/L blood after all work shifts for long-term exposure		

Monitoring methods
BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)
See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Aniline 62-53-3 (0.1-0.2)		DNEL = 4mg/kg bw/day		DNEL = 2mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Aniline 62-53-3 (0.1-0.2)		DNEL = 15.4mg/m^3		DNEL = 7.7mg/m^3

Predicted No Effect Concentration (PNEC)
See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Aniline 62-53-3 (0.1-0.2)	PNEC = 0.0012mg/L	PNEC = 0.153mg/kg sediment dw		PNEC = 2mg/L	PNEC = 0.033mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Aniline 62-53-3 (0.1-0.2)	PNEC = 0.00012mg/L	PNEC = 0.0153mg/kg sediment dw		PNEC = 2.3g/kg food	

8.2. Exposure controls

Engineering Measures
Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment
Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls Prevent product from entering drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	No information available	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	-45 °C / -49 °F	
Softening Point	No data available	
Boiling Point/Range	257 °C / 494.6 °F	@ 760 mmHg
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	123 °C / 253.4 °F	**Method -** No information available
Autoignition Temperature	400 °C / 752 °F	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Insoluble	practically insoluble
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	**log Pow**	
Benzenamine, 2,6-bis(1-methylethyl)-	3.18	
Aniline	0.91	
Vapor Pressure	<0.01 mmHg @ 20 °C	
Density / Specific Gravity	0.940	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular Formula	C12 H19 N
Molecular Weight	177.29

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO_2). Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;
Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met
Inhalation Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Benzenamine, 2,6-bis(1-methylethyl)-	LD50 = 3204 mg/kg (Rat)	-	-
Aniline	LD50 = 440 mg/kg (Rat)	LD50 = 442 mg/kg (Rat)	1 mg/L (Rat) 4 h 1.82 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;
Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Aniline				Group 2A

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Benzenamine, 2,6-bis(1-methylethyl)-	Pimephales promelas: LC50=14mg/L 96h	EC50 = 15 mgL 48h	
Aniline	Oncorhynchus mykiss: LC50 = 10.96 mg/L 96h	EC50 = 0.16 mg/L 48h	

Component	Microtox	M-Factor
Aniline	EC50 = 425 mg/L 5 min EC50 = 488 mg/L 15 min	1

12.2. Persistence and degradability Not readily biodegradable

Persistence Persistence is unlikely.

Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Benzenamine, 2,6-bis(1-methylethyl)-	3.18	No data available
Aniline	0.91	No data available

12.4. Mobility in soil The product is insoluble and floats on water Spillage unlikely to penetrate soil . Is not likely mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.
Switzerland - Waste Ordinance	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

ADR Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

IATA Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories
Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Benzenamine, 2,6-bis(1-methylethyl)-	24544-04-5	246-305-4	-	-	X	X	-	X	X
Aniline	62-53-3	200-539-3	-	-	X	X	KE-01180	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Benzenamine, 2,6-bis(1-methylethyl)-	24544-04-5	X	ACTIVE	-	X	X	-	-
Aniline	62-53-3	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Benzenamine, 2,6-bis(1-methylethyl)-	24544-04-5	-	-	-
Aniline	62-53-3	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links
https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Benzenamine, 2,6-bis(1-methylethyl)-	24544-04-5	Not applicable	Not applicable
Aniline	62-53-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals
Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?
Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Aniline	WGK3	Class I : 20 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
Aniline	Tableaux des maladies professionnelles (TMP) - RG 13,RG 15,RG 15bis

Swiss Regulations
Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).
Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Benzenamine, 2,6-bis(1-methylethyl)- 24544-04-5 (>99.8)	Prohibited and Restricted Substances		
Aniline 62-53-3 (0.1-0.2)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3
H412 - Harmful to aquatic life with long lasting effects
H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H331 - Toxic if inhaled
H341 - Suspected of causing genetic defects
H351 - Suspected of causing cancer
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japanese Existing and New Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit
ACGIH - American Conference of Governmental Industrial Hygienists
DNEL - Derived No Effect Level
RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
NOEC - No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
OECD - Organisation for Economic Co-operation and Development
BCF - Bioconcentration factor
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
ATE - Acute Toxicity Estimate
VOC - (volatile organic compound)

Key literature references and sources for data
https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice
Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.
Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.
First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	11-Feb-2010
Revision Date	08-Feb-2024
Revision Summary	New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

End of Safety Data Sheet