

# **SAFETY DATA SHEET**

Creation Date 26-February-2018

Revision Date 25-March-2024

**Revision Number 2** 

1. Identification

Product Name Chromium powder, 99.99% (metals basis), <100 mesh

Cat No.: 802525

**CAS-No** 7440-47-3

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable solids Category 2

Label Elements

Signal Word

Warning

**Hazard Statements** 

Flammable solid



### **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Ground/bond container and receiving equipment

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Chromium	7440-47-3	>95	

## 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

# 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

**Flash Point Method -**No information available

No information available

**Autoignition Temperature** 

**Explosion Limits** 

Not applicable

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Chromium oxide.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
0	2	0	N/A

## 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal.

7. Handling and storage

**Handling** Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

**Storage.** Keep under nitrogen. Keep container tightly closed in a dry and well-ventilated place.

Incompatible Materials. Acids.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Chromium	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA:	IDLH: 250				
				_	_	1 mg/m <sup>3</sup>	mg/m³
						TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control.

and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

## Personal protective equipment

**Eye Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	

Nitrile rubber Neoprene PVC recommendations

Splash protection only

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

No information available.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical State Powder Solid

AppearanceNo information availableOdorNo information availableOdor ThresholdNo information availablepHNo information available

Melting Point/Range 1857 °C / 3374.6 °F
Boiling Point/Range 2642 °C / 4787.6 °F
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity

No information available
Solubility

Soluble in water

Partition coefficient; n-octanol/water

Autoignition Temperature

Soluble in water

No data available

Not applicable

**Decomposition Temperature**No information available

Viscosity Not applicable

Molecular FormulaCrMolecular Weight52.00

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Air sensitive.

Conditions to Avoid Exposure to air.

**Incompatible Materials** Acids

Hazardous Decomposition Products Chromium oxide

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information Component Information** 

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Chromium	7440-47-3	Not listed				

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects,both acute and No information available

delayed

No information available **Endocrine Disruptor Information** 

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability May persist Insoluble in water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN3089

Proper Shipping Name METAL POWDERS, FLAMMABLE, N.O.S.

Hazard Class 4. Packing Group

\_TDG\_

UN-No UN3089

**Proper Shipping Name** Metal powder, flammable, n.o.s.

Hazard Class 4.1
Packing Group

<u>IATA</u>

UN-No UN3089

**Proper Shipping Name** Metal powder, flammable, n.o.s.

Hazard Class 4.1 Packing Group III

IMDG/IMO

UN-No UN3089

**Proper Shipping Name** Metal powder, flammable, n.o.s.

Hazard Class 4.1 Packing Group III

# 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

	Component	CAS-No	notification		TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP	
Г	Chromium	7440-47-3	Х	-	X	ACTIVE	231-157-5	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Chromium	7440-47-3	Х	KE-05970	X	-	X	Х	X	X

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Chromium	Part 1, Group A Substance		

Legend NPRI - National Pollutant Release Inventory

### Other International Regulations

\_\_\_\_\_

#### Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	· · · · · · · · · · · · · · · · · · ·
Chromium	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date26-February-2018Revision Date25-March-2024Print Date25-March-2024

**Revision Summary** New emergency telephone response service provider.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**