

Creation Date 11-Apr-2012 Revision Date 10-Dec-2021 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Streptex Kit (200 tests) ®

Cat No.: R30164701

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Remel Europe Ltd.,

Clipper Boulevard West, Crossways, Dartford

Kent. DA2 6PT

UK

Tel: (+44) 1322 295600 Fax: (+44) 1322 225413 mbd-sds@thermofisher.com

EU entity/business name

Thermo Fisher Diagnostics B.V., Scheepbouwersweg 1 B,

1121 PC Landsmeer, The Netherlands

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887 Chemtrec US: (800) 424-9300

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

Signal Word None

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

	Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
	Sodium azide	26628-22-8	EEC No. 247-852-1	0.1	Acute Tox. 2 (H300)
					(EUH032) Aquatic Acute 1 (H400)
					Aquatic Acute 1 (11400) Aquatic Chronic 1 (H410)
Ī	Sodium azide	26628-22-8	EEC No. 247-852-1	0.1	Acute Tox. 2 (H300)
					(EUH032)
					Aquatic Acute 1 (H400)
ı					Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium azide	=	1	-
Sodium azide	-	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention if symptoms

occur.

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention.

Inhalation Remove to fresh air. Get medical attention if symptoms occur.

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. . Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

Use extinguishing method compatible with surroundings.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

7.1. Precautions for safe handling

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Wear personal protective equipment/face protection.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep at temperatures between 2° and 8 °C.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Sodium azide	TWA: 0.1 mg/m ³ (8h)	STEL: 0.3 mg/m3 15 min	TWA / VME: 0.1 mg/m ³	Huid	STEL / VLA-EC: 0.3
	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8 hr	(8 heures). restrictive		mg/m³ (15 minutos).
	(15min) -	Skin	limit		TWA / VLA-ED: 0.1
	Skin		STEL / VLCT: 0.3		mg/m³ (8 horas)
			mg/m ³ . restrictive limit		Piel
			Peau		
Sodium azide	TWA: 0.1 mg/m ³ (8h)	STEL: 0.3 mg/m ³	TWA / VME: 0.1 mg/m ³	Huid	STEL / VLA-EC: 0.3
	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³	(8 heures). restrictive		mg/m³ (15 minutos).
	(15min)	Skin	limit		TWA / VLA-ED: 0.1
	Skin		STEL / VLCT: 0.3		mg/m³ (8 horas)
			mg/m ³ . restrictive limit		Piel
			Peau		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sodium azide	TWA: 0.1 mg/m ³ 8 ore.	TWA: 0.2 mg/m ³ (8	STEL: 0.3 mg/m ³ 15	huid	TWA: 0.1 mg/m ³ 8
	Media Ponderata nel	Stunden). AGW -	minutos	STEL: 0.3 mg/m ³ 15	tunteina
	Tempo	exposure factor 2	Ceiling: 0.29 mg/m ³	minuten	STEL: 0.3 mg/m ³ 15
	STEL: 0.3 mg/m ³ 15	TWA: 0.2 mg/m³ (8	Ceiling: 0.11 ppm	TWA: 0.1 mg/m ³ 8 uren	minuutteina
	minuti. Breve termine	Stunden). MAK	TWA: 0.1 mg/m ³ 8 horas		lho
	Pelle	Höhepunkt: 0.4 mg/m ³	Pele		
Sodium azide	TWA: 0.1 mg/m ³ 8 ore.	TWA: 0.2 mg/m ³ (8	STEL: 0.3 mg/m ³ 15	huid	TWA: 0.1 mg/m ³ 8
	Media Ponderata nel	Stunden). AGW -	minutos	STEL: 0.3 mg/m ³ 15	tunteina
	Tempo	exposure factor 2	Ceiling: 0.29 mg/m ³	minuten	STEL: 0.3 mg/m ³ 15
	STEL: 0.3 mg/m ³ 15	TWA: 0.2 mg/m³ (8	Ceiling: 0.11 ppm	TWA: 0.1 mg/m ³ 8 uren	minuutteina
	minuti. Breve termine	Stunden). MAK	TWA: 0.1 mg/m ³ 8 horas		lho
	Pelle	Höhepunkt: 0.4 mg/m ³	Pele		

Component	Austria	Denmark	Switzerland	Poland	Norway
-----------	---------	---------	-------------	--------	--------

Revision Date 10-Dec-2021

Streptex Kit (200 tests) ®

TWA: 0.1 mg/m³ 8 timer STEL: 0.3 mg/m³ 15 TWA: 0.1 mg/m³ 8 timer Sodium azide Haut STEL: 0.4 mg/m3 15 MAK-KZGW: 0.3 mg/m3 Hud Minuten minutach STEL: 0.3 mg/m³ 15 TWA: 0.2 mg/m³ 8 minutter. value from the 15 Minuten TWA: 0.1 mg/m³ 8 MAK-TMW: 0.1 mg/m³ 8 Stunden godzinach regulation Stunden STEL: 0.4 mg/m3 15 STEL: 0.3 mg/m³ 15 TWA: 0.1 mg/m³ 8 timer Sodium azide Haut TWA: 0.1 mg/m³ 8 timer STEL: 0.3 mg/m³ 15 MAK-KZGW: 0.3 mg/m³ Hud Minuten minutach TWA: 0.2 mg/m³ 8 15 Minuten TWA: 0.1 mg/m3 8 minutter. value from the MAK-TMW: 0.1 mg/m³ 8 Stunden godzinach regulation Stunden

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sodium azide	TWA: 0.1 mg/m ³	kože	TWA: 0.1 mg/m ³ 8 hr.	Skin-potential for	TWA: 0.1 mg/m ³ 8
	STEL: 0.3 mg/m ³	TWA-GVI: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15 min	cutaneous absorption	hodinách.
	Skin notation	satima.	Skin	STEL: 0.3 mg/m ³	Potential for cutaneous
		STEL-KGVI: 0.3 mg/m ³		TWA: 0.1 mg/m ³	absorption
		15 minutama.			Ceiling: 0.3 mg/m ³
Sodium azide	TWA: 0.1 mg/m ³	kože	TWA: 0.1 mg/m ³ 8 hr.	Skin-potential for	TWA: 0.1 mg/m ³ 8
	STEL: 0.3 mg/m ³	TWA-GVI: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15 min	cutaneous absorption	hodinách.
	Skin notation		Skin	STEL: 0.3 mg/m ³	Potential for cutaneous
		STEL-KGVI: 0.3 mg/m ³		TWA: 0.1 mg/m ³	absorption
		15 minutama.			Ceiling: 0.3 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sodium azide	Nahk	Skin notation	STEL: 0.1 ppm	STEL: 0.3 mg/m ³ 15	STEL: 0.3 mg/m ³
	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 hr	STEL: 0.3 mg/m ³	percekben. CK	TWA: 0.1 mg/m ³ 8
	tundides.	STEL: 0.3 mg/m ³ 15 min	TWA: 0.1 ppm	TWA: 0.1 mg/m ³ 8	klukkustundum.
	STEL: 0.3 mg/m ³ 15		TWA: 0.3 mg/m ³	órában. AK	Skin notation
	minutites.				
Sodium azide	Nahk	Skin notation	STEL: 0.1 ppm	STEL: 0.3 mg/m ³ 15	STEL: 0.3 mg/m ³
	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 hr	STEL: 0.3 mg/m ³	percekben. CK	TWA: 0.1 mg/m ³ 8
	tundides.	STEL: 0.3 mg/m ³ 15 min	TWA: 0.1 ppm	TWA: 0.1 mg/m ³ 8	klukkustundum.
	STEL: 0.3 mg/m ³ 15		TWA: 0.3 mg/m ³	órában. AK	Skin notation
	minutites.				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium azide	skin - potential for	TWA: 0.1 mg/m ³ IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	Oda	uptake through the skin	uptake through the skin	TWA: 0.1 mg/m ³ 8 ore
	STEL: 0.3 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³	STEL: 0.3 mg/m ³ 15
	TWA: 0.1 mg/m ³		Stunden	STEL: 0.3 mg/m ³ 15	minute
			STEL: 0.3 mg/m ³ 15	minuti	
			Minuten		
Sodium azide	skin - potential for	TWA: 0.1 mg/m³ IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	Oda	uptake through the skin	uptake through the skin	TWA: 0.1 mg/m ³ 8 ore
	STEL: 0.3 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³	STEL: 0.3 mg/m ³ 15
	TWA: 0.1 mg/m ³		Stunden	STEL: 0.3 mg/m ³ 15	minute
			STEL: 0.3 mg/m ³ 15	minuti	
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium azide		Ceiling: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8 urah	Binding STEL: 0.3	Deri
		Potential for cutaneous	Koža	mg/m ³ 15 minuter	TWA: 0.1 mg/m ³ 8 saat
		absorption	STEL: 0.3 mg/m ³ 15	TLV: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15
		TWA: 0.1 mg/m ³	minutah	timmar. NGV	dakika
Sodium azide		Ceiling: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8 urah	Binding STEL: 0.3	Deri
		Potential for cutaneous	Koža	mg/m ³ 15 minuter	TWA: 0.1 mg/m ³ 8 saat
		absorption	STEL: 0.3 mg/m ³ 15	TLV: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15
		TWA: 0.1 mg/m ³	minutah	timmar. NGV	dakika

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Sodium azide				DNEL = $46.7\mu g/kg$
26628-22-8 (0.1)				bw/day
Sodium azide				DNEL = $46.7\mu g/kg$
26628-22-8 (0.1)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium azide 26628-22-8 (0.1)				DNEL = 0.164mg/m ³
Sodium azide 26628-22-8 (0.1)				DNEL = 0.164mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

ſ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
Ī	Sodium azide	PNEC = $0.35\mu g/L$	$PNEC = 16.7 \mu g/kg$	PNEC = $3.5\mu g/L$	PNEC = 30µg/L	
	26628-22-8 (0.1)		sediment dw			
ſ	Sodium azide	$PNEC = 0.35 \mu g/L$	$PNEC = 16.7 \mu g/kg$	$PNEC = 3.5 \mu g/L$	PNEC = 30µg/L	·
1	26628-22-8 (0.1)		sediment dw			

	Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Г	Sodium azide	Sodium azide PNEC = 15ng/L PNEC = 0.72µg/kg		PNEC = 150ng/L		
	26628-22-8 (0.1)		sediment dw	-		
Г	Sodium azide	PNEC = 15ng/L	$PNEC = 0.72 \mu g/kg$	PNEC = 150ng/L		
	26628-22-8 (0.1)		sediment dw	_		

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid or Pellets Solid

Appearance TEST LATEX - White

POSITIVE CONTROL - Colourless EXTRACTION LATEX - Brown

Odor No information available

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
Flammability (liquid)
No data available
No data available
Not applicable
Not applicable

Flammability (liquid)Not applicableSolidFlammability (solid,gas)Not applicableLiquid

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

pH 7.3 - 7.5

Viscosity Not applicable Solid

Water Solubility
Solubility
No information available
No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNot applicableSolid

Particle characteristics Not applicable (liquid)

9.2. Other information

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information Product does not present an acute toxicity hazard based on known or supplied information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Sodium azide	LD50 = 27 mg/kg (Rat)	LD50 = 20 mg/kg(Rabbit)	LC50 0.054 - 0.52 mg/L (Rat) 4 h			
Sodium azide LD50 = 27 mg/kg(Rat)		LD50 = 20 mg/kg(Rabbit)	LC50 0.054 - 0.52 mg/L (Rat) 4 h			

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Revision Date 10-Dec-2021 Streptex Kit (200 tests) ®

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

Component Freshwater Fish **Water Flea** Freshwater Algae Sodium azide LC50: = 0.7 mg/L, 96h (Lepomis macrochirus) LC50: = 0.8 mg/L, 96h(Oncorhynchus mykiss) LC50: = 5.46 mg/L, 96hflow-through (Pimephales promelas) Sodium azide LC50: = 0.7 mg/L, 96h (Lepomis macrochirus) LC50: = 0.8 mg/L, 96h(Oncorhynchus mykiss) LC50: = 5.46 mg/L, 96h flow-through (Pimephales promelas)

Component	Microtox	M-Factor
Sodium azide		1
Sodium azide		1

12.2. Persistence and degradability No information available

12.3. Bioaccumulative potential No information available

12.4. Mobility in soil No information available

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

Streptex Kit (200 tests) ® Revision Date 10-Dec-2021

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

<u>IATA</u> Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

Revision Date 10-Dec-2021

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Sodium azide	26628-22-8	247-852-1	-	-	X	Х	KE-31357	Х	X
Sodium azide	26628-22-8	247-852-1	-	ı	X	X	KE-31357	Χ	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Sodium azide	26628-22-8	X	ACTIVE	X	Ī	X	Х	Х
Sodium azide	26628-22-8	Х	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major	Qualifying Quantities for Safety
		Accident Notification	Report Requirements
Sodium azide	26628-22-8	Not applicable	Not applicable
Sodium azide	26628-22-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Sodium azide	WGK2	
Sodium azide	WGK2	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Revision Date 10-Dec-2021

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH032 - Contact with acids liberates very toxic gas

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Shins

ATE - Acute Toxicity Estimate VOC - (volatile organic compound)

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health Hazards Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date 11-Apr-2012 10-Dec-2021 **Revision Date** Not applicable. **Revision Summary**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Streptex Kit (200 tests) ®

Revision Date 10-Dec-2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet