

Page 1/9 Creation Date 24-Nov-2010 Revision Date 22-Mar-2025

Version 7

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Dodecyl sulfate sodium salt
Product Description: Dodecyl sulfate sodium salt

 Cat No. :
 327310000; 327315000; 327311000; 327310025

 Synonyms
 Sodium lauryl sulfate; SDS; Dodecyl Sodium Sulfate

CAS No 151-21-3

Molecular Formula C12 H25 Na O4 S

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Surfactant.

Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Flammable solids	Category 2 (H228)
Acute oral toxicity	Category 4 (H302)
Acute Inhalation Toxicity - Dusts and Mists	Category 4 (H332)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Specific target organ toxicity - (single exposure)	Category 3 (H335)
Chronic aquatic toxicity	Category 3 (H412)

Label Elements



Dodecyl sulfate sodium salt

Revision Date 22-Mar-2025

Signal Word

Danger

Hazard Statements

H228 - Flammable solid

H302 + H332 - Harmful if swallowed or if inhaled

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

May form combustible dust concentrations in air

May form explosible dust-air mixture if dispersed

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %	
Sodium dodecyl sulphate	151-21-3	>95	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Dodecyl sulfate sodium salt Revision Date 22-Mar-2025

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Causes severe eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray. Dry chemical. Foam.

Extinguishing media which must not be used for safety reasons

Carbon dioxide (CO₂).

Special hazards arising from the substance or mixture

Flammable. Dust can form an explosive mixture with air. Keep product and empty container away from heat and sources of ignition. Fine dust dispersed in air may ignite.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sodium oxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Dodecyl sulfate sodium salt

Revision Date 22-Mar-2025

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Controls

Engineering Measures

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure Apron Boots

Chemical protection suit (EN 14605)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water

system

Revision Date 22-Mar-2025

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Solid

Solid

Information on basic physical and chemical properties

Appearance Off-white Solid Powder **Physical State** Odor Odorless

Odor Threshold No data available

8.5-10 На 1% aq.sol

206 °C / 402.8 °F **Melting Point/Range Softening Point** No data available **Boiling Point/Range** approx 216 °C Flash Point 170 °C / 338 °F

Method - No information available

Not applicable **Evaporation Rate** Solid

No information available Flammability (solid, gas) No data available **Explosion Limits**

Vapor Pressure 0.18 Pa @ 20 °C **Vapor Density** Not applicable

Specific Gravity / Density No data available **Bulk Density** 200 - 300 g/L **Water Solubility** Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Sodium dodecyl sulphate -2.03

Autoignition Temperature 310.5 °C / 590.9 °F

Decomposition Temperature > 216°C

Viscosity Not applicable **Explosive Properties** No information available

Oxidizing Properties No information available

Molecular Formula C12 H25 Na O4 S

Molecular Weight 288.38

SECTION 10: STABILITY AND REACTIVITY

Reactivity

No.

Chemical Stability

Hygroscopic.

Possibility of Hazardous Reactions

Dodecyl sulfate sodium salt Revision Date 22-Mar-2025

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excess heat. Incompatible products. Avoid dust formation. Exposure to moist air or water.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Category 4

Dermal Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Sodium dodecyl sulphate	LD50 = 1288 mg/kg (Rat)	> 2000 mg/kg	3900 mg/m³ (Rat) 1 h		

(b) skin corrosion/irritation; Category 2 Test method OECD 404

Test species rabbit

Observational endpoint Irritating to skin

(c) serious eye damage/irritation; Category 1
Test method OECD 405
Test species rabbit

Observation end point Severe eye irritant irreversible

(d) respiratory or skin sensitization;

RespiratoryBased on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

	Component	Test method	Test species	Study result
Sodium dodecyl sulphate 151-21-3 (>95)		OECD Test Guideline 471 AMES test	Bacteria	negative
		OECD Test Guideline 474 Mouse micronucleus assay	mouse	negative

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

Dodecyl sulfate sodium salt Revision Date 22-Mar-2025

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Respiratory system. Results / Target organs

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available. delayed

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox	
Sodium dodecyl sulphate	LC50 > 10-100 mg/l,	EC50: = 1.8 mg/L, 48h	EC50: 3.59 - 15.6 mg/L,	EC50 = 0.46 mg/L	
• •	Pimephales promelas	(Daphnia magna)	96h static	Photobacterium	
	(OECD 203)		(Pseudokirchneriella	phosphoreum 30 min	
			subcapitata)	EC50 = 0.72 mg/L	
			EC50: = 117 mg/L, 96h	Photobacterium	
			(Pseudokirchneriella	phosphoreum 15 min	
			subcapitata)	EC50 = 1.19 mg/L	
			EC50: 30 - 100 mg/L,	Photobacterium	
			96h (Desmodesmus	phosphoreum 5 min	
			subspicatus)		
			EC50: = 53 mg/L, 72h		
			(Desmodesmus		
			subspicatus)		

Persistence and degradability

Expected to be biodegradable

Persistence

Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Sodium dodecyl sulphate	-2.03	1.6

The product is water soluble, and may spread in water systems. . Will likely be mobile in Mobility in soil

the environment due to its water solubility. Highly mobile in soils.

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information**

Dodecyl sulfate sodium salt

Revision Date 22-Mar-2025

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Can be landfilled or incinerated, when in

compliance with local regulations Do not empty into drains Do not let this chemical enter the

environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN1325
Hazard Class 4.1
Packing Group III

Proper Shipping Name Flammable solid, organic, n.o.s. Sodium dodecyl sulfate

Road and Rail Transport

UN-No UN1325 Hazard Class 4.1 Packing Group III

Proper Shipping Name Flammable solid, organic, n.o.s. Sodium dodecyl sulfate

IATA

UN-No UN1325
Hazard Class 4.1
Packing Group III

Proper Shipping Name Flammable solid, organic, n.o.s. Sodium dodecyl sulfate

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Sodium dodecvl sulphate	205-788-1	Х	Х	Х	Х	Х	Х	Х	KE-21884

National Regulations

Revision Date 22-Mar-2025

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Substances List

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 22-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet