

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Mycoplasma Hyopneumoniae ELISA Kit 1 plate
Cat No. : K004311-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use In vitro diagnostic.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd
 Wade Road
 Basingstoke, Hants, UK
 RG24 8PW
 Tel: +44 (0) 1256 841144

EU entity/business name
 Oxoid Deutschland GmbH
 Postfach 10 07 53
 D-46483
 Wesel
 GERMANY
 Tel: + 49 (0) 281 1520
 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887
 Chemtrec US: (800) 424-9300

For customers in Switzerland:
 Tox Info Suisse Emergency Number: **145 (24hr)**
 Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
 Chemtrec (24h) Toll-Free: 0800 564 402
 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Reproductive Toxicity

Category 2 (H315)
Category 2 (H319)
Category 1B (H360D)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H315 - Causes skin irritation
H360D - May damage the unborn child
H319 - Causes serious eye irritation

Precautionary Statements

P201 - Obtain special instructions before use
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Additional EU labelling

Restricted to professional users

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	<20	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

1-Methyl-2-pyrrolidone	872-50-4	EEC No. 212-828-1	5 -9.99	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360D) STOT SE 3 (H335)
Propylene carbonate	108-32-7	EEC No. 203-572-1	10 - 24.9	Eye Irrit. 2 (H319)
Sulfuric acid	7664-93-9	EEC No. 231-639-5	4.5	Skin Corr. 1A (H314) Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
1-Methyl-2-pyrrolidone	STOT SE 3 (H335) :: C>=10%	-	-
Sulfuric acid	Eye Irrit. 2 (H319) :: 5%<=C<15% Skin Corr. 1A (H314) :: C>=15% Skin Irrit. 2 (H315) :: 5%<=C<15%	-	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to respiratory system. Irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep at temperatures between 2° and 8 °C.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class/LGK 6.1D

Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
1-Methyl-2-pyrrolidone	TWA: 10 ppm (8h) TWA: 40 mg/m ³ (8h) STEL: 20 ppm (15min) STEL: 80 mg/m ³ (15min) Skin	STEL: 20 ppm 15 min STEL: 80 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 40 mg/m ³ 8 hr Skin	TWA / VME: 40 mg/m ³ (8 heures). indicative limit TWA / VME: 10 ppm (8 heures). indicative limit STEL / VLCT: 80 mg/m ³ . indicative limit STEL / VLCT: 20 ppm. indicative limit Peau	TWA: 10 ppm 8 uren TWA: 40 mg/m ³ 8 uren STEL: 20 ppm 15 minuten STEL: 80 mg/m ³ 15 minuten Huid	STEL / VLA-EC: 20 ppm (15 minutos). STEL / VLA-EC: 80 mg/m ³ (15 minutos). TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 40 mg/m ³ (8 horas) Piel
Sulfuric acid	TWA: 0.05 mg/m ³ (8h)	STEL: 0.15 mg/m ³ 15 min TWA: 0.05 mg/m ³ 8 hr	TWA / VME: 0.05 mg/m ³ (8 heures).	TWA: 0.2 mg/m ³ 8 uren	TWA / VLA-ED: 0.05 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
1-Methyl-2-pyrrolidone	TWA: 10 ppm 8 ore. Media Ponderata nel Tempo TWA: 40 mg/m ³ 8 ore. Media Ponderata nel Tempo STEL: 20 ppm 15 minuti. Breve termine STEL: 80 mg/m ³ 15 minuti. Breve termine Pelle	TWA: 20 ppm (8 Stunden). AGW - exposure factor 2 TWA: 82 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 20 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 82 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 40 ppm Höhepunkt: 164 mg/m ³ Haut	STEL: 20 ppm 15 minutos STEL: 80 mg/m ³ 15 minutos TWA: 10 ppm 8 horas TWA: 40 mg/m ³ 8 horas Pele	huid STEL: 80 mg/m ³ 15 minuten TWA: 40 mg/m ³ 8 uren	TWA: 3.5 ppm 8 tunteina TWA: 14 mg/m ³ 8 tunteina STEL: 20 ppm 15 minuutteina STEL: 80 mg/m ³ 15 minuutteina Iho
Propylene carbonate		TWA: 2 ppm (8 Stunden). AGW - exposure factor 1 TWA: 8.5 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 2 ppm (8 Stunden). MAK TWA: 8.5 mg/m ³ (8 Stunden). MAK Höhepunkt: 2 ppm Höhepunkt: 8.5 mg/m ³			
Sulfuric acid	TWA: 0.05 mg/m ³ 8 ore. Media Ponderata nel Tempo when choosing a suitable method for monitoring exposure should take into account potential constraints and interactions that may occur in the presence of other sulfur compounds, respirable fraction	TWA: 0.1 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 0.1 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.1 mg/m ³	TWA: 0.05 mg/m ³ 8 horas	TWA: 0.05 mg/m ³ 8 uren	TWA: 0.05 mg/m ³ 8 tunteina STEL: 0.1 mg/m ³ 15 minuutteina

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Component	Austria	Denmark	Switzerland	Poland	Norway
1-Methyl-2-pyrrolidone	Haut MAK-KZGW: 20 ppm 15 Minuten MAK-KZGW: 80 mg/m ³ 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 40 mg/m ³ 8 Stunden	TWA: 5 ppm 8 timer TWA: 20 mg/m ³ 8 timer Hud	Haut/Peau STEL: 40 ppm 15 Minuten STEL: 160 mg/m ³ 15 Minuten TWA: 20 ppm 8 Stunden TWA: 80 mg/m ³ 8 Stunden	STEL: 80 mg/m ³ 15 minutach TWA: 40 mg/m ³ 8 godzinach	TWA: 5 ppm 8 timer TWA: 20 mg/m ³ 8 timer STEL: 20 ppm 15 minutter. value from the regulation STEL: 80 mg/m ³ 15 minutter. value from the regulation Hud
Propylene carbonate			STEL: 6 ppm 15 Minuten STEL: 25.5 mg/m ³ 15 Minuten TWA: 6 ppm 8 Stunden TWA: 25.5 mg/m ³ 8 Stunden		
Sulfuric acid	MAK-KZGW: 0.2 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³ 8 timer	STEL: 0.2 mg/m ³ 15 Minuten TWA: 0.1 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³ 8 godzinach	TWA: 0.1 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter. value calculated thoracic fraction

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
1-Methyl-2-pyrrolidone	TWA: 10 ppm TWA: 40 mg/m ³ STEL : 20 ppm STEL : 80 mg/m ³ Skin notation	kože TWA-GVI: 10 ppm 8 satima. TWA-GVI: 40 mg/m ³ 8 satima. STEL-KGVI: 20 ppm 15 minutama. STEL-KGVI: 80 mg/m ³ 15 minutama.	TWA: 10 ppm 8 hr. TWA: 40 mg/m ³ 8 hr. STEL: 20 ppm 15 min STEL: 80 mg/m ³ 15 min Skin	Skin-potential for cutaneous absorption STEL: 80 mg/m ³ STEL: 20 ppm TWA: 40 mg/m ³ TWA: 10 ppm	TWA: 40 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 80 mg/m ³ toxic for reproduction
Sulfuric acid	TWA: 0.05 mg/m ³	TWA-GVI: 0.05 mg/m ³ 8 satima. when selecting the appropriate exposure monitoring method the potential limitations and disturbances that may occur in the presence of other sulfur compounds should be taken into account fog, thoracic fraction	TWA: 0.05 ppm 8 hr. STEL: 0.15 ppm 15 min	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³ 8 hodinách. SO3 TWA: 0.05 mg/m ³ 8 hodinách. concentrated H2SO4 mist Ceiling: 2 mg/m ³ SO3

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
1-Methyl-2-pyrrolidone	Nahk TWA: 10 ppm 8 tundides. TWA: 40 mg/m ³ 8 tundides. STEL: 20 ppm 15 minutites. STEL: 80 mg/m ³ 15 minutites.	Skin notation TWA: 40 mg/m ³ 8 hr TWA: 10 ppm 8 hr STEL: 80 mg/m ³ 15 min STEL: 20 ppm 15 min	skin - potential for cutaneous absorption STEL: 20 ppm STEL: 80 mg/m ³ TWA: 10 ppm TWA: 40 mg/m ³	STEL: 80 mg/m ³ 15 percekben. CK TWA: 40 mg/m ³ 8 órában. AK lehetséges borön keresztül felszívódás	STEL: 20 ppm STEL: 80 mg/m ³ TWA: 10 ppm 8 klukkustundum. TWA: 40 mg/m ³ 8 klukkustundum.
Sulfuric acid	TWA: 0.05 mg/m ³ 8 tundides. particles that reach the upper respiratory tract	TWA: 0.05 mg/m ³ 8 hr when selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds thoracic fraction	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8 órában. AK	TWA: 0.05 mg/m ³ 8 klukkustundum. thoracic fraction Ceiling: 0.1 mg/m ³ aerosol

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
-----------	--------	-----------	------------	-------	---------

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

1-Methyl-2-pyrrolidone	skin - potential for cutaneous exposure STEL: 20 ppm TWA: 10 ppm TWA: 40 mg/m ³	TWA: 10 ppm IPRD TWA: 40 mg/m ³ IPRD Oda STEL: 20 ppm STEL: 80 mg/m ³	Possibility of significant uptake through the skin TWA: 40 mg/m ³ 8 Stunden TWA: 10 ppm 8 Stunden STEL: 80 mg/m ³ 15 Minuten STEL: 20 ppm 15 Minuten	possibility of significant uptake through the skin TWA: 40 mg/m ³ TWA: 10 ppm STEL: 80 mg/m ³ 15 minuti STEL: 20 ppm 15 minuti	Skin notation TWA: 10 ppm 8 ore TWA: 40 mg/m ³ 8 ore STEL: 20 ppm 15 minute STEL: 80 mg/m ³ 15 minute
Propylene carbonate	TWA: 2 mg/m ³	TWA: 7 mg/m ³ IPRD			
Sulfuric acid	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ vapor IPRD STEL: 3 mg/m ³	TWA: 0.05 mg/m ³ 8 Stunden	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
1-Methyl-2-pyrrolidone	MAC: 100 mg/m ³	Ceiling: 80 mg/m ³ Potential for cutaneous absorption TWA: 40 mg/m ³ TWA: 10 ppm	TWA: 10 ppm 8 urah vapor TWA: 40 mg/m ³ 8 urah vapor Koža STEL: 20 ppm 15 minutah vapor STEL: 80 mg/m ³ 15 minutah vapor	Binding STEL: 20 ppm 15 minuter Binding STEL: 80 mg/m ³ 15 minuter TLV: 3.6 ppm 8 timmar. NGV TLV: 14.4 mg/m ³ 8 timmar. NGV Hud	Deri TWA: 10 ppm 8 saat TWA: 40 mg/m ³ 8 saat STEL: 20 ppm 15 dakika STEL: 80 mg/m ³ 15 dakika
Propylene carbonate	MAC: 7 mg/m ³				
Sulfuric acid	Skin notation MAC: 1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³ 8 urah inhalable fraction, fog STEL: 0.05 mg/m ³ 15 minutah inhalable fraction, fog	Indicative STEL: 0.2 mg/m ³ 15 minuter TLV: 0.1 mg/m ³ 8 timmar. NGV	TWA: 0.05 mg/m ³ 8 saat

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
1-Methyl-2-pyrrolidone				2-Hydroxy-N-methylsuccinimide: 20 mg/g Creatinine urine pre-shift 5-Hydroxy-N-methyl-2-pyrrolidone: 70 mg/g Creatinine urine between 2-4 hours after the final exposure	5-Hydroxy-N-methyl-2-pyrrolidone: 150 mg/L urine (end of shift)

Component	Italy	Finland	Denmark	Bulgaria	Romania
1-Methyl-2-pyrrolidone		5-Hydroxy-N-methyl-2-pyrrolidone: 8 µmol/mol Creatinine urine in the morning after a working day. 2-Hydroxy-N-methylsuccinimide: 5 µmol/mol Creatinine urine after the shift.			

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (<20)				DNEL = 216.6mg/kg bw/day
1-Methyl-2-pyrrolidone 872-50-4 (5 -9.99)				DNEL = 4.8mg/kg bw/day
Propylene carbonate 108-32-7 (10 - 24.9)			DNEL = 10mg/cm2	DNEL = 20mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 (<20)				DNEL = 152.8mg/m ³
1-Methyl-2-pyrrolidone 872-50-4 (5 -9.99)			DNEL = 40mg/m ³	DNEL = 14.4mg/m ³
Propylene carbonate 108-32-7 (10 - 24.9)			DNEL = 20mg/m ³	DNEL = 70.53mg/m ³
Sulfuric acid 7664-93-9 (4.5)	DNEL = 0.1mg/m ³		DNEL = 0.05mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
1-Methyl-2-pyrrolidone 872-50-4 (5 -9.99)	PNEC = 0.25mg/L	PNEC = 1.09mg/kg sediment dw	PNEC = 5mg/L	PNEC = 10mg/L	PNEC = 0.0701mg/kg soil dw
Propylene carbonate 108-32-7 (10 - 24.9)	PNEC = 0.9mg/L		PNEC = 9mg/L	PNEC = 7400mg/L	PNEC = 0.81mg/kg soil dw
Sulfuric acid 7664-93-9 (4.5)	PNEC = 0.0025mg/L	PNEC = 0.002mg/kg sediment dw		PNEC = 8.8mg/L	

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
1-Methyl-2-pyrrolidone 872-50-4 (5 -9.99)	PNEC = 0.025mg/L	PNEC = 0.109mg/kg sediment dw			
Propylene carbonate 108-32-7 (10 - 24.9)	PNEC = 0.09mg/L		PNEC = 0.9mg/L		
Sulfuric acid 7664-93-9 (4.5)	PNEC = 0.00025mg/L	PNEC = 0.002mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	EN 374	(minimum requirement)

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Varies	
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	Not applicable	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	Not applicable	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	No data available	
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
1-Methyl-2-pyrrolidone	-0.46	
Propylene carbonate	-0.5	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.
None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Product does not present an acute toxicity hazard based on known or supplied information

(a) acute toxicity;

Oral

Based on ATE data, the classification criteria are not met

Dermal

Based on ATE data, the classification criteria are not met

Inhalation

Based on ATE data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1-Methyl-2-pyrrolidone	LD50 = 3914 mg/kg (Rat)	LD50 = 8 g/kg (Rabbit)	LC50 > 5.1 mg/L (Rat) 4 h
Propylene carbonate	LD50 = 29000 mg/kg (Rat)	LD50 > 3000 mg/kg (Rabbit)	-
Sulfuric acid	LD50 = 2140 mg/kg (Rat)	-	LC50 = 0.375 mg/L (Rat) 4 h

(b) skin corrosion/irritation;

Category 2

(c) serious eye damage/irritation;

Category 2

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Sulfuric acid				Group 1

(g) reproductive toxicity;
Developmental Effects Category 1B
May cause harm to the unborn child.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available
Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		EC50 >100 mg/L/48h	
1-Methyl-2-pyrrolidone	LC50: = 1400 mg/L, 96h static (Poecilia reticulata) LC50: = 1072 mg/L, 96h static (Pimephales promelas) LC50: = 832 mg/L, 96h static (Lepomis macrochirus)	EC50: = 4897 mg/L, 48h (Daphnia magna)	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)
Propylene carbonate	Leuciscus idus: LC50: 5300 mg/L/96h	EC50: > 500 mg/L, 48h (Daphnia magna)	EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)
Sulfuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	EC50: 29 mg/L/24h	

Component	Microtox	M-Factor
Propylene carbonate	EC50 > 10000 mg/L 17 h	

12.2. Persistence and degradability

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

Persistence Soluble in water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1-Methyl-2-pyrrolidone	-0.46	No data available
Propylene carbonate	-0.5	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with federal, state and local regulations. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations. Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN2796
14.2. UN proper shipping name Sulphuric acid
14.3. Transport hazard class(es) 8
14.4. Packing group II

ADR

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

14.1. UN number	UN2796
14.2. UN proper shipping name	Sulphuric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

IATA

14.1. UN number	UN2796
14.2. UN proper shipping name	Sulphuric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	II

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	214-684-5	-	-	X	X	KE-34819	X	-
1-Methyl-2-pyrrolidone	872-50-4	212-828-1	-	-	X	X	KE-25324	X	X
Propylene carbonate	108-32-7	203-572-1	-	-	X	X	KE-23785	X	X
Sulfuric acid	7664-93-9	231-639-5	-	-	X	X	KE-32570	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	X	-	X	X	X
1-Methyl-2-pyrrolidone	872-50-4	X	ACTIVE	X	-	X	X	X
Propylene carbonate	108-32-7	X	ACTIVE	X	-	X	X	X
Sulfuric acid	7664-93-9	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1-Methyl-2-pyrrolidone	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 71. (see link for restriction details) Use restricted. See item 75.	SVHC Candidate list - 212-828-1 - Toxic for reproduction, Article 57c

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

		(see link for restriction details)	
Propylene carbonate	-	Use restricted. See item 75. (see link for restriction details)	-
Sulfuric acid	-	Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
1-Methyl-2-pyrrolidone	872-50-4	Not applicable	Not applicable
Propylene carbonate	108-32-7	Not applicable	Not applicable
Sulfuric acid	7664-93-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	WGK1	
1-Methyl-2-pyrrolidone	WGK1	
Propylene carbonate	WGK1	
Sulfuric acid	WGK1	

Component	France - INRS (Tables of occupational diseases)
1-Methyl-2-pyrrolidone	Tableaux des maladies professionnelles (TMP) - RG 84

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
1-Methyl-2-pyrrolidone 872-50-4 (5 -9.99)		Group I	
Sulfuric acid	Prohibited and Restricted		

SAFETY DATA SHEET

Mycoplasma Hypopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

7664-93-9 (4.5)	Substances		
-------------------	------------	--	--

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation
H318 - Causes serious eye damage
H335 - May cause respiratory irritation
H360D - May damage the unborn child
H314 - Causes severe skin burns and eye damage
H319 - Causes serious eye irritation

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date 26-Mar-2012

Revision Date 10-Dec-2021

Revision Summary SDS section(s) updated: 2, 3, 16.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

SAFETY DATA SHEET

Mycoplasma Hyopneumoniae ELISA Kit 1 plate

Revision Date 10-Dec-2021

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet