

Page 1 / 8 Creation Date 30-Nov-2011 Revision Date 22-Mar-2025 Version 7

Page 1/8

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>LITIUM FLORIDA</u>
Product Description: <u>Lithium fluoride</u>

Cat No.: 218270000; 218270025; 218271000; 218275000

CAS No 7789-24-4 Molecular Formula F Li

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

| Acute oral toxicity               | Category 4 (H302) |
|-----------------------------------|-------------------|
| Serious Eye Damage/Eye Irritation | Category 2 (H319) |

#### Label Elements



Signal Word Warning

**Hazard Statements** 

H302 - Harmful if swallowed

H319 - Causes serious eye irritation

\_\_\_\_\_

Lithium fluoride Revision Date 22-Mar-2025

**Precautionary Statements** 

Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear eye protection/ face protection

Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P330 - Rinse mouth

P337 + P313 - If eye irritation persists: Get medical advice/attention

Storage

P405 - Store locked up

**Disposal** 

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other Hazards** 

EUH032 - Contact with acids liberates very toxic gas

This product does not contain any known or suspected endocrine disruptors

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Component        | CAS No    | Weight % |
|------------------|-----------|----------|
| Lithium fluoride | 7789-24-4 | <=100    |

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

\_\_\_\_\_

Lithium fluoride Revision Date 22-Mar-2025

#### **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Gaseous hydrogen fluoride (HF).

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### Environmental precautions

Should not be released into the environment.

#### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Lithium fluoride Revision Date 22-Mar-2025

**Control Parameters** 

| Component        | Malaysia | ACGIH TLV                  | OSHA PEL                             |  |  |
|------------------|----------|----------------------------|--------------------------------------|--|--|
| Lithium fluoride |          | TWA: 2.5 mg/m <sup>3</sup> | (Vacated) TWA: 2.5 mg/m <sup>3</sup> |  |  |

| Component        | European Union | The United Kingdom                 | Germany                         |
|------------------|----------------|------------------------------------|---------------------------------|
| Lithium fluoride |                | STEL: 7.5 mg/m <sup>3</sup> 15 min | TWA: 1 mg/m³ (8 Stunden). AGW - |
|                  |                | TWA: 2.5 mg/m <sup>3</sup> 8 hr    | exposure factor 4               |
|                  |                |                                    | TWA: 1 mg/m³ (8 Stunden). MAK   |
|                  |                |                                    | Haut                            |

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**Recommended Filter type:** Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance White

Physical State Powder Solid Odor Odorless

Odor Threshold No data available PH No information available

Melting Point/Range845 °C / 1553 °FSoftening PointNo data available

\_\_\_\_\_

Lithium fluoride Revision Date 22-Mar-2025

Solid

Solid

Boiling Point/Range 1681 °C / 3057.8 °F

Flash Point No information available Method - No information available

**Evaporation Rate** Not applicable Solid

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Vapor Pressure
No data available

Vapor Density
Not applicable
Specific Gravity / Density

Bulk Density

No data available

Water Solubility

0.29 g/100ml (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Component log Pow** Lithium fluoride 0.23

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity Not applicable

Explosive Properties No information available Oxidizing Properties No information available

Molecular FormulaF LiMolecular Weight25.93

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Yes. Contact with acids liberates very toxic gas.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization
Hazardous Reactions
Hazardous polymerization does not occur.
None under normal processing.

**Conditions to Avoid** 

Incompatible products.

Incompatible Materials

Strong oxidizing agents. Acids.

**Hazardous Decomposition Products** 

ACR21827

Lithium fluoride Revision Date 22-Mar-2025

Gaseous hydrogen fluoride (HF).

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

**Product Information** The toxicological properties have not been fully investigated

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

| Component        | LD50 Oral | LD50 Dermal             | LC50 Inhalation             |  |  |
|------------------|-----------|-------------------------|-----------------------------|--|--|
| Lithium fluoride | 706 mg/kg | LD50 > 2000 mg/kg (Rat) | LC50 > 15.57 mg/L (Rat) 4 h |  |  |

Based on available data, the classification criteria are not met (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

**Target Organs** None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects, both acute and No information available.

**Endocrine Disrupting Properties** 

delayed

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

ACR21827

Lithium fluoride Revision Date 22-Mar-2025

**Ecotoxicity effects** Do not empty into drains. .

Persistence and degradability

**Persistence** Persistence is unlikely.

**Degradability** Not relevant for inorganic substances.

Bioaccumulative potential Bioaccumulation is unlikely

| Component        | log Pow | Bioconcentration factor (BCF) |
|------------------|---------|-------------------------------|
| Lithium fluoride | 0.23    | No data available             |

environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| _ |           |        |      |     |       |      |      |       |      |      |
|---|-----------|--------|------|-----|-------|------|------|-------|------|------|
|   | Component | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL |

Lithium fluoride Revision Date 22-Mar-2025

| Lithium fluoride | 232-152-0 | Х | Х | Х | Х | X | Х | Х | KE-22559 |
|------------------|-----------|---|---|---|---|---|---|---|----------|

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

**KECL** - Korean Existing and Evaluated Chemical Substances

TWA - Time Weighted Average

WEL - Workplace Exposure Limit **ACGIH** - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water LD50 - Lethal Dose 50% EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

**OECD** - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

**BCF** - Bioconcentration factor

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 22-Mar-2025

**Revision Summary** SDS sections updated.

## In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ACR21827