

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name <u>FerroVer total iron reagent powder pillow</u>

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code HAC21057-69

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002596

GHS Classification

Physical hazards

Flammable liquids Category 3

Self-heating substances/mixtures Category 1

Health hazards

Acute Oral ToxicityCategory 4Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 1Respiratory SensitizationCategory 1Skin SensitizationCategory 1

Environmental hazards

Chronic aquatic toxicity Category 3

Label Elements

NZ-001005 Version 2 14-Jul-2023 Page 1/10



Signal Word Danger

Hazard Statements

H226 - Flammable liquid and vapor H251 - Self-heating; may catch fire H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Sodium thiosulfate pentahydrate	10102-17-7	45-55
Sodium metabisulfite	7681-57-4	20-30
Sodium dithionite	7775-14-6	15-25
Sodium citrate	68-04-2	1-10
1,10-Phenanthroline, mono(4-methylbenzenesulfonate)	92798-16-8	1-5

Section 4 - First Aid Measures

Description of first aid measures

General Advice Get medical attention immediately if symptoms occur.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

NZ-001005 Version 2 14-Jul-2023 Page 2/10

continue flushing for at least 15 minutes. Call a physician immediately.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

Ingestion Clean mouth with water. Do NOT induce vomiting.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes eye burns. Causes severe eye damage.

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Powder.

Extinguishing media which must not be used for safety reasons

Water.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

No information available.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment as required.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

NZ-001005 Version 2 14-Jul-2023 Page 3 / 10

FerroVer total iron reagent powder pillow

SAFETY DATA SHEET

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep at temperatures between 2°C and 8 °C.

Incompatible Materials

Oxidizing agent.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component New Zealand WEL Australia ACGIH TLV The United Kingdom

Sodium metabisulfite TWA: 5 mg/m³ TWA: 5 mg/m³ TWA: 5 mg/m³ STEL: 15 mg/m³ 15 min TWA: 5 mg/m³ 8 hr	Component	New Zealand WEL	Australia	ACGIH ILV	The United Kingdom
	Sodium metabisulfite	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves.	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

NZ-001005 Version 2 14-Jul-2023 Page 4/10

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or **Repiratory Protection**

> other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

> > Liquid

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless Odor Characteristic **Odor Threshold** No data available

5.29

No data available Melting Point/Range **Softening Point** No data available **Boiling Point/Range** Not applicable °C Flammability (liquid) No data available Flammability (solid,gas) Not applicable

No data available

Explosion Limits

Not applicable > °C > Flash Point Method - No information available

Autoignition Temperature 427 °C / 800.6 °F **Decomposition Temperature** No data available **Viscosity** No data available Water Solubility Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Sodium metabisulfite -3.7 Sodium dithionite -4.7

Vapor Pressure 2347 Pa @ 20 °C **Density / Specific Gravity** 1206 kg/m³

Bulk Density Not applicable Liquid **Vapor Density** No data available (Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Section 10 - Stability and Reactivity

Reactivity Yes

Stable under normal conditions. Stability

No information available Sensitivity to Mechanical Impact

Sensitivity to Static Discharge No information available

NZ-001005 Version 2 14-Jul-2023 Page 5/10

Hazardous Polymerization

Hazardous Reactions No information available.

Conditions to Avoid Extremes of temperature and direct sunlight, Oxidizing agent, Combustible material.

Incompatible Materials Oxidizing agent.

Hazardous Decomposition Products No information available.

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

InhalationNot an expected route of exposure.EyesNot an expected route of exposure.

Skin No known effect based on information supplied.

Ingestion Not an expected route of exposure.

Numerical measures of toxicity

(a) acute toxicity;

Oral Category 4

DermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium metabisulfite	LD50 = 1310 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	
Sodium dithionite	LD50 = 2500 mg/kg (Rat)	>2 g/kg (Rat)	>5.5 mg/L/4h (Rat)
Sodium citrate	5400 mg/kg (Mouse)		

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Not classified **Skin** Not classified

(e) germ cell mutagenicity; Not classified

(f) carcinogenicity; Based on available data, the classification criteria are not met

Contains a known or suspected carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

NZ-001005 Version 2 14-Jul-2023 Page 6/10

(h) STOT-single exposure; Not classified

(i) STOT-repeated exposure; Not classified

Target Organs None known.

(j) aspiration hazard; Not classified

Symptoms / effects, both acute and delayed

No information available.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

Component Freshwater Fish		Water Flea	Freshwater Algae	Microtox
Sodium thiosulfate pentahydrate	Pimephales promelas: LC50>10000mg/L/96h			
Sodium metabisulfite	LC50: = 32 mg/L, 96h static (Lepomis macrochirus)		EC50: = 40 mg/L, 96h (Desmodesmus subspicatus) EC50: = 48 mg/L, 72h (Desmodesmus subspicatus)	EC50 = 56 mg/L 17 h
Sodium dithionite		EC50: = 98 mg/L, 48h (Daphnia magna Straus)	EC50: = 87 mg/L, 96h (Desmodesmus subspicatus) EC50: = 120 mg/L, 72h (Desmodesmus subspicatus)	EC50 = 107 mg/L 17 h
Sodium citrate	LC50: 18000 - 32000 mg/L, 96h (Poecilia reticulata)	EC50: 5600 - 10000 mg/L, 48h (Daphnia magna)		EC50 1800 - 3200 mg/L 8 h

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Sodium metabisulfite	-3.7	No data available
Sodium dithionite	-4.7	No data available

The product is water soluble, and may spread in water systems. Will likely be mobile in the **Mobility** environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

NZ-001005 Version 2 14-Jul-2023 Page 7/10

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into

Section 14 - Transport Information

Component	Hazchem Code
Sodium dithionite	1S
7775-14-6 (15-25)	

Not regulated

IATA Not regulated

IMDG/IMO Not regulated

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Not applicable, packaged goods

Special Precautions No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002596

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

NZ-001005 Version 2 14-Jul-2023 Page 8/10

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Sodium metabisulfite	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Sodium thiosulfate pentahydrate	10102-17-7	Х	X	-	-	-	-	X	X
Sodium metabisulfite	7681-57-4	Х	X	231-673-0	-	-	KE-12701	X	Х
Sodium dithionite	7775-14-6	Х	Х	231-890-0	-	-	KE-31508	Х	Х
Sodium citrate	68-04-2	Х	Х	200-675-3	-	-	KE-20843	X	X
1,10-Phenanthroline,	92798-16-8	Х	-	-	-	-	-	Х	Х
mono(4-methylbenzenesulfonate)									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Sodium thiosulfate pentahydrate	10102-17-7	-	-	Х	-	Х	Х	Х
Sodium metabisulfite	7681-57-4	Х	ACTIVE	Х	-	Х	Х	-
Sodium dithionite	7775-14-6	Х	ACTIVE	Х	-	Х	Х	Х
Sodium citrate	68-04-2	Χ	ACTIVE	Х	-	Х	Χ	Х
1,10-Phenanthroline,	92798-16-8	Х	ACTIVE	X	-	-	-	-

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances

NZ-001005 Version 2 14-Jul-2023 Page 9/10

(Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Shins

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

14-Jul-2023 **Revision Date**

Revision Summary Update to GHS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

14-Jul-2023 NZ-001005 Version 2 Page 10/10