

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Ethylbenzene

<b>Product Code</b>	<b>L05908</b>
<b>Address</b>	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
<b>Emergency Tel.</b>	<b>CHEMTREC®</b> <b>03 9757 4559 or +613 9757 4559</b>
<b>Telephone / Fax Numbers</b>	Tel: 1300 735 292 Fax: 1800 067 639
<b>E-mail address</b>	ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids

Category 2

#### Health hazards

Aspiration Toxicity  
Acute Inhalation Toxicity - Vapors  
Germ Cell Mutagenicity  
Carcinogenicity  
Specific target organ toxicity - (repeated exposure)

Category 1  
Category 4  
Category 1B  
Category 1A  
Category 2

#### Environmental hazards

Chronic aquatic toxicity

Category 3

#### Label Elements



Flame



Exclamation Mark



Health Hazard

**Signal Word****Danger****Hazard Statements**

H225 - Highly flammable liquid and vapor  
H304 - May be fatal if swallowed and enters airways  
H332 - Harmful if inhaled  
H340 - May cause genetic defects  
H350 - May cause cancer  
H373 - May cause damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P273 - Avoid release to the environment  
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P331 - Do NOT induce vomiting  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P403 + P235 - Store in a well-ventilated place. Keep cool  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

No information available  
Toxicity to Soil Dwelling Organisms

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Ethylbenzene	100-41-4	99.88
Benzene	71-43-2	0.12

## Section 4 - First Aid Measures

**Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>General Advice</b>	If symptoms persist, call a physician.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>First Aid Facilities</b>	Eyewash, safety shower and washroom.
<b>Most important symptoms and effects</b>	None reasonably foreseeable. . Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
<b>Notes to Physician</b>	Treat symptomatically.

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### Hazardous Decomposition Products

Carbon oxides.

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if

available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

#### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethylbenzene	STEL: 125 ppm STEL: 543 mg/m <sup>3</sup> TWA: 100 ppm TWA: 434 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 88 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup> Skin	TWA: 20 ppm	STEL: 125 ppm 15 min STEL: 552 mg/m <sup>3</sup> 15 min TWA: 100 ppm 8 hr TWA: 441 mg/m <sup>3</sup> 8 hr Skin	TWA: 20 ppm (8 Stunden). AGW - exposure factor 2 TWA: 88 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2 TWA: 20 ppm (8 Stunden). MAK TWA: 88 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 40 ppm Höhepunkt: 176 mg/m <sup>3</sup> Haut
Benzene	TWA: 1 ppm TWA: 3.2 mg/m <sup>3</sup>	TWA: 0.05 ppm TWA: 0.16 mg/m <sup>3</sup> Skin	TWA: 0.5 ppm STEL: 2.5 ppm Skin	STEL: 3 ppm 15 min STEL: 9.75 mg/m <sup>3</sup> 15 min TWA: 1 ppm 8 hr TWA: 3.25 mg/m <sup>3</sup> 8 hr Carc. Skin	Haut

#### Biological limit values

**NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Ethylbenzene		0.25 g/g creatinine (urine) end of shift or end of work week (sum of Mandelic acid and Phenylglyoxylic acids)			Mandelic acid plus Phenylglyoxylic acid: 250 mg/g Creatinine urine (end of shift)
Benzene		2 µg/g creatinine (urine)			

		end of shift (S-Phenylmercapturic acid)			
--	--	--	--	--	--

**Exposure Controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection**

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Nitrile rubber	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)
Neoprene				
Natural rubber				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Long sleeved clothing

**Respiratory Protection**

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:**

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-**

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties****Appearance  
Physical State**

Colorless  
Liquid

**Odor**

aromatic

**Odor Threshold**

No data available

**pH**

Not applicable

**Melting Point/Range**

-95 °C / -139 °F

**Softening Point**

No data available

**Boiling Point/Range**

135 - 136 °C / 275 - 276.8 °F

**Flash Point**

15 °C / 59 °F

**Method** - No information available

Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	0.867	
Bulk Density	Not applicable	Liquid
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	<b>log Pow</b>	
Ethylbenzene	3.6	
Benzene	2.13	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	

Other information

## Section 10 - Stability and Reactivity

Reactivity	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	None known.
Hazardous Decomposition Products	Carbon oxides.
Hazardous Polymerization	No information available.

## Section 11 - Toxicological Information

Information on Toxicological EffectsProduct Information**(a) acute toxicity;**

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Category 4

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylbenzene	3500 mg/kg ( Rat )	15400 mg/kg ( Rabbit )	17.2 mg/L ( Rat ) 4 h
Benzene	LD50 = 810 mg/kg ( Rat )	LD50 > 8200 mg/kg ( Rabbit )	LC50 = 44.66 mg/L ( Rat ) 4 h

**(b) skin corrosion/irritation;** Based on available data, the classification criteria are not met

**(c) serious eye damage/irritation;** Based on available data, the classification criteria are not met

**(d) respiratory or skin sensitization;**

**Respiratory**  
**Skin**

Based on available data, the classification criteria are not met  
Based on available data, the classification criteria are not met

**(e) germ cell mutagenicity;**

Category 1B Based on available data, the classification criteria are not met

**(f) carcinogenicity;**

Category 1A Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Ethylbenzene					Group 2B			
Benzene	Notifiable Carcinogen	Confirmed carcinogen	Notifiable	Requires Approval for Use	Group 1	Carc Cat. 1A		Cat. 1

**(g) reproductive toxicity;**

Based on available data, the classification criteria are not met

**(h) STOT-single exposure;**

Based on available data, the classification criteria are not met

**(i) STOT-repeated exposure;**

Category 2

Based on available data, the classification criteria are not met

**Target Organs**

No information available.

**(j) aspiration hazard;**

Category 1

Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed**

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

**Ecotoxicity effects**

The product contains following substances which are hazardous for the environment.  
Contains a substance which is: Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethylbenzene	LC50: 7.55 - 11 mg/L, 96h flow-through (Pimephales promelas) LC50: 11.0 - 18.0 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 4.2 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: = 32 mg/L, 96h static (Lepomis macrochirus) LC50: 9.1 - 15.6 mg/L, 96h static (Pimephales promelas) LC50: = 9.6 mg/L, 96h static (Poecilia reticulata)	EC50: 1.8 - 2.4 mg/L, 48h (Daphnia magna)	EC50: 2.6 - 11.3 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 1.7 - 7.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: > 438 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 4.6 mg/L, 72h (Pseudokirchneriella subcapitata)	EC50 = 9.68 mg/L 30 min EC50 = 96 mg/L 24 h
Benzene	LC50: = 22.49 mg/L, 96h static (Lepomis macrochirus) LC50: = 5.3 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50: = 10 mg/L, 48h (Daphnia magna) EC50: 8.76 - 15.6 mg/L, 48h Static (Daphnia magna)	EC50: = 29 mg/L, 72h (Pseudokirchneriella subcapitata)	

	LC50: 70000 - 142000 µg/L, 96h static (Lepomis macrochirus) LC50: = 28.6 mg/L, 96h static (Poecilia reticulata) LC50: 22330 - 41160 µg/L, 96h static (Pimephales promelas) LC50: 10.7 - 14.7 mg/L, 96h flow-through (Pimephales promelas)			
--	--	--	--	--

<b>Persistence and Degradability</b>	No information available
<b>Persistence</b>	Persistence is unlikely.
<b>Degradation in sewage treatment plant</b>	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
<b>Bioaccumulative Potential</b>	Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethylbenzene	3.6	15 dimensionless
Benzene	2.13	3.5 - 4.4 dimensionless

<b>Mobility</b>	No information available.
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors
<b>Persistent Organic Pollutant</b>	This product does not contain any known or suspected substance
<b>Ozone Depletion Potential</b>	This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

<b>Waste from Residues/Unused Products</b>	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.
<b>Contaminated Packaging</b>	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
<b>Other Information</b>	Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## Section 14 - Transport Information

### IMDG/IMO

<b>UN-No</b>	UN1175
<b>Proper Shipping Name</b>	ETHYLBENZENE
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

### ADG

<b>UN-No</b>	UN1175
<b>Proper Shipping Name</b>	ETHYLBENZENE
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

Component	Hazchem Code
Ethylbenzene	3YE



100-41-4 ( 99.88 )	
Benzene	3WE
71-43-2 ( 0.12 )	

**IATA**

<b>UN-No</b>	UN1175
<b>Proper Shipping Name</b>	ETHYLBENZENE
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

<b>Environmental hazards</b>	No hazards identified
<b>Special Precautions</b>	No special precautions required
<b>Additional information</b>	None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations                      **Australia**

See section 8 for national exposure control parameters.

Component	Health Surveillance
Benzene 71-43-2 ( 0.12 )	Listed Demographic, medical and occupational history Records of personal exposure Physical examination Baseline blood sample for haematological profile

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Benzene - 71-43-2	Schedule 5 listed - including Kerosene, Diesel [distillate], Mineral turpentine, White petroleum spirit, Toluene, Xylene and light mineral and paraffin oils but except their derivative; except a) Toluene and Xylene when included in Schedule 6, b) Benzene and liquid aromatic hydrocarbons when included in Schedule 7, c) food grade and pharmaceutical grade White mineral oil, d) in solid or semi-solid preparations, e) in preparations containing <=25% of designated solvents, f) in preparations packed in pressurized spray packs, g) in adhesives packed in containers each containing <=50 grams of adhesive, h) in writing correction fluids and thinners for writing correction fluids packed in containers having a capacity of <=20 mL, or i) in other preparations when packed in containers with a capacity of <=2 mL Schedule 7 listed

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Ethylbenzene - 100-41-4	Present	-
Benzene - 71-43-2	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

**National pollutant inventory** Subject to reporting requirements

Component	National pollutant inventory
Ethylbenzene - 100-41-4	10 tonne/yr. Threshold category 1
Benzene - 71-43-2	10 tonne/yr. Threshold category 1

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met.

Component	Australia	New South Wales	Western Australia	New Zealand
Benzene - 71-43-2	Notifiable Carcinogen		Requires Approval for Use	Confirmed carcinogen

**International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Ethylbenzene	X	X	202-849-4	-	X	X	-	X	X	X	X	KE-13532
Benzene	X	X	200-753-7	-	X	X	-	X	X	X	X	KE-02150

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**International Regulations**

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**

Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Ethylbenzene	100-41-4	Listed	Not applicable	Not applicable	Not applicable
Benzene	71-43-2	Listed	Not applicable	Not applicable	Not applicable

**Authorisation/Restrictions according to EU REACH**

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Benzene	-	Use restricted. See item 72.	-

		(see link for restriction details) Use restricted. See item 5. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	
--	--	---	--

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

<b>AICS</b> - Australian Inventory of Chemical Substances	<b>NZIoC</b> - New Zealand Inventory of Chemicals
<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory	<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
<b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List	<b>ENCS</b> - Japanese Existing and New Chemical Substances
<b>IECSC</b> - Chinese Inventory of Existing Chemical Substances	<b>KECL</b> - Korean Existing and Evaluated Chemical Substances
<b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances	<b>CAS</b> - Chemical Abstracts Service
<b>TWA</b> - Time Weighted Average	<b>ACGIH</b> - American Conference of Governmental Industrial Hygienists
<b>IARC</b> - International Agency for Research on Cancer	Predicted No Effect Concentration (PNEC)
<b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association	<b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code
<b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships	
<b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land	<b>OECD</b> - Organisation for Economic Co-operation and Development
<b>LD50</b> - Lethal Dose 50%	<b>LC50</b> - Lethal Concentration 50%
<b>EC50</b> - Effective Concentration 50%	<b>ATE</b> - Acute Toxicity Estimate
<b>WEL</b> - Workplace Exposure Limit	<b>RPE</b> - Respiratory Protective Equipment
<b>DNEL</b> - Derived No Effect Level	<b>NOEC</b> - No Observed Effect Concentration
<b>POW</b> - Partition coefficient Octanol:Water	<b>BCF</b> - Bioconcentration factor
<b>vPvB</b> - very Persistent, very Bioaccumulative	<b>PBT</b> - Persistent, Bioaccumulative, Toxic
<b>VOC</b> - (Volatile Organic Compound)	

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

<b>Physical hazards</b>	On basis of test data
<b>Health Hazards</b>	Calculation method
<b>Environmental hazards</b>	Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

<b>Revision Date</b>	20-Nov-2022
<b>Revision Summary</b>	Initial Release.

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

---

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**