

SAFETY DATA SHEET

Creation Date 30-Apr-2010 Revision Date 13-Oct-2023 Revision Number 9

1. Identification

Product Name Sodium hypochlorite

Cat No.: SS290-1; SS290-4; SS290-4LC; XXSS290ET5GAL; NC0961759

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation

Sodium hypochlorite Revision Date 13-Oct-2023



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

Contact with acids liberates toxic gas

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|---------------------|-----------|----------|
| Water | 7732-18-5 | 94-96 |
| Sodium hypochlorite | 7681-52-9 | 4-6 |

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Sodium hypochlorite Revision Date 13-Oct-2023

Inhalation If not breathing, give artificial respiration, Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Water spray. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Dry chemical

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors. Chlorine. Hydrogen chloride gas. Sodium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 0 | 1 | N/A |

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental PrecautionsDo not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

| 7. H | andl | ina | and | storage |
|------|------|-----|-----|---------|
| | | | | |

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

Revision Date 13-Oct-2023 Sodium hypochlorite

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Storage.

Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases. Strong

reducing agents.

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines**

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles. Face protection shield.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Particulates filter conforming to EN 143. Recommended Filter type:

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Physical State Liquid **Appearance** Light yellow Chlorine Odor

No information available **Odor Threshold** No information available ≈11

Hq

Melting Point/Range 0 °C / 32 °F

No information available **Boiling Point/Range** Flash Point Not applicable **Evaporation Rate** > 1 (Ether = 1.0) Flammability (solid,gas) Not applicable

Flammability or explosive limits

No data available Upper Lower No data available

Vapor Pressure 14 mmHg

Vapor Density No information available

Specific Gravity

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available **Decomposition Temperature** No information available No information available **Viscosity**

Molecular Formula NaOCI

Molecular Weight 75.4492

10. Stability and reactivity

Revision Date 13-Oct-2023 Sodium hypochlorite

Yes Reactive Hazard

Stability Stable under normal conditions.

Incompatible products. Excess heat. **Conditions to Avoid**

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors, Chlorine,

Hydrogen chloride gas, Sodium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Vapor LC50

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------------|------------------------|-------------------------------|-----------------------|
| Water | - | = | = |
| Sodium hypochlorite | LD50 = 8.91 g/kg (Rat) | LD50 > 20000 mg/kg (Rabbit) | > 10500 mg/l (Rat) 1h |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed |
| Sodium hypochlorite | 7681-52-9 | Not listed |

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

Sodium hypochlorite Revision Date 13-Oct-2023

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|---------------------|---------------------------------------------------------------|----------------------------------------|----------|------------------------|
| Sodium hypochlorite | EC50: = 0.05 mg/L, 72h (Pseudokirchnerella subcapitata) | Clupea pallasi: LC50=0.065 mg/L 96h | - | 0.032 mg/L LC50 = 48 h |

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation No information available.

Mobility .

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTIONS

Hazard Class 8
Packing Group III

TDG

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group III

IATA

UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group III

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---------------------|-----------|------|--------------------------------------------------|--------------------------------|
| Water | 7732-18-5 | X | ACTIVE | - |
| Sodium hypochlorite | 7681-52-9 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

Revision Date 13-Oct-2023

Sodium hypochlorite

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | Х | - | 231-791-2 | Х | Χ | | Х | Х | KE-35400 |
| Sodium hypochlorite | 7681-52-9 | Х | - | 231-668-3 | Χ | Χ | Χ | Χ | Х | KE-31506 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| 5 117 1 (5 15 di | | | | |
|---------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
| Sodium hypochlorite | X | 100 lb | - | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|---------------------|--------------------------|----------------|
| Sodium hypochlorite | 100 lb | - |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Sodium hypochlorite | X | X | Х | = | = |

U.S. Department of Transportation

Reportable Quantity (RQ): **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

No information available **Mexico - Grade**

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - | REACH (1907/2006) - | REACH Regulation (EC |
|-----------|--------|--------------------------|---------------------------|-------------------------|
| - | | Annex XIV - Substances | Annex XVII - Restrictions | 1907/2006) article 59 - |
| | | Subject to Authorization | on Certain Dangerous | Candidate List of |

| | | | Substances | Substances of Very High Concern (SVHC) |
|---------------------|-----------|---|-----------------------------------------------------------------|----------------------------------------|
| Water | 7732-18-5 | - | - | - |
| Sodium hypochlorite | 7681-52-9 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---------------------|-----------|----------|---------------------------------|------------------------------|--------------------------------------------------|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Sodium hypochlorite | 7681-52-9 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive Seveso III Directive (2012/18/EC) - (2012/18/EC) - Qualifying Quantities | | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---------------------|-----------|-----------------------------------------------------------------------------------------------|-----------------------------------|-------------------------------|------------------------------------|
| | | for Major Accident Notification | for Safety Report Requirements | | |
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| Sodium hypochlorite | 7681-52-9 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 30-Apr-2010

 Revision Date
 13-Oct-2023

 Print Date
 13-Oct-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS