

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **Tenacity No 125 Paste**
Cat No. : **98531**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity
Acute dermal toxicity
Acute Inhalation Toxicity - Dusts and Mists
Reproductive Toxicity

Category 4 (H302)
Category 4 (H312)
Category 3 (H331)
Category 1B (H360FD)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 + H312 - Harmful if swallowed or in contact with skin
H331 - Toxic if inhaled
H360FD - May damage fertility. May damage the unborn child

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor/physician

Additional EU labelling

Restricted to professional users

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Boric acid (H3BO3)	10043-35-3	233-139-2	50.0	Repr. 1B (H360FD)
Silicate(2-), hexafluoro-, dipotassium	16871-90-2	EEC No. 240-896-2	20.0	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331)
Boron potassium oxide (B4K2O7)	1332-77-0	EEC No. 215-575-5	15.0	Repr. 2 (H361d)
Water	7732-18-5	231-791-2	10.0	-
Borax (B4Na2O7.10H2O)	1303-96-4	215-540-4	5.0	Eye Irrit. 2 (H319)

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

				Repr. 1B (H360FD)
--	--	--	--	-------------------

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Boron potassium oxide (B4K2O7)	Repr. 2 : C ≥ 5.2 %	-	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Potassium oxides, Hydrogen fluoride, Oxides of boron, Silicon dioxide, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 6.1D

Switzerland - Storage of hazardous substances

Storage class - SC 6.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020.

Component	European Union	The United Kingdom	France	Belgium	Spain
Boric acid (H3BO3)				TWA: 2 mg/m ³ 8 uren	STEL / VLA-EC: 6

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

				STEL: 6 mg/m ³ 15 minuten	mg/m ³ (15 minutos). TWA / VLA-ED: 2 mg/m ³ (8 horas)
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)		STEL: 15 mg/m ³ 15 min TWA: 5 mg/m ³ 8 hr	TWA / VME: 5 mg/m ³ (8 heures).	TWA: 2 mg/m ³ 8 uren STEL: 6 mg/m ³ 15 minuten	STEL / VLA-EC: 6 mg/m ³ (15 minutos). TWA / VLA-ED: 2 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Boric acid (H ₃ BO ₃)		TWA: 0.5 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 mg/m ³ (8 Stunden). MAK when boric acid and tetraborates are present together, the MAK value is 0.75 mg boron/m ³ Höhepunkt: 10 mg/m ³	STEL: 6 mg/m ³ 15 minutos TWA: 2 mg/m ³ 8 horas		
Silicate(2-), hexafluoro-, dipotassium		TWA: 1 mg/m ³ (8 Stunden). AGW - exposure factor 4 TWA: 1 mg/m ³ (8 Stunden). MAK Haut	TWA: 2.5 mg/m ³ 8 horas		
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)			STEL: 6 mg/m ³ 15 minutos TWA: 2 mg/m ³ 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Boric acid (H ₃ BO ₃)			STEL: 1.8 mg/m ³ 15 Minuten TWA: 1.8 mg/m ³ 8 Stunden		
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)		TWA: 2 mg/m ³ 8 timer STEL: 4 mg/m ³ 15 minutter Hud		STEL: 2 mg/m ³ 15 minutach TWA: 0.5 mg/m ³ 8 godzinach	TWA: 5 mg/m ³ 8 timer STEL: 10 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Boric acid (H ₃ BO ₃)	TWA: 5.0 mg/m ³		TWA: 2 mg/m ³ 8 hr. STEL: 6 mg/m ³ 15 min		
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)	TWA: 5.0 mg/m ³	TWA-GVI: 5 mg/m ³ 8 satima.	TWA: 5 mg/m ³ 8 hr. STEL: 6 mg/m ³ 15 min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)	Nahk TWA: 2 mg/m ³ 8 tundides. STEL: 5 mg/m ³ 15 minutites.		TWA: 10 mg/m ³		TWA: 2 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 4 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Boric acid (H ₃ BO ₃)	TWA: 10 mg/m ³	TWA: 10 mg/m ³ IPRD			
Silicate(2-), hexafluoro-, dipotassium	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ IPRD F			
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)		TWA: 2 mg/m ³ IPRD Oda STEL: 5 mg/m ³			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Boric acid (H ₃ BO ₃)	MAC: 10 mg/m ³		TWA: 0.5 mg/m ³ 8 urah inhalable fraction STEL: 1.0 mg/m ³ 15 minutah inhalable fraction		
Silicate(2-), hexafluoro-, dipotassium	MAC: 0.2 mg/m ³				
Borax				Indicative STEL: 5	

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

(B4Na2O7.10H2O)				mg/m ³ 15 minuter TLV: 2 mg/m ³ 8 timmar. NGV Hud	
-----------------	--	--	--	--	--

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Boric acid (H3BO3) 10043-35-3 (50.0)				DNEL = 392mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Boric acid (H3BO3) 10043-35-3 (50.0)				DNEL = 8.3mg/m ³
Silicate(2-), hexafluoro-, dipotassium 16871-90-2 (20.0)	DNEL = 2.5mg/m ³	DNEL = 2.5mg/m ³	DNEL = 2.5mg/m ³	DNEL = 2.5mg/m ³
Borax (B4Na2O7.10H2O) 1303-96-4 (5.0)	22.3 mg/m ³		22.3 mg/m ³	12.76 mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Boric acid (H3BO3) 10043-35-3 (50.0)	PNEC = 2.9mg/L		PNEC = 13.7mg/L	PNEC = 10mg/L	PNEC = 5.7mg/kg soil dw
Silicate(2-), hexafluoro-, dipotassium 16871-90-2 (20.0)	PNEC = 0.9mg/L			PNEC = 51mg/L	PNEC = 11mg/kg soil dw
Borax (B4Na2O7.10H2O) 1303-96-4 (5.0)	2.02 mg/L		13.7 mg/L	10 mg/L	5.4 mg/kg

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Boric acid (H3BO3) 10043-35-3 (50.0)	PNEC = 2.9mg/L				
Silicate(2-), hexafluoro-, dipotassium 16871-90-2 (20.0)	PNEC = 0.9mg/L				
Borax (B4Na2O7.10H2O) 1303-96-4 (5.0)	2.02 mg/L				

8.2. Exposure controls

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State

Paste

Appearance

Odor

No information available

Odor Threshold

No data available

Melting Point/Range

No data available

Softening Point

No data available

Boiling Point/Range

No information available

Flammability (liquid)

No data available

Flammability (solid,gas)

No information available

Explosion Limits

No data available

Flash Point

No information available

Method - No information available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

pH

No information available

Viscosity

Not applicable

Solid

Water Solubility

Partially soluble

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

Component	log Pow	
Boric acid (H3BO3)	-0.757	
Borax (B4Na2O7.10H2O)	- 0.757	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

9.2. Other information

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Potassium oxides. Hydrogen fluoride. Oxides of boron. Silicon dioxide. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral	Category 4
Dermal	Category 4
Inhalation	Category 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Boric acid (H3BO3)	2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	Not listed
Silicate(2-), hexafluoro-, dipotassium	LD50 = 156 mg/kg (Rat)	-	-
Boron potassium oxide (B4K2O7)	-	LD50 > 2000 mg/kg (Rabbit)	LC50 > 2.04 mg/L (Rat) 4 h
Water	-	-	-
Borax (B4Na2O7.10H2O)	5660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	2.03 mg/l (Rat)

(b) skin corrosion/irritation; No data available

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available

Skin No data available

Component	Test method	Test species	Study result
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O) 1303-96-4 (5.0)	OECD Test Guideline 406	guinea pig	- - non-sensitising

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B

Component	Test method	Test species / Duration	Study result
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O) 1303-96-4 (5.0)	OECD Test Guideline 416	Rat	NOAEL = 9.6 mg/kg
	OECD Test Guideline 414		NOAEL = 17.5 mg/kg

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Boric acid (H ₃ BO ₃)	Gambusia affinis: LC50: 5600 mg/L/96h	EC50: 115 - 153 mg/L, 48h (Daphnia magna)	-
Borax (B ₄ Na ₂ O ₇ ·10H ₂ O)	340 mg/L LC50 96 h 708 mg/L LC50 96 h (Pimephales promelas)	1085 - 1402 mg/L LC50 48 h	2.6-21.8 mg/L EC50 96h 158 mg/L EC50 = 96h

Component	Microtox	M-Factor
-----------	----------	----------

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

Boric acid (H3BO3)	-	
Borax (B4Na2O7.10H2O)	-	

12.2. Persistence and degradability
Degradability No information available
Not relevant for inorganic substances.

12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Boric acid (H3BO3)	-0.757	0 dimensionless
Borax (B4Na2O7.10H2O)	- 0.757	No data available

12.4. Mobility in soil No information available

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

ADR Not regulated

14.1. UN number

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

IATA Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Boric acid (H3BO3)	10043-35-3	233-139-2	-	-	X	X	KE-03499	X	X
Silicate(2-), hexafluoro-, dipotassium	16871-90-2	240-896-2	-	-	X	X	KE-12160	X	X
Boron potassium oxide (B4K2O7)	1332-77-0	215-575-5	-	-	X	X	KE-12187	-	-
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Borax (B4Na2O7.10H2O)	1303-96-4	215-540-4	-	-	X	X	KE-03483	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Boric acid (H3BO3)	10043-35-3	X	ACTIVE	X	-	X	X	X
Silicate(2-), hexafluoro-, dipotassium	16871-90-2	X	ACTIVE	X	-	X	X	X
Boron potassium oxide (B4K2O7)	1332-77-0	X	ACTIVE	X	-	X	X	X
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Borax (B4Na2O7.10H2O)	1303-96-4	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Boric acid (H3BO3)	10043-35-3	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 233-139-2 - Toxic for reproduction, Article 57c
Silicate(2-), hexafluoro-, dipotassium	16871-90-2	-	-	-

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

Boron potassium oxide (B4K2O7)	1332-77-0	-	Use restricted. See item 75. (see link for restriction details)	-
Water	7732-18-5	-	-	-
Borax (B4Na2O7.10H2O)	1303-96-4	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 603-411-9 - Toxic for reproduction, Article 57c

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Boric acid (H3BO3)	10043-35-3	Not applicable	Not applicable
Silicate(2-), hexafluoro-, dipotassium	16871-90-2	Not applicable	Not applicable
Boron potassium oxide (B4K2O7)	1332-77-0	Not applicable	Not applicable
Water	7732-18-5	Not applicable	Not applicable
Borax (B4Na2O7.10H2O)	1303-96-4	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Boric acid (H3BO3)	WGK1	
Silicate(2-), hexafluoro-, dipotassium	WGK2	
Boron potassium oxide (B4K2O7)	WGK1	
Borax (B4Na2O7.10H2O)	WGK1	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

regulation on hazardous work and young people (SR 822.115.2).
Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H312 - Harmful in contact with skin
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H360FD - May damage fertility. May damage the unborn child
H361d - Suspected of damaging the unborn child

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By

Revision Date

Revision Summary

Health, Safety and Environmental Department

18-Mar-2024

New emergency telephone response service provider.

SAFETY DATA SHEET

Tenacity No 125 Paste

Revision Date 18-Mar-2024

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet