

# **SAFETY DATA SHEET**

Creation Date 19-Aug-2011 Revision Date 27-Mar-2024 Revision Number 3

1. Identification

Product Name Cerium(III) chloride anhydrous

Cat No.: 21112

**CAS No** 7790-86-5

**Synonyms** Cerium trichloride.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Category 1 C
Serious Eye Damage/Eye Irritation Category 1

### Label Elements

## Signal Word

Danger

## **Hazard Statements**

Causes severe skin burns and eye damage



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### Storage

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Cerium chloride (CeCl3)	7790-86-5	>95	

### 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. If not breathing, give artificial respiration.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Drink plenty of water.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

**Notes to Physician** 

# 5. Fire-fighting measures

surrounding environment.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Not applicable

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health	Flammability	Instability	Physical hazards
3	0	1	N/A

# 6. Accidental release measures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Avoid dust formation. Sweep up and shovel into suitable containers for disposal. **Up** 

	7. Handling and storage
Handling	Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Incompatible Materials. Bases. Strong oxidizing agents. Strong acids.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StatePowder SolidAppearanceLight greyOdorOdorless

Odor ThresholdNo information availablepHNo information availableMelting Point/Range848 °C / 1558.4 °F

Boiling Point/Range 1727 °C / 3140.6 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor DensityNot applicableSpecific GravityNo information available

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
No information available
No data available
Not applicable

**Decomposition Temperature**No information available

ViscosityNot applicableMolecular FormulaCe Cl3Molecular Weight246.48

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Bases, Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors, Hydrogen

chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

### **Product Information**

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Cerium chloride (CeCl3) 2800 mg/kg (Rat)		Not listed	Not listed	

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

No information available Sensitization

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cerium chloride	7790-86-5	Not listed				
(CeCl3)						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cerium chloride (CeCl3)	Not listed	LC50: 0.13 mg/L/96h	Not listed	EC50: 6.9 mg/L/48h
		(Oncorhynchus Mykiss)		_

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1759

Proper Shipping Name CORROSIVE SOLIDS, N.O.S. Technical Name Cerium chloride (CeCl3)

Hazard Class 8
Packing Group

TDG

**UN-No** UN1759

**Proper Shipping Name** Corrosive solid, n.o.s.

Hazard Class 8
Packing Group ||

<u>IATA</u>

**UN-No** UN1759

Proper Shipping Name Corrosive solid, n.o.s.

Hazard Class 8
Packing Group ||

IMDG/IMO

**UN-No** UN1759

Proper Shipping Name Corrosive solid, n.o.s.

Hazard Class 8
Packing Group

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No TSCA TSCA Inventory notific Active-Inactive		TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cerium chloride (CeCl3)	7790-86-5	X	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cerium chloride (CeCl3)	7790-86-5	Х	-	232-227-8	-	Х	Х	Х	Х	KE-05416

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	J	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cerium chloride (CeCl3)	7790-86-5	-	-	-

Not applicable

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
					Substances (Rons)
Cerium chloride (CeCl3)	7790-86-5	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
-			Qualifying Quantities		!	
1			for Major Accident	for Safety Report		
L			Notification	Requirements		
Γ	Cerium chloride (CeCl3)	7790-86-5	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 19-Aug-2011

 Revision Date
 27-Mar-2024

 Print Date
 27-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**