

## SAFETY DATA SHEET

Creation Date 22-September-2009

Revision Date 26-March-2024

Revision Number 3

### 1. Identification

**Product Name** 4-Chlorobutyl chloride

**Cat No. :** L02550

**CAS-No** 4635-59-0  
**Synonyms** 4-CBC

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

<b>Flammable liquids</b>	Category 4
<b>Corrosive to metals</b>	Category 1
<b>Acute oral toxicity</b>	Category 4
<b>Acute Inhalation Toxicity</b>	Category 2
<b>Skin Corrosion/Irritation</b>	Category 1 A
<b>Serious Eye Damage/Eye Irritation</b>	Category 1
<b>Specific target organ toxicity (single exposure)</b>	Category 3
Target Organs - Respiratory system.	
<b>Health Hazards Not Otherwise Classified</b>	Category 1
In contact with water, releases gases which are toxic if inhaled	

#### Label Elements

##### **Signal Word**

Danger

**Hazard Statements**

Combustible liquid  
May be corrosive to metals  
Harmful if swallowed  
Fatal if inhaled  
Causes severe skin burns and eye damage  
May cause respiratory irritation  
In contact with water, releases gases which are toxic if inhaled

**Precautionary Statements****Prevention**

Do not allow contact with water  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Use only outdoors or in a well-ventilated area  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep only in original container  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves/protective clothing/eye protection/face protection  
Wear respiratory protection

**Response**

IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER/doctor  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
Absorb spillage to prevent material damage

**Storage**

Store in a well-ventilated place. Keep container tightly closed  
Store locked up  
Store in corrosive resistant polypropylene container with a resistant inliner  
Store in a dry place

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Stench

### 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Butanoyl chloride, 4-chloro-	4635-59-0	>95

### 4. First-aid measures

<b>Eye Contact</b>	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If not breathing, give artificial respiration.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Most important symptoms/effects</b>	Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water mist may be used to cool closed containers.
<b>Unsuitable Extinguishing Media</b>	No information available
<b>Flash Point</b>	85 °C / 185 °F
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	440 °C / 824 °F
<b>Explosion Limits</b>	
<b>Upper</b>	11.70%
<b>Lower</b>	5.50%
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

### Specific Hazards Arising from the Chemical

Combustible material. Contact with water liberates toxic gas. Water reactive. Containers may explode when heated.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

**Health**  
4

**Flammability**  
2

**Instability**  
2

**Physical hazards**  
W

## 6. Accidental release measures

<b>Personal Precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Take precautionary measures against static discharges. Remove all sources of ignition.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Provide adequate ventilation. Do not expose spill to water. Remove all sources of ignition.

## 7. Handling and storage

**Handling** Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not allow contact with water because of violent reaction. Keep under nitrogen. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

**Storage.** Corrosives area. Keep away from heat, sparks and flame. Protect from direct sunlight. Protect from moisture. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Water. Strong bases. Alcohols. Amines.

## 8. Exposure controls / personal protection

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure limit established by the region specific regulatory bodies.

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection**  
**Hand Protection**

Goggles  
Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Butyl rubber	recommendations		
Nitrile rubber			
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

No information available.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	Clear
<b>Odor</b>	Stench
<b>Odor Threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting Point/Range</b>	-47 °C / -52.6 °F
<b>Boiling Point/Range</b>	173 - 174 °C / 343.4 - 345.2 °F @ 760 mmHg
<b>Flash Point</b>	85 °C / 185 °F
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid,gas)</b>	Not applicable
<b>Flammability or explosive limits</b>	
Upper	11.70%
Lower	5.50%
<b>Vapor Pressure</b>	4 hPa @ 20 °C
<b>Vapor Density</b>	4.86
<b>Specific Gravity</b>	1.250
<b>Solubility</b>	Reacts with water
<b>Partition coefficient; n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	440 °C / 824 °F
<b>Decomposition Temperature</b>	> 120°C
<b>Viscosity</b>	No information available
<b>Molecular Formula</b>	C4 H6 Cl2 O
<b>Molecular Weight</b>	141

## 10. Stability and reactivity

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Moisture sensitive. Contact with water liberates toxic gas.
<b>Conditions to Avoid</b>	Exposure to light. Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.
<b>Incompatible Materials</b>	Water, Strong bases, Alcohols, Amines
<b>Hazardous Decomposition Products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Phosgene, Hydrogen chloride gas
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

## 11. Toxicological information

### Acute Toxicity

#### Product Information

<b>Oral LD50</b>	Category 4. ATE = 300 - 2000 mg/kg.
<b>Dermal LD50</b>	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.
<b>Vapor LC50</b>	Category 2. ATE = 0.5 - 2 mg/l.

#### Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Butanoyl chloride, 4-chloro-	1350 mg/L (Rat)	Not listed	LC50 0.65 - 0.87 mg/L ( Rat ) 4 h

<b>Toxicologically Synergistic Products</b>	No information available
---	--------------------------

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Irritation** Causes burns by all exposure routes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Butanoyl chloride, 4-chloro-	4635-59-0	Not listed	Not listed	Not listed	Not listed	Not listed

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Reacts with water so no ecotoxicity data for the substance is available.

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Is not likely mobile in the environment.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

UN-No UN2922  
 Proper Shipping Name consumer commodity Corrosive liquid, toxic, n.o.s.  
 Technical Name (4-CHLOROBUTYRYL CHLORIDE)  
 Hazard Class 8  
 Subsidiary Hazard Class 6.1  
 Packing Group I

### TDG

UN-No UN2922

**Proper Shipping Name** Corrosive liquid, toxic, n.o.s.  
**Hazard Class** 8  
**Subsidiary Hazard Class** 6.1  
**Packing Group** I

**IATA**

**UN-No** UN2922  
**Proper Shipping Name** Corrosive liquid, toxic, n.o.s.  
**Hazard Class** 8  
**Subsidiary Hazard Class** 6.1  
**Packing Group** I

**IMDG/IMO**

**UN-No** UN2922  
**Proper Shipping Name** Corrosive liquid, toxic, n.o.s.  
**Hazard Class** 8  
**Subsidiary Hazard Class** 6.1  
**Packing Group** I

## 15. Regulatory information

**International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Butanoyl chloride, 4-chloro-	4635-59-0	-	X	X	ACTIVE	225-059-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Butanoyl chloride, 4-chloro-	4635-59-0	X	-	X	X	X	X	X	X

**Legend:**

X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**IECSC** - Chinese Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**ENCS** - Japanese Existing and New Chemical Substances**AICS** - Australian Inventory of Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**Canada**

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

**Other International Regulations****Authorisation/Restrictions according to EU REACH**

Not applicable

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Butanoyl chloride, 4-chloro-	4635-59-0	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

		for Major Accident Notification	for Safety Report Requirements		
Butanoyl chloride, 4-chloro-	4635-59-0	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

**Prepared By**

Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Creation Date**

22-September-2009

**Revision Date**

26-March-2024

**Print Date**

26-March-2024

**Revision Summary**

New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**