

Page 1/9 Creation Date 27-Jan-2010 Revision Date 02-May-2025 Version 4

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk:

Dichloromethane, stabilized with amylene
Dichloromethane, stabilized with amylene

**Cat No. :** C34846

Synonyms Dichloromethane; DCM

CAS No 75-09-2 Molecular Formula C H2 Cl2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

Uses advised against

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Carcinogenicity	Category 2 (H351)
Specific target organ toxicity - (single exposure)	Category 3 (H336)

## Label Elements



Signal Word Warning

Revision Date 02-May-2025

#### **Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

#### **Precautionary Statements**

#### Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear eye protection/ face protection

#### Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal

Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal

Do not use in areas without adequate ventilation.

Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing

Decomposes in a fire, giving off toxic fumes: phosgene and hydrochloric acid, Carbon monoxide

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Methylene chloride	75-09-2	>99.5

## **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

#### Dichloromethane, stabilized with amylene

Revision Date 02-May-2025

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Self-Protection of the First Aider** Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Phosgene, Hydrogen chloride gas.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapors or mists. Wear respiratory protection.

#### **Environmental precautions**

Should not be released into the environment.

## Methods and Material for Containment and Cleaning Up

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Ventilate the area.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation. Reacts with aluminum and its alloys.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in aluminum containers.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Methylene chloride		TWA: 50 ppm	(Vacated) TWA: 500 ppm
			(Vacated) STEL: 2000 ppm
			(Vacated) Ceiling: 1000 ppm
			TWA: 25 ppm
			STEL: 125 ppm

Component	European Union	The United Kingdom	Germany
Methylene chloride	TWA: 353 mg/m <sup>3</sup> (8h)	STEL: 200 ppm 15 min	TWA: 50 ppm (8 Stunden). AGW -
	TWA: 100 ppm (8h)	STEL: 706 mg/m <sup>3</sup> 15 min	exposure factor 2
	STEL: 706 mg/m <sup>3</sup> (15min)	TWA: 353 mg/m <sup>3</sup> 8 hr	TWA: 180 mg/m³ (8 Stunden). AGW
	STEL: 200 ppm (15min)	TWA: 100 ppm 8 hr	- exposure factor 2
	Skin	Skin	TWA: 50 ppm (8 Stunden). MAK
			TWA: 180 mg/m³ (8 Stunden). MAK
			Höhepunkt: 100 ppm
			Höhepunkt: 360 mg/m <sup>3</sup>
			Haut

#### **Exposure Controls**

## **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Revision Date 02-May-2025

#### Dichloromethane, stabilized with amylene

Revision Date 02-May-2025

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection In case of inadequate ventilation wear respiratory protection When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators

Liquid

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor sweet

Odor Threshold No data available pH Not applicable

**pH** Not applicable Insoluble in water

Melting Point/Range-97 °C / -142.6 °FSoftening PointNo data availableBoiling Point/Range39 °C / 102.2 °F

Flash Point No information available Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits

Lower 13 vol%
Upper 22 vol%

Vapor Pressure 350 mbar @ 20°C

Vapor Density 2.93 (Air = 1.0)

Specific Gravity / Density 1.33

Bulk Density Not applicable Liquid

Water Solubility 20 g/L (20°C)
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowMethylene chloride1.25

Autoignition Temperature

Decomposition Temperature

Viscosity

Explosive Properties

556 °C / 1032.8 °F

No data available

0.42 mPas @ 25°C

No information available

Oxidizing Properties No information available No information available

Dichloromethane, stabilized with amylene

Revision Date 02-May-2025

Molecular Formula C H2 Cl2
Molecular Weight 84.93

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions. Decomposes on exposure to light.

Possibility of Hazardous Reactions

Hazardous Polymerization
Hazardous Reactions
Hazardous Reactions
Hazardous Polymerization does not occur.
Forms a detonable mixture with nitric acid.

**Conditions to Avoid** 

Excess heat. Protect from direct sunlight.

Incompatible Materials

Strong oxidizing agents. Strong acids. Amines.

<u>Hazardous Decomposition Products</u>

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L(Rat)6 h 76000 mg/m³(Rat)4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met
Skin
Based on available data, the classification criteria are not met

Dichloromethane, stabilized with amylene

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Revision Date 02-May-2025

Component	EU	UK	Germany	IARC
Methylene chloride				Group 2A

Based on available data, the classification criteria are not met (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Central nervous system (CNS). Results / Target organs

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

(i) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central

nervous system.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity effects**

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Methylene chloride	Pimephales promelas:	EC50: 140 mg/L/48h	EC50:>660 mg/L/96h	EC50: 1 mg/L/24 h
	LC50:193 mg/L/96h	_	_	EC50: 2.88 mg/L/15 min

Persistence and degradability

**Persistence** Persistence is unlikely, based on information available.

**Bioaccumulative potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Methylene chloride	1.25	6.4 - 40 dimensionless

The product contains volatile organic compounds (VOC) which will evaporate easily from all Mobility in soil

surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

Revision Date 02-May-2025

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1593 Hazard Class 6.1 Packing Group III

Proper Shipping Name Dichloromethane

Road and Rail Transport

UN-No UN1593 Hazard Class 6.1 Packing Group III

Proper Shipping Name Dichloromethane

IATA

UN-No UN1593
Hazard Class 6.1
Packing Group III

Proper Shipping Name Dichloromethane

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Methylene chloride	200-838-9	X	X	X	X	X	Χ	Χ	KE-23893

Note Stabilised with Amylene (CAS 513-35-9)

Component	Seveso III Directive (2012/18/EC) - Qualifying	Seveso III Directive	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	Quantities for Major Accident Notification	Quantities for Safety Report Requirements	(1.10)	(Hazardous Waste)

#### Dichloromethane, stabilized with amylene

Revision Date 02-May-2025

Methylene chloride Annex I - Y45
----------------------------------

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ICAO/IATA - International Civil Aviation Organization/International Air

**Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate **VOC** - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Health, Safety and Environmental Department **Prepared By** 

**Revision Date** 02-May-2025

**Revision Summary** SDS sections updated, 2, 3, 6, 8, 15.

## In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**