

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **Molybdenum powder, 1-5 micron**
Cat No. : **98657**
CAS No **7439-98-7**
Molecular Formula **Mo**
REACH registration number **-**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

Physical hazards

Flammable solids

Category 2 (H228)

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H228 - Flammable solid

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use fire-fighting equipment on basis class D for extinction

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|------------|-----------|-------------------|----------|---|
| Molybdenum | 7439-98-7 | EEC No. 231-107-2 | 99.99 | Flam. Sol. 2 (H228) |

REACH registration number

-

Full text of Hazard Statements: see section 16

ALFAA98657

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. If possible drink milk afterwards. |
| Inhalation | Remove from exposure, lie down. Remove to fresh air. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Contact with water liberates toxic gas. Water reactive. Produce flammable gases on contact with water.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

See Section 12 for additional Ecological Information.

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid contact with skin and clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Avoid breathing vapors or mists. Do not ingest. If swallowed then seek immediate medical assistance. Wash thoroughly after handling.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from water or moist air.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 4.1B

Switzerland - Storage of hazardous substances

Storage class - SC 4.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|------------|----------------|---|--------|---------|---|
| Molybdenum | | STEL: 20 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr | | | TWA / VLA-ED: 10 mg/m ³ (8 horas) TWA / VLA-ED: 3 mg/m ³ (8 horas) |

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|------------|-------|---------|---|-----------------|---------------------------------------|
| Molybdenum | | | TWA: 10 mg/m ³ 8 horas TWA: 3 mg/m ³ 8 horas | | TWA: 0.5 mg/m ³ 8 tunteina |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|------------|--------------------------------|---------|-----------------------------|-------------------------------|-----------------------------------|
| Molybdenum | MAK-KZGW: 20 mg/m ³ | | TWA: 10 mg/m ³ 8 | STEL: 10 mg/m ³ 15 | TWA: 10 mg/m ³ 8 timer |

ALFAA98657

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

| | | | | | |
|--|--|--|---------|---|--|
| | 15 Minuten MAK-TMW: 10 mg/m ³ 8 Stunden | | Stunden | minutach TWA: 4 mg/m ³ 8 godzinach | |
|--|--|--|---------|---|--|

| Component | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|------------|-----------------------------|---------|---------|--------|--|
| Molybdenum | TWA: 10.0 mg/m ³ | | | | TWA: 5 mg/m ³ 8 hodinách. Ceiling: 25 mg/m ³ |

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|------------|---|-----------|--------|---------|---------|
| Molybdenum | TWA: 10 mg/m ³ 8 tundides. total dust TWA: 5 mg/m ³ 8 tundides. respirable dust | | | | |

| Component | Latvia | Lithuania | Luxembourg | Malta | Romania |
|------------|--------|---|------------|-------|---------|
| Molybdenum | | TWA: 5 mg/m ³ IPRD TWA: 10 mg/m ³ inhalable fraction IPRD TWA: 5 mg/m ³ respirable fraction IPRD | | | |

| Component | Russia | Slovak Republic | Slovenia | Sweden | Turkey |
|------------|---|--|----------|---|--------|
| Molybdenum | TWA: 0.5 mg/m ³ 1471 MAC: 3 mg/m ³ | TWA: 5 mg/m ³ respirable fraction TWA: 10 mg/m ³ inhalable fraction | | TLV: 10 mg/m ³ 8 timmar. NGV TLV: 5 mg/m ³ 8 timmar. NGV | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-----------------------------------|-------------------------------------|--|---------------------------------------|--|
| Molybdenum 7439-98-7 (99.99) | | | | DNEL = 11.7mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|-----------------------------------|-----------------|-------------------------------------|--------------------|---------------------------------------|----------------------------|
| Molybdenum 7439-98-7 (99.99) | PNEC = 12.7mg/L | PNEC = 22600mg/kg sediment dw | | PNEC = 21.7mg/L | PNEC = 9.9mg/kg soil dw |

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

| Component | Marine water | Marine water sediment | Marine water Intermittent | Food chain | Air |
|-----------------------------------|-----------------|---------------------------------|---------------------------|------------|-----|
| Molybdenum 7439-98-7 (99.99) | PNEC = 2.28mg/L | PNEC = 2368mg/kg sediment dw | | | |

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ventilation systems.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) Goggles (European standard - EN 166)

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State

Powder Solid

Appearance

Grey

Odor

Odorless

Odor Threshold

No data available

Melting Point/Range

2622 °C / 4751.6 °F

Softening Point

No data available

Boiling Point/Range

4825 °C / 8717 °F

@ 760 mmHg

Flammability (liquid)

Not applicable

Solid

Flammability (solid,gas)

No information available

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

| | | |
|---|--------------------------|-----------------------------------|
| Explosion Limits | No data available | |
| Flash Point | No information available | Method - No information available |
| Autoignition Temperature | Not applicable | |
| Decomposition Temperature | No data available | |
| pH | No information available | |
| Viscosity | Not applicable | Solid |
| Water Solubility | Insoluble | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | 10.28 | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |

9.2. Other information

| | |
|-------------------|--|
| Molecular Formula | Mo |
| Molecular Weight | 95.94 |
| Flammable solids | Burning rate or burning time = > 5 minutes and <= 10 minutes |
| Evaporation Rate | Not applicable - Solid |

SECTION 10: STABILITY AND REACTIVITY

| | |
|------------------|--|
| 10.1. Reactivity | None known, based on information available |
|------------------|--|

| | |
|--------------------------|---------------------------------|
| 10.2. Chemical stability | Stable under normal conditions. |
|--------------------------|---------------------------------|

10.3. Possibility of hazardous reactions

| | |
|--------------------------|---------------------------|
| Hazardous Polymerization | No information available. |
| Hazardous Reactions | No information available. |

| | |
|---------------------------|------------------------|
| 10.4. Conditions to avoid | Incompatible products. |
|---------------------------|------------------------|

| | |
|------------------------------|---|
| 10.5. Incompatible materials | Strong oxidizing agents. Oxidizing agent. |
|------------------------------|---|

| | |
|--|---|
| 10.6. Hazardous decomposition products | Thermal decomposition can lead to release of irritating gases and vapors. |
|--|---|

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|---------------------|---|
| Product Information | No acute toxicity information is available for this product |
| (a) acute toxicity; | |
| Oral | No data available |
| Dermal | No data available |
| Inhalation | No data available |

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------|-----------|---------------------------|------------------------------|
| Molybdenum | - | LD50 > 2000 mg/kg (Rat) | LC50 > 5.84 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available

Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects .

12.2. Persistence and degradability

Persistence Insoluble in water.

Degradability Not relevant for inorganic substances.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600

<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN3089

14.2. UN proper shipping name

Metal powder, flammable, n.o.s.

Technical Shipping Name

Molybdenum

14.3. Transport hazard class(es)

4.1

14.4. Packing group

II

ADR

14.1. UN number

UN3089

14.2. UN proper shipping name

Metal powder, flammable, n.o.s.

Technical Shipping Name

Molybdenum

14.3. Transport hazard class(es)

4.1

14.4. Packing group

II

IATA

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

| | |
|---|---------------------------------|
| 14.1. UN number | UN3089 |
| 14.2. UN proper shipping name | Metal powder, flammable, n.o.s. |
| Technical Shipping Name | Molybdenum |
| 14.3. Transport hazard class(es) | 4.1 |
| 14.4. Packing group | II |

| | |
|--|----------------------------------|
| 14.5. Environmental hazards | No hazards identified |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Molybdenum | 7439-98-7 | 231-107-2 | - | - | X | X | KE-25427 | X | - |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|------------|-----------|------|---|-----|------|------|-------|-------|
| Molybdenum | 7439-98-7 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------|-----------|---|---|---|
| Molybdenum | 7439-98-7 | - | - | - |

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|------------|-----------|---|--|
| Molybdenum | 7439-98-7 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------|---------------------------------------|-------------------------|
| Molybdenum | nwg | |

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

SAFETY DATA SHEET

Molybdenum powder, 1-5 micron

Revision Date 22-Mar-2024

First aid for chemical exposure, including the use of eye wash and safety showers.

| | |
|------------------|--|
| Prepared By | Health, Safety and Environmental Department |
| Revision Date | 22-Mar-2024 |
| Revision Summary | New emergency telephone response service provider. |

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet