

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name EDTA Solution

Product Code HAC2241926

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security

Concern.

## Section 2 - Hazard(s) Identification

## Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

## Physical hazards

Substances/mixtures corrosive to metal Category 1

### **Health hazards**

Acute Oral ToxicityCategory 4Acute Inhalation Toxicity - VaporsCategory 4Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 1CarcinogenicityCategory 1B

**Environmental hazards** 

No hazards identified

**Label Elements** 

AUS-000786D Version 2 14-Jul-2023 Page 1/11







**Exclamation Mark** 

Health Hazard

## Signal Word

### **Danger**

## **Hazard Statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H318 - Causes serious eye damage

H350 - May cause cancer

H302 + H332 - Harmful if swallowed or if inhaled

### **Precautionary Statements**

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 - Take off contaminated clothing

P390 - Absorb spillage to prevent material damage

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P330 - Rinse mouth

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other information

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	60-70
Tetrasodium EDTA	64-02-8	30-40
Methyl alcohol	67-56-1	<0.1
Formaldehyde	50-00-0	<0.1

# **Section 4 - First Aid Measures**

Inhalation

Remove to fresh air.

AUS-000786D Version 2 14-Jul-2023 Page 2/11

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes eye burns. Causes severe eye damage.

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

## **Emergency procedures**

Ensure adequate ventilation.

### **Environmental Precautions**

See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

Clean-up methods - small spillage

## Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

## Precautions for Safe Handling

AUS-000786D Version 2 14-Jul-2023 Page 3 / 11

Ensure adequate ventilation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

## **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August. 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Methyl alcohol	STEL: 250 ppm STEL: 328 mg/m³ TWA: 200 ppm TWA: 262 mg/m³	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	TWA: 200 ppm STEL: 250 ppm Skin	WEL - TWA: 200 ppm TWA; 266 mg/m³ TWA WEL - STEL: 250 ppm STEL; 333 mg/m³ STEL	100 ppm TWA MAK; 130 mg/m³ TWA MAKSkin absorber
Formaldehyde	STEL: 2 ppm STEL: 2.5 mg/m³ TWA: 1 ppm TWA: 1.2 mg/m³	TWA: 0.3 ppm STEL: 0.6 ppm	TWA: 0.1 ppm STEL: 0.3 ppm	STEL: 2 ppm 15 min STEL: 2.5 mg/m³ 15 min TWA: 2 ppm 8 hr TWA: 2.5 mg/m³ 8 hr Carc.	TWA: 0.3 ppm (8 Stunden). AGW - exposure factor 2 TWA: 0.37 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 0.3 ppm (8 Stunden). MAK no irritation should occur during mixed exposure TWA: 0.37 mg/m³ (8 Stunden). MAK no irritation should occur during mixed exposure Höhepunkt: 0.6 ppm Höhepunkt: 0.74 mg/m³

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Methyl alcohol		15 mg/L (urine) end of			Methanol: 15 mg/L urine
		shift (Methyl alcohol)			(end of shift)
					Methanol: 15 mg/L urine
					(for long-term
					exposures: at the end of
					the shift after several
					shifts)

## **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

AUS-000786D Version 2 14-Jul-2023 Page 4 / 11

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial **Eye Protection** 

applications)

Protective gloves **Hand Protection** 

Glove thickness AUS/NZ Standard Glove material Breakthrough time Glove comments See manufacturers AS/NZS 2161 Natural rubber (minimum requirement) Nitrile rubber recommendations Neoprene PVC

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Particle filtering: EN149:2001 (or AUS/NZ equivalent) Recommended half mask:-

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

**Appearance** Clear, colorless solution

**Physical State** Liquid

No information available Odor

**Odor Threshold** No data available

pН 10.3

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** 97 °C / 206.6 °F

**Flash Point** Not applicable Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid **Explosion Limits** No data available

**Vapor Pressure** No data available No data available **Vapor Density** 

(Air = 1.0)

Specific Gravity / Density No data available **Bulk Density** Not applicable

Liquid Soluble in water **Water Solubility** 

Solubility in other solvents No information available Partition Coefficient (n-octanol/water)

log Pow Component Methyl alcohol -0.74 Formaldehyde -0.35

AUS-000786D Version 2 14-Jul-2023 Page 5/11

Autoignition Temperature Decomposition Temperature Viscosity

No data available No data available No information available

No information available

No data available

Explosive Properties
Oxidizing Properties

Other information

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization** No information available.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

## **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Tetrasodium EDTA	LD50 = 1780 - 2000 mg/kg ( Rat		
Methyl alcohol	LD50 = 1187 - 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

guinea pig	non-sensitising
Man guinea pig	Sensitizer Sensitization

(e) germ cell mutagenicity; No data available

AUS-000786D Version 2 14-Jul-2023 Page 6 / 11

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Formaldehyde	Cat 1B	Confirmed carcinogen			Group 1	Carc Cat. 1B	Cat 3	

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 ( <0.1 )			

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

# Section 12 - Ecological Information

**Ecotoxicity effects** 

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Tetrasodium EDTA	LC50: = 121 - 1592 mg/L, 96h static (Lepomis macrochirus)	EC50: = 140mg/l, 48h (Daphnia magna)		
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min
Formaldehyde	Leuciscus idus: LC50 = 15 mg/L 96h	EC50 = 20 mg/L 96h EC50 = 2 mg/L 48h	EC50 (72h) = 4.89 mg/L (Desmodesmus subspicatus)	

**Persistence and Degradability** 

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

Component	Degradability
Methyl alcohol	DT50 ~ 17.2d
67-56-1 ( < 0.1 )	>94% after 20d
Formaldehyde	Readily biodegradable (OECD guideline 301A, 301C and 301D)
50-00-0 ( <0.1 )	under aerobic and anaerobic conditions.

Degradation in sewage treatment plant Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.
Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Methyl alcohol	-0.74	<10 dimensionless
Formaldehyde	-0.35	No data available

Mobility

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

AUS-000786D Version 2 14-Jul-2023 Page 7/11

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

# Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

Component	Hazchem Code
Methyl alcohol	2WE
67-56-1 ( < 0.1 )	
Formaldehyde	2X
50-00-0 ( < 0.1 )	2W

IATA Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

## Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b)
	in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of
	Ethanol
	Schedule 6 listed - except its derivatives;except a) when included in Schedule 5, or b) when included in
	Schedule 10, or c) in preparations containing <=2% of Methanol
	Schedule 10 listed

AUS-000786D Version 2 14-Jul-2023 Page 8 / 11

Formaldehyde - 50-00-0	Schedule 2 listed
	Schedule 6 listed - except its derivatives;in preparations as free Formaldehyde except: a) for human
	therapeutic use, b) in oral hygiene preparations, c) in nail hardener cosmetic preparations containing
	>=5% of free Formaldehyde, d) in nail hardener cosmetic preparations containing <=0.2% of free
	Formaldehyde when labelled with the warning statement: PROTECT CUTICLES WITH GREASE OR
	OIL, e) in all other cosmetic preparations, or f) in other preparations containing <=0.2% of free
	Formaldehyde when labelled with the warning statement: CONTAINS FORMALDEHYDE
	Schedule 10 listed

## **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Tetrasodium EDTA - 64-02-8	Present	•
Methyl alcohol - 67-56-1	Present	-
Formaldehyde - 50-00-0	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.

## Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

## **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Formaldehyde - 50-00-0	Category 2	

### Legend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

## National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1
Formaldehyde - 50-00-0	10 tonne/yr. Threshold category 1

## Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met.

Component	Australia	New South Wales	Western Australia	New Zealand
Formaldehyde - 50-00-0	Cat 1B			Confirmed carcinogen

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Tetrasodium EDTA	Х	Х	200-573-9	-	Х	Х	-	Х	Х	Х	Х	KE-13654
Methyl alcohol	X	Х	200-659-6	-	X	Χ	-	Х	Х	Х	Х	KE-23193
Formaldehyde	X	X	200-001-8	-	Х	X	-	Х	Х	Х	Х	KE-17074

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

AUS-000786D Version 2 14-Jul-2023 Page 9/11

\_\_\_\_\_

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Tetrasodium EDTA	64-02-8	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne
Formaldehyde	50-00-0	Listed	Not applicable	5 tonne	50 tonne

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tetrasodium EDTA	-	Use restricted. See item 75. (see link for restriction details)	-
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Formaldehyde	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## **Section 16 - Other Information**

### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**NZIoC** - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

AUS-000786D Version 2 14-Jul-2023 Page 10 / 11

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

MARPOL - International Convention for the Prevention of Pollution from ADG - Australian Code for the Transport of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent. Bioaccumulative. Toxic

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date** 14-Jul-2023

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

AUS-000786D Version 2 14-Jul-2023 Page 11 / 11