

SAFETY DATA SHEET

Creation Date 16-August-2018 Revision Date 02-April-2024 Revision Number 3

1. Identification

Product Name ZrNi-Alloy 30/70 A

Cat No.: H37159

CAS-No 11146-73-9

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable solids

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity

Serious Eye Damage/Eye Irritation

Skin Sensitization

Category 1

Caregory 1

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Flammable solid
Harmful if swallowed, in contact with skin or if inhaled
May cause an allergic skin reaction
Causes serious eye damage
May cause cancer
Harmful if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Take off contaminated clothing and wash it before reuse

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Zirconium-nickel alloy	11146-73-9	<=100	

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove to fresh air.

Ingestion Do NOT induce vomiting.

Most important symptoms/effects Causes eye burns. May cause allergic skin reaction. Causes severe eye damage.

ZrNi-Alloy 30/70 A Revision Date 02-April-2024

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Notes to Physician

Not applicable

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Zirconium oxide. Nickel oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA_

HealthFlammabilityInstabilityPhysical hazards220N/A

6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required. See Section 12 for additional Ecological Information. Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean No information available. **Up**

7. Handling and storage

Handling Ensure adequate ventilation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Zirconium-nickel alloy	TWA: 5 mg/m ³	(Vacated) TWA:	IDLH: 25 mg/m ³				
	STEL: 10 mg/m ³	5 mg/m ³	IDLH: 10 mg/m ³				
						(Vacated) STEL:	TWA: 5 mg/m ³
						10 mg/m ³	TWA: 0.015
						_	mg/m³
							STEL: 10 mg/m ³

ZrNi-Alloy 30/70 A

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Physical and chemical properties

Physical State Powder Solid

AppearanceNo information availableOdorNo information availableOdor ThresholdNo information available

pH No information available

Melting Point/Range No information available

No data available

Boiling Point/Range
No information available
No information available

Evaporation RateNot applicableFlammability (solid,gas)Highly flammable

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor Pressure No information available
Vapor Density Not applicable

Specific GravityNo information availableSolubilityNo information available

Partition coefficient; n-octanol/water No data available

ZrNi-Alloy 30/70 A

Autoignition Temperature Not applicable

Decomposition Temperature No information available

Viscosity Not applicable

Molecular Formula NiZr **Molecular Weight** 149.9

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Oxidizing agent

Hazardous Decomposition Products Zirconium oxide, Nickel oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Zirconium-nickel alloy	11146-73-9	Not listed	Known	Not listed	Not listed	Not listed

Mutagenic Effects No information available

No information available. **Reproductive Effects Developmental Effects** No information available.

Teratogenicity No information available.

STOT - single exposure None known None known STOT - repeated exposure

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

ZrNi-Alloy 30/70 A

12. Ecological information

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability May persist

Bioaccumulation/ Accumulation No information available.

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3089

Proper Shipping Name METAL POWDERS, FLAMMABLE, N.O.S.

Hazard Class 4.1 Packing Group

<u>TDG</u>

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 Packing Group

IATA

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 Packing Group

IMDG/IMO

UN-No UN3089

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 Packing Group

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Zirconium-nickel alloy	11146-73-9	-	-	-	•	-	ı	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Zirconium-nickel alloy	11146-73-9	-	-	-	-	-	-	-	-

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ZrNi-Alloy 30/70 A Revision Date 02-April-2024

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Zirconium-nickel alloy	Part 1, Group A Substance		

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Zirconium-nickel alloy	-	Use restricted. See item 75. (see link for restriction details) Use restricted. See item 27. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Zirconium-nickel alloy	11146-73-9	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
			Qualifying Quantities	` '	(1142414040114040)
		for Major Accident Notification	for Safety Report Requirements		

16. Other information

Not applicable

Not applicable

Not applicable

Prepared By Product Safety Department

11146-73-9

Email: chem.techinfo@thermofisher.com

Not applicable

www.thermofisher.com

 Creation Date
 16-August-2018

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

Zirconium-nickel alloy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS