SAFETY DATA SHEET

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name **Nickel**

Product Code	**VMM1240FPA**
Address	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
Emergency Tel.	**CHEMTREC®** **03 9757 4559 or +613 9757 4559**
Telephone / Fax Numbers	Tel: 1300 735 292 Fax: 1800 067 639
E-mail address	ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards	
Flammable solids	Category 2
Substances/mixtures which, in contact with water, emit flammable gases	Category 1
Health hazards	
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity - (single exposure)	Category 3
Specific target organ toxicity - (repeated exposure)	Category 1
Environmental hazards	
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label Elements


Flame


Health Hazard


Exclamation Mark


Environment

Signal Word **Danger**

Hazard Statements
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H351 - Suspected of causing cancer
H372 - Causes damage to organs through prolonged or repeated exposure
H228 - Flammable solid
H260 - In contact with water releases flammable gases which may ignite spontaneously
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P222 - Do not allow contact with air
P223 - Do not allow contact with water
P231 + P232 - Handle and store contents under inert gas. Protect from moisture
P240 - Ground and bond container and receiving equipment
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P362 + P364 - Take off contaminated clothing and wash it before reuse
P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages
P402 + P404 - Store in a dry place. Store in a closed container
P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxicity to Soil Dwelling Organisms
Toxic to terrestrial vertebrates
This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Potassium difluorodihydroxyborate(1-)	85392-66-1	<35
Copper	7440-50-8	25-35
Zinc	7440-66-6	25-30
Silver	7440-22-4	<50

Nickel	7440-02-0	<5

Section 4 - First Aid Measures

Inhalation Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

General Advice If symptoms persist, call a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and effects May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media
Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons
No information available.

Specific Hazards Arising from the Chemical
Do not allow run-off from fire-fighting to enter drains or water courses.

Special protective equipment and precautions for fire fighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures
Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions
Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Up

Clean-up methods - small spillage
Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Clean-up methods - large spillage
Typically only supplied is small quantiites as packaged goods.
If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections
Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling
Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities
Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits
AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]
Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia
ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.
UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.
DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011
NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Copper	TWA: 1 mg/m³ TWA: 0.2 mg/m³	TWA: 0.01 mg/m³	TWA: 0.2 mg/m³	STEL: 0.6 mg/m³ 15 min STEL: 2 mg/m³ 15 min TWA: 1 mg/m³ 8 hr TWA: 0.2 mg/m³ 8 hr	TWA: 0.01 mg/m³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m³
Zinc					TWA: 0.1 mg/m³ (8 Stunden). MAK TWA: 2 mg/m³ (8 Stunden). MAK Höhepunkt: 0.4 mg/m³ Höhepunkt: 4 mg/m³
Silver	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³	STEL: 0.3 mg/m³ 15 min TWA: 0.1 mg/m³ 8 hr	TWA: 0.1 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.1 mg/m³ (8 Stunden). MAK Höhepunkt: 0.8 mg/m³
Nickel	TWA: 1 mg/m³	TWA: 0.005 mg/m³	TWA: 1.5 mg/m³	STEL: 1.5 mg/m³ 15 min TWA: 0.5 mg/m³ 8 hr Skin	TWA: 0.03 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.006 mg/m³ (8 Stunden). AGW - exposure factor 8

Biological limit values
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls
Engineering Measures
Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)
Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.
Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of repiratory protective devices (or AUS/NZ equivalent)
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Gold	
Physical State	Very viscous paste Solid	
Odor	No information available	
Odor Threshold	No data available	
pH	Not applicable	
Melting Point/Range	>538 - °C / 2615 - 2615 °F	
Softening Point	No data available	
Boiling Point/Range	277 - 328 °C / 530.6 - 622.4 °F	
Flash Point	No data available NA	**Method -** No information available
Evaporation Rate	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	Not applicable	Solid
Specific Gravity / Density	No data available	
Bulk Density	No data available	
Water Solubility	Partially miscible	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)		
Autoignition Temperature	Not applicable	
Decomposition Temperature	No data available	
Viscosity	Not applicable	Solid
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other information

Section 10 - Stability and Reactivity

Reactivity Yes

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat, Avoid dust formation.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral	Based on available data, the classification criteria are not met
Dermal	No data available
Inhalation	No data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium difluorodihydroxyborate(1-)		LD50 > 2000 mg/kg (Rabbit)	LC50 > 2.04 mg/L (Rat) 4 h
Copper			LC50 > 5.11 mg/L (Rat) 4 h
Zinc	LD50 = 630 mg/kg (Rat)		
Silver	> 2000 mg/kg (Rat)	LD50 > 2000 mg/kg (rat)	LC50 > 5.16 mg/L (Rat) 4 h
Nickel	LD50 > 9000 mg/kg (Rat)		LC50 > 10.2 mg/L (Rat) 1 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory	No data available
Skin	Category 1

Sensitization No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Nickel		Suspected carcinogen			Group 2B			Cat. 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; Category 2

Target Organs No information available.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects,both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium difluorodihydroxyborate(1-)	LC50: = 750 mg/L, 96h semi-static (Danio rerio)			
Copper	Onchorhynchys mykiss: LC50=0.15 mg/L 96h Cuprinus carpio: LC50=0.8 mg/L 96h	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	0.0426-0.0535 mg/L EC50 72 h 0.031-0.054 mg/L EC50 96 h	
Zinc	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)	

	LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)			
Silver	LC50: = 0.064 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.0062 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.00155 - 0.00293 mg/L, 96h static (Pimephales promelas)	EC50: = 0.00024 mg/L, 48h Static (Daphnia magna)		
Nickel	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	EC50 = 510 µg/L 96h	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	

Persistence and Degradability No information available
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.
Bioaccumulative Potential No information available

Mobility No information available.
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

Section 14 - Transport Information

IMDG/IMO

UN-No UN3082
Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.
Technical Shipping Name (Silver and Copper)
Hazard Class 9
Packing Group III

Component	IMDG Marine Pollutant
Copper 7440-50-8 (25-35)	IMDG regulated marine pollutant (Listed in the index, listed under Copper metal powder)

ADG

UN-No	UN3082
Proper Shipping Name	Environmentally hazardous substances, liquid, n.o.s.
Technical Shipping Name	(Silver and Copper)
Hazard Class	9
Packing Group	III

Component	Hazchem Code
Zinc 7440-66-6 (25-30)	4Y 4W

IATA

UN-No	UN3082
Proper Shipping Name	Environmentally hazardous substances, liquid, n.o.s.
Technical Shipping Name	(Silver and Copper)
Hazard Class	9
Packing Group	III

Environmental hazards Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations **Australia**

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons
Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Silver - 7440-22-4	Schedule 2 listed

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Potassium difluorodihydroxyborate(1-) - 85392-66-1	Present	-
Copper - 7440-50-8	Present	-
Zinc - 7440-66-6	Present	-
Silver - 7440-22-4	Present	-
Nickel - 7440-02-0	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List
This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern
This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Copper - 7440-50-8	10 tonne/yr. Threshold category 1 2000 tonne/yr. Threshold category 2b 60000 MWH. Threshold category 2b 20 MW. Threshold category 2b
Zinc - 7440-66-6	10 tonne/yr. Threshold category 1
Nickel - 7440-02-0	10 tonne/yr. Threshold category 1 2000 tonne/yr. Threshold category 2b 60000 MWH. Threshold category 2b 20 MW. Threshold category 2b

Prohibition or notification/licensing requirements
Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Component	Australia	New South Wales	Western Australia	New Zealand
Nickel - 7440-02-0				Suspected carcinogen

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Potassium difluorodihydroxyborate(1-)	X	X	286-925-2	-	-	-	-	-	-	X	X	-
Copper	X	X	231-159-6	-	X	X	-	X	X		X	KE-08896
Zinc	X	X	231-175-3	-	X	X	-	X	X		X	KE-35518
Silver	X	X	231-131-3	-	X	X	-	X	X		X	KE-31261
Nickel	X	X	231-111-4	-	X	X	-	X	X		X	KE-25818

Legend: X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

MARPOL - International Convention for the Prevention of Pollution from Ships

Component	IMDG Marine Pollutant
Copper - 7440-50-8	IMDG regulated marine pollutant (Listed in the index, listed under Copper metal powder)

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal
Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report

				Notification	Requirements
Potassium difluorodihydroxyborate(1-)	85392-66-1	Not applicable	Not applicable	Not applicable	Not applicable
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable
Zinc	7440-66-6	Listed	Not applicable	Not applicable	Not applicable
Silver	7440-22-4	Listed	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Copper	-	Use restricted. See item 75. (see link for restriction details)	-
Zinc	-	Use restricted. See item 75. (see link for restriction details)	-
Silver	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - Chinese Inventory of Existing Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
NZS 5433:2020 - Transport of Dangerous Goods on Land
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative
VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
CAS - Chemical Abstracts Service
ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail
OECD - Organisation for Economic Co-operation and Development
LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration
BCF - Bioconcentration factor
PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data
https://echa.europa.eu/information-on-chemicals
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

Training Advice
Chemical incident response training.

Revision Date	14-Jul-2023
Revision Summary	Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet