

# **SAFETY DATA SHEET**

Creation Date 01-June-2010 Revision Date 25-March-2024 Revision Number 2

# 1. Identification

Product Name 2-Ethoxyethanol

Cat No. : C15602

**CAS-No** 110-80-5

Synonyms Ethylene glycol ethyl ether; Cellosolve®

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

### Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# Hazard(s) identification

#### Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids

Acute oral toxicity

Acute Inhalation Toxicity

Reproductive Toxicity

Physical Hazards Not Otherwise Classified

Category 1

Category 1

Category 1

May form explosive peroxides

Label Elements

### Signal Word

Danger

### **Hazard Statements**

Flammable liquid and vapor

Harmful if swallowed Toxic if inhaled May damage fertility. May damage the unborn child May form explosive peroxides



## **Precautionary Statements**

#### Prevention

Keep container tightly closed

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF exposed or concerned: Get medical advice/attention

Call a POISON CENTER/ doctor

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Light sensitive

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
2-Ethoxyethanol	110-80-5	>95

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical

the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects No information available. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 40 °C / 104 °F

Method - No information available

Autoignition Temperature 235 °C / 455 °F

**Explosion Limits** 

**Upper** 15.6% @ 93°C **Lower** 1.7% @ 93°C

**Sensitivity to Mechanical Impact** No information available **Sensitivity to Static Discharge** No information available

## **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. May form explosive peroxides. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). peroxides.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards321N/A

# 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources

of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. May form explosive peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases. Metals.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
2-Ethoxyethanol	TWA: 0.1 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	(Vacated) TWA:	IDLH: 500 ppm
	TWA: 0.4 mg/m <sup>3</sup>	Skin	Skin	TWA: 18 mg/m <sup>3</sup>	Skin	200 ppm	TWA: 0.5 ppm
	TWA: 5 ppm			Skin		(Vacated) TWA:	TWA: 1.8 mg/m <sup>3</sup>
	TWA: 18 mg/m <sup>3</sup>					740 mg/m <sup>3</sup>	
	Skin					Skin	
						TWA: 200 ppm	
						TWA: 740	
						mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

### **Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection
Hand Protection

Goggles

Protective gloves

Glove material Breakthrough time Glove thickness Glove comments
Natural rubber See manufacturers - Splash protection only
Nitrile rubber recommendations
Neoprene
PVC

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European

Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdoraromatic

Odor Threshold No information available

pH

Melting Point/Range-70 °C / -94 °FBoiling Point/Range135 °C / 275 °FFlash Point40 °C / 104 °FEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 15.6% @ 93°C

 Lower
 1.7% @ 93°C

 Vapor Pressure
 5 mbar @ 20 °C

 Vapor Density
 3.1 (Air = 1.0)

 Specific Gravity
 0.030

Specific Gravity 0.930
Solubility Soluble in water

Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature235 °C / 455 °FDecomposition TemperatureNo information availableViscosity2.08 mPa.s at 20 °C

Molecular FormulaC4 H10 O2Molecular Weight90.12

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to air. Exposure to light.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), peroxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

# **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
2-Ethoxyethanol	LD50 = 2800 mg/kg (Rat)	LD50 = 3300 mg/kg (Rabbit)	LC50 = 4267 ppm (Rat) 4 h		
	LD50 = 1400 mg/kg (Guinea pig)				

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
2-Ethoxyethanol	110-80-5	Not listed				

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects May impair fertility. Experiments have shown reproductive toxicity effects on laboratory

animals.

Developmental Effects Possible risk of harm to the unborn child. Developmental effects have occurred in

experimental animals.

**Teratogenicity** Teratogenic effects have occurred in experimental animals.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Ethoxyethanol	EC50: > 1000 mg/L, 72h	LC50: > 10000 mg/L, 96h	EC50 = 430 mg/L 30 min	EC50: > 10000 mg/L, 48h
	(Desmodesmus subspicatus)	static (Lepomis macrochirus)		(Daphnia magna)

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation**No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Ethoxyethanol	0.32

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
2-Ethoxyethanol - 110-80-5	U359	-		

# 14. Transport information

DOT

**UN-No** UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

Hazard Class 3
Packing Group III

<u>TDG</u>

UN-No UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

Hazard Class 3
Packing Group III

IATA

**UN-No** UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1171

Proper Shipping Name ETHYLENE GLYCOL MONOETHYL ETHER

Hazard Class 3 Packing Group III

# 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
2-Ethoxyethanol	110-80-5	X	-	Х	ACTIVE	203-804-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
2-Ethoxyethanol	110-80-5	Х	KE-13667	X	Х	X	X	Х	Х

# Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
2-Ethoxyethanol	Part 1, Group A Substance Part 4 Substance		

Legend NPRI - National Pollutant Release Inventory

Revision Date 25-March-2024 2-Ethoxyethanol

#### Other International Regulations

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
2-Ethoxyethanol	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75.	SVHC Candidate list - 203-804-1 - Toxic for reproduction, Article 57c
		(see link for restriction details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

#### **REACH links**

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Ethoxyethanol	110-80-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - (2012/18/EC) - Qualifying Quantities qualifying Quantities for Major Accident for Safety Report		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
2-Ethoxyethanol	110-80-5	Not applicable	Not applicable	Not applicable	Annex I - Y42

# 16. Other information

**Prepared By** Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

**Creation Date** 01-June-2010 **Revision Date** 25-March-2024 25-March-2024 **Print Date** 

New emergency telephone response service provider. **Revision Summary** 

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**