

according to Regulation (EC) No. 1907/2006

Revision Date 17-Mar-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Description: <u>ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®</u>

Cat No.: 4259

Molecular Formula Matrix: 5% HN O3 /tr. tartaric acid

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

**Swiss distributor -** Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

**Physical hazards** 

ALFAA42596

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Revision Date 17-Mar-2024

Substances/mixtures corrosive to metal Category 1 (H290)

**Health hazards** 

Skin Corrosion/Irritation Category 1 B (H314)
Serious Eye Damage/Eye Irritation Category 1 (H318)

**Environmental hazards** 

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

**Danger** 

#### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	94.90	-
Nitric acid	7697-37-2	231-714-2	5.00	Ox. Liq. 3 (H272) Met. Corr. 1 (H290) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) (EUH071)
(+)-Tartaric acid	87-69-4	201-766-0	0.10	Eye Dam. 1 (H318)

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Nitric acid	Ox. Liq. 2 :: C>=99%	-	-
	Ox. Liq. 3 :: 65%<=C<99%		
	Acute Tox. 1 (inhal) :: C>=70%		
	Acute Tox. 3 (inhal) ::		
	70%>C>=26.5%		
	Acute Tox. 4 (inhal) ::		
	26.5%>C>=13.25%		
	Skin Corr. 1A :: C>=20%		
	Skin Corr. 1B :: 5%<=C<20%		
	Met. Corr. 1 :: C>=2%		
	EUH071 :: C>=20%		

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	=	-	ATE = 2.65 mg/L (vapours)

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

Revision Date 17-Mar-2024

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Revision Date 17-Mar-2024

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

None under normal use conditions.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510** Storage Class (LGK) (Germany)

Storage Class/LGK 8B

Switzerland - Storage of hazardous substances

Storage class - SC 8

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

#### **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Nitric acid	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	STEL / VLCT: 1 ppm.	STEL: 1 ppm 15	STEL / VLA-EC: 1 ppm
	STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup> 15 min	indicative limit	minuten	(15 minutos).
	(15min) -		STEL / VLCT: 2.6	STEL: 2.6 mg/m <sup>3</sup> 15	STEL / VLA-EC: 2.6
			mg/m³. indicative limit	minuten	mg/m³ (15 minutos).

Component	Italy	Germany	Portugal	The Netherlands	Finland
Nitric acid	STEL: 1 ppm 15 minuti.	TWA: 1 ppm (8	STEL: 1 ppm 15	STEL: 1.3 mg/m <sup>3</sup> 15	TWA: 0.5 ppm 8
	Short-term	Stunden). AGW -	minutos	minuten	tunteina
	STEL: 2.6 mg/m <sup>3</sup> 15	TWA: 2.6 mg/m <sup>3</sup> (8	STEL: 2.6 mg/m <sup>3</sup> 15		TWA: 1.3 mg/m <sup>3</sup> 8
	minuti. Short-term	Stunden). AGW -	minutos		tunteina
			TWA: 2 ppm 8 horas		STEL: 1 ppm 15
					minuutteina
					STEL: 2.6 mg/m <sup>3</sup> 15
					minuutteina
(+)-Tartaric acid		TWA: 2 mg/m <sup>3</sup> (8			
		Stunden). AGW -			
		exposure factor 2			
		TWA: 2 mg/m <sup>3</sup> (8			
		Stunden). MAK			
		Höhepunkt: 4 mg/m <sup>3</sup>			

Component	Austria	Denmark	Switzerland	Poland	Norway
Nitric acid	MAK-KZGW: 1 ppm 15 Minuten	STEL: 1 ppm 15 minutter	STEL: 2 ppm 15 Minuten	STEL: 2.6 mg/m³ 15 minutach	TWA: 2 ppm 8 timer TWA: 5 mg/m <sup>3</sup> 8 timer
	MAK-KZGW: 2.6 mg/m³ 15 Minuten	STEL: 2.6 mg/m³ 15 minutter	STEL: 5 mg/m³ 15 Minuten TWA: 2 ppm 8 Stunden TWA: 5 mg/m³ 8	TWA: 1.4 mg/m³ 8 godzinach	STEL: 4 ppm 15 minutter. value calculated STEL: 10 mg/m³ 15
			Stunden		minutter. value calculated
(+)-Tartaric acid			STEL: 4 mg/m <sup>3</sup> 15 Minuten TWA: 2 mg/m <sup>3</sup> 8 Stunden		

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Nitric acid	STEL: 1 ppm	STEL-KGVI: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	TWA: 1 mg/m <sup>3</sup> 8
	STEL: 2.6 mg/m <sup>3</sup>	minutama.	STEL: 2.6 mg/m <sup>3</sup> 15 min	STEL: 2.6 mg/m <sup>3</sup>	hodinách.
		STEL-KGVI: 2.6 mg/m <sup>3</sup>			Ceiling: 2.5 mg/m <sup>3</sup>
		15 minutama.			

	Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Г	Nitric acid	STEL: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	STEL: 2.6 mg/m <sup>3</sup> 15	STEL: 1 ppm
		minutites.	STEL: 2.6 mg/m <sup>3</sup> 15 min	STEL: 2.6 mg/m <sup>3</sup>	percekben. CK	STEL: 2.6 mg/m <sup>3</sup>
		STEL: 2.6 mg/m <sup>3</sup> 15		-		
		minutites.				

I	Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Γ	Nitric acid	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm 15	STEL: 1 ppm 15 minuti	STEL: 1 ppm 15 minute
		STEL: 2.6 mg/m <sup>3</sup>	STEL: 2.6 mg/m <sup>3</sup>	Minuten	STEL: 2.6 mg/m <sup>3</sup> 15	STEL: 2.6 mg/m <sup>3</sup> 15
		TWA: 0.78 ppm	_	STEL: 2.6 mg/m <sup>3</sup> 15	minuti	minute
		TWA: 2 mg/m <sup>3</sup>		Minuten		

## ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Revision Date 17-Mar-2024

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Nitric acid	Skin notation	Ceiling: 2.6 mg/m <sup>3</sup>	TWA: 1 ppm 8 urah	Binding STEL: 1 ppm 15	STEL: 1 ppm 15 dakika
	MAC: 2 mg/m <sup>3</sup>		TWA: 2.6 mg/m <sup>3</sup> 8 urah	minuter	STEL: 2.6 mg/m <sup>3</sup> 15
			STEL: 1 ppm 15	Binding STEL: 2.6	dakika
			minutah	mg/m <sup>3</sup> 15 minuter	
			STEL: 2.6 mg/m <sup>3</sup> 15	TLV: 0.5 ppm 8 timmar.	
			minutah	NGV	
				TLV: 1.3 mg/m <sup>3</sup> 8	
				timmar. NGV	
(+)-Tartaric acid			TWA: 2 mg/m <sup>3</sup> 8 urah		
			inhalable fraction		
			STEL: 4 mg/m <sup>3</sup> 15		
			minutah inhalable		
			fraction		

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
(+)-Tartaric acid 87-69-4 ( 0.10 )				DNEL = 2.9mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
(+)-Tartaric acid 87-69-4 ( 0.10 )				DNEL = $5.2$ mg/m <sup>3</sup>

## **Predicted No Effect Concentration (PNEC)**

See values below.

	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Г	(+)-Tartaric acid	PNEC =	PNEC =	PNEC = 0.514mg/L	PNEC = 10mg/L	PNEC =
	87-69-4 ( 0.10 )	0.3125mg/L	1.141mg/kg			0.0449mg/kg soil
			sediment dw			dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
(+)-Tartaric acid	PNEC =	PNEC =			
87-69-4 ( 0.10 )	0.3125mg/L	1.141mg/kg sediment dw			

## 8.2. Exposure controls

## **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprepe	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Neoprene PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Liquid

Revision Date 17-Mar-2024

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical State Liquid

**Appearance** 

Odor
Odor Characteristic
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available
Flammability (liquid) No data available
Flammability (solid,gas) Not applicable

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature

Decomposition Temperature
pH

No data available
No data available
No information available

Viscosity

Water Solubility

Solubility in other solvents

No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Nitric acid -2.3
(+)-Tartaric acid -1.7

Revision Date 17-Mar-2024

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Molecular Formula Matrix: 5% HN O3 /tr. tartaric acid

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid	-	-	LC50 = 2500 ppm. (Rat) 1h
(+)-Tartaric acid	-	LD50 > 2000 mg/kg (Rat)	-

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	-	-	ATE = 2.65 mg/L (vapours)

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

Revision Date 17-Mar-2024

severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Freshwater Algae Component Freshwater Fish Water Flea (+)-Tartaric acid EC50=230 mg/L 48h

Component	Microtox	M-Factor
(+)-Tartaric acid	-	

#### 12.2. Persistence and degradability No information available

#### 12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Nitric acid	-2.3	No data available
(+)-Tartaric acid	-1.7	No data available

12.4. Mobility in soil No information available

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

properties

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information** 

12.7. Other adverse effects **Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Revision Date 17-Mar-2024

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging** 

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

UN3264 14.1. UN number

Corrosive liquid, acidic, inorganic, n.o.s. 14.2. UN proper shipping name

(nitric acid solution) **Technical Shipping Name** 

14.3. Transport hazard class(es) 8

Ш 14.4. Packing group

ADR

14.1. UN number UN3264

14.2. UN proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

**Technical Shipping Name** (nitric acid solution)

14.3. Transport hazard class(es)

Ш 14.4. Packing group

IATA

14.1. UN number UN3264

Corrosive liquid, acidic, inorganic, n.o.s. 14.2. UN proper shipping name

**Technical Shipping Name** (nitric acid solution)

14.3. Transport hazard class(es) 14.4. Packing group

Ш

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

Not applicable, packaged goods 14.7. Maritime transport in bulk

#### according to IMO instruments

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Nitric acid	7697-37-2	231-714-2	-	-	X	Χ	KE-25911	X	Х
(+)-Tartaric acid	87-69-4	201-766-0	-	-	X	X	KE-10801	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	Х
Nitric acid	7697-37-2	Х	ACTIVE	X	-	Х	Х	Х
(+)-Tartaric acid	87-69-4	X	ACTIVE	X	Ī	X	Х	X

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Nitric acid	7697-37-2	-	Use restricted. See item 75. (see link for restriction details)	-
(+)-Tartaric acid	87-69-4	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Nitric acid	7697-37-2	Not applicable	Not applicable
(+)-Tartaric acid	87-69-4	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Nitric acid	WGK1	
(+)-Tartaric acid	WGK1	

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Nitric acid 7697-37-2 ( 5.00 )	Prohibited and Restricted Substances		

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H272 - May intensify fire; oxidizer

EUH071 - Corrosive to the respiratory tract

## Legend

**CAS** - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

TSCA - United States Toxic Substances Control Act Section 8(b)

Revision Date 17-Mar-2024

Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Revision Date 17-Mar-2024

ICP-MS Stock Standard solution A for 200.8, Rev. 5.4 Specpure®

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 17-Mar-2024

**Revision Summary** New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**