

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

|                             |  |
|-----------------------------|--|
| <b>Product Name</b>         | <u>n-Butanol</u>                       |
| <b>CAS No</b>               | 71-36-3                                |
| <b>Synonyms</b>             | n-Butanol; n-Butyl alcohol, Butan-1-ol |
| <b>Molecular Formula</b>    | C4 H10 O                               |
| <b>Molecular Weight</b>     | 74.12                                  |
| <b>Recommended Use</b>      | Laboratory chemicals.                  |
| <b>Uses advised against</b> | No Information available               |

|                                |   |
|--------------------------------|---|
| <b>Product Code</b>            | <b>BP2603-100</b>   |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788  |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**HSNO Approval Number**     **HSR001096**

### GHS Classification

#### Physical hazards

Flammable liquids

Category 3

#### Health hazards

Acute Oral Toxicity  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Specific target organ toxicity - (single exposure)

Category 4  
Category 2  
Category 1  
Category 3

#### Environmental hazards

Based on available data, the classification criteria are not met

**Label Elements****Signal Word****Danger****Hazard Statements**

H226 - Flammable liquid and vapor  
H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component       | CAS No  | Weight % |
|-----------------|---------|----------|
| n-Butyl alcohol | 71-36-3 | 99       |

## Section 4 - First Aid Measures

**Description of first aid measures**

|  |  |
|--|--|
| <b>General Advice</b>                      | If symptoms persist, call a physician.   |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780   |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water.   |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.   |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting                                     |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.  |

## **Section 5 - Fire Fighting Measures**

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

### **Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### **Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **Section 6 - Accidental Release Measures**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

#### **Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

#### **Environmental Precautions**

Should not be released into the environment.

#### **Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### **Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling****Advice on safe handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

**Conditions for Safe Storage, Including any Incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

**Incompatible Materials**

Strong oxidizing agents. Reducing Agent. Acid chlorides. copper. Copper alloys. Acid anhydrides.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

**Control parameters****Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

| Component       | New Zealand WEL   | Australia | ACGIH TLV   | The United Kingdom                       |
|-----------------|---|-----------|-------------|--|
| n-Butyl alcohol | Ceiling: 50 ppm<br>Ceiling: 150 mg/m <sup>3</sup><br>Skin |           | TWA: 20 ppm | 50ppm STEL; 154mg/m <sup>3</sup><br>STEL |

**Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Appropriate engineering controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Individual protection measures, such as personal protective equipment****Eye Protection**

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection**

Protective gloves

| Glove material                | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments   |
|-------------------------------|-------------------|-----------------|-----------------|--|
| Butyl rubber, Nitrile rubber. | > 480 minutes     | 0.35 mm         | AS/NZS 2161     | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| Neoprene                      | > 480 minutes     | 0.38 mm         |                 |  |
| Viton (R)                     | > 480 minutes     | 0.45 mm         |                 |  |
|                               | > 480 minutes     | 0.7 mm          |                 |  |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-** Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|  |   |                                 |
|--|---|---------------------------------|
| <b>Physical State</b>                          | Liquid  |                                 |
| <b>Appearance</b>                              | Colorless                                       |                                 |
| <b>Odor</b>                                    | Alcohol-like                                    |                                 |
| <b>Odor Threshold</b>                          | No data available                               |                                 |
| <b>pH</b>                                      | No information available                        |                                 |
| <b>Melting Point/Range</b>                     | -89 °C / -128.2 °F                              |                                 |
| <b>Softening Point</b>                         | No data available                               |                                 |
| <b>Boiling Point/Range</b>                     | 117.6 °C / 243.7 °F                             |                                 |
| <b>Flammability (liquid)</b>                   | Flammable                                       | On basis of test data           |
| <b>Flammability (solid,gas)</b>                | Not applicable                                  | Liquid                          |
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.4 Vol%<br><b>Upper</b> 11.2 Vol% |                                 |
| <b>Flash Point</b>                             | 35 °C / 95 °F                                   | <b>Method -</b> CC (closed cup) |
| <b>Autoignition Temperature</b>                | 340 °C / 644 °F                                 |                                 |
| <b>Decomposition Temperature</b>               | No data available                               |                                 |
| <b>Viscosity</b>                               | 2.95 mPa.s (20 °C)                              |                                 |
| <b>Water Solubility</b>                        | 80 g/L (20°C)                                   |                                 |
| <b>Solubility in other solvents</b>            | No information available                        |                                 |
| <b>Partition Coefficient (n-octanol/water)</b> |   |                                 |
| <b>Component</b>                               | <b>log Pow</b>                                  |                                 |
| n-Butyl alcohol                                | 1   |                                 |
| <b>Vapor Pressure</b>                          | 6.7 mbar @ 20 °C                                |                                 |
| <b>Density / Specific Gravity</b>              | 0.810   |                                 |
| <b>Bulk Density</b>                            | Not applicable                                  | Liquid                          |
| <b>Vapor Density</b>                           | 2.6   | (Air = 1.0)                     |
| <b>Particle characteristics</b>                | Not applicable (liquid)                         |                                 |

### Other information

|                             |  |
|-----------------------------|--|
| <b>Molecular Formula</b>    | C4 H10 O                               |
| <b>Molecular Weight</b>     | 74.12                                  |
| <b>Explosive Properties</b> | explosive air/vapour mixtures possible |
| <b>Evaporation Rate</b>     | 0.46 - (Butyl Acetate = 1.0)           |
| <b>Refractive index</b>     | 1.390 - 1.400                          |

## Section 10 - Stability and Reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                       | None known, based on information available   |
| <b>Stability</b>                        | Stable under normal conditions.  |
| <b>Sensitivity to Mechanical Impact</b> | No information available   |
| <b>Sensitivity to Static Discharge</b>  | No information available   |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.   |
| <b>Hazardous Reactions</b>              | None under normal processing.  |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition, Incompatible products.         |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Reducing Agent, Acid chlorides, copper, Copper alloys, Acid anhydrides. |

**Hazardous Decomposition Products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## Section 11 - Toxicological Information

### Acute Effects

### Information on likely routes of exposure

#### Product Information

|                   |   |
|-------------------|---|
| <b>Inhalation</b> | Irritating to respiratory system. May be harmful if inhaled.  |
| <b>Eyes</b>       | Risk of serious damage to eyes. Irritating to eyes.   |
| <b>Skin</b>       | Irritating to skin. May be harmful in contact with skin.  |
| <b>Ingestion</b>  | Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

### Numerical measures of toxicity

#### (a) acute toxicity;

|                   |  |
|-------------------|--|
| <b>Oral</b>       | Category 4   |
| <b>Dermal</b>     | Based on available data, the classification criteria are not met |
| <b>Inhalation</b> | Based on available data, the classification criteria are not met |

| Component       | LD50 Oral                | LD50 Dermal                  | LC50 Inhalation             |
|-----------------|--------------------------|------------------------------|-----------------------------|
| n-Butyl alcohol | LD50 = 700 mg/kg ( Rat ) | LD50 = 3402 mg/kg ( Rabbit ) | LC50 > 8000 ppm ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

#### (d) respiratory or skin sensitization;

|                    |  |
|--------------------|--|
| <b>Respiratory</b> | Based on available data, the classification criteria are not met |
|--------------------|--|

|                                    |   |
|------------------------------------|---|
| <b>Skin</b>                        | Based on available data, the classification criteria are not met  |
| <b>(e) germ cell mutagenicity;</b> | Based on available data, the classification criteria are not met  |
| <b>(f) carcinogenicity;</b>        | Based on available data, the classification criteria are not met<br>There are no known carcinogenic chemicals in this product |
| <b>(g) reproductive toxicity;</b>  | Based on available data, the classification criteria are not met  |
| <b>(h) STOT-single exposure;</b>   | Category 3  |
| <b>Results / Target organs</b>     | Respiratory system<br>Central nervous system (CNS)  |
| <b>(i) STOT-repeated exposure;</b> | Based on available data, the classification criteria are not met  |
| <b>Target Organs</b>               | None known.   |
| <b>(j) aspiration hazard;</b>      | Based on available data, the classification criteria are not met  |

**Symptoms / effects, both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## Section 12 - Ecological Information

### Ecotoxicity

**Aquatic ecotoxicity** Do not flush into surface water or sanitary sewer system.

| Component       | Freshwater Fish  | Water Flea  | Freshwater Algae   | Microtox  |
|-----------------|--|---|--|---|
| n-Butyl alcohol | LC50: 1376 mg/L, 96h (Pimephales promelas)<br>OECD Guideline 203 : 100000 - 500000 µg/L, 96h static (Lepomis macrochirus)<br>LC50: = 1740 mg/L, 96h flow-through (Pimephales promelas)<br>LC50: = 1910000 µg/L, 96h static (Pimephales promelas)<br>LC50: 1730 - 1910 mg/L, 96h static (Pimephales promelas) | EC50: 1328 mg/L, 48h (Daphnia magna) OECD Guideline 202<br>EC50: 1897 - 2072 mg/L, 48h Static (Daphnia magna)<br>EC50: = 1983 mg/L, 48h (Daphnia magna) | EC50: 225 mg/L, 96h (Pseudokirchneriella subcapitata) OECD Guideline 201<br>EC50: > 500 mg/L, 72h (Desmodesmus subspicatus)<br>EC50: > 500 mg/L, 96h (Desmodesmus subspicatus) | EC50 = 2041.4 mg/L 5 min<br>EC50 = 2186 mg/L 30 min<br>EC50 = 3980 mg/L 24 h<br>EC50 = 4400 mg/L 17 h |

**Terrestrial ecotoxicity** There is no data for this product

### Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

| Component                         | Degradability |
|-----------------------------------|---------------|
| n-Butyl alcohol<br>71-36-3 ( 99 ) | 70 %          |

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| n-Butyl alcohol | 1       | 0.64 dimensionless            |

**Mobility** The product is water soluble, and may spread in water systems. . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**Other adverse effects**

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste treatment methods**

**Waste from Residues/Unused Products** Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information** Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains.

## Section 14 - Transport Information

**NZS 5433:2020**

**UN-No** UN1120  
**Proper Shipping Name** BUTANOLS  
**Hazard Class** 3  
**Packing Group** III

**IATA**

**UN-No** UN1120  
**Proper Shipping Name** BUTANOLS  
**Hazard Class** 3  
**Packing Group** III

**IMDG/IMO**

**UN-No** UN1120  
**Proper Shipping Name** BUTANOLS  
**Hazard Class** 3  
**Packing Group** III

**Environmental hazards** No hazards identified



**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable, packaged goods

**Special Precautions**

No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.

**Additional information**

None known

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                             |           |
|-----------------------------|-----------|
| <b>HSNO Approval Number</b> | HSR001096 |
|-----------------------------|-----------|

### National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

### International Regulations

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)**

Not applicable

### Authorisation/Restrictions according to EU REACH

| Component       | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------|---|---|---|
| n-Butyl alcohol | -   | Use restricted. See item 75. (see link for restriction details)               | -   |

<https://echa.europa.eu/substances-restricted-under-reach>

### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component       | CAS No  | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|-----------------|---------|-------|------|-----------|--------|-----|----------|-------|------|
| n-Butyl alcohol | 71-36-3 | X     | X    | 200-751-6 | -      | -   | KE-03867 | X     | X    |

| Component       | CAS No  | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|-----------------|---------|------|---|-----|------|-------|------|------|
| n-Butyl alcohol | 71-36-3 | X    | ACTIVE  | X   | -    | X     | X    | X    |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

### Legend

**NZIoC** - New Zealand Inventory of Chemicals  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**NZS 5433:2020** - Transport of Dangerous Goods on Land  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**WEL** - Workplace Exposure Limit  
**DNEL** - Derived No Effect Level  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative  
**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**PNEC** - Predicted No Effect Concentration  
**OECD** - Organisation for Economic Co-operation and Development  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail  
**LC50** - Lethal Concentration 50%  
**ATE** - Acute Toxicity Estimate  
**RPE** - Respiratory Protective Equipment  
**NOEC** - No Observed Effect Concentration  
**BCF** - Bioconcentration factor  
**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).  
<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS  
EPA Guide to classifying hazardous substances in New Zealand  
EPA - Assigning a product to an existing HSNO approval guide

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

**Revision Date** 10-Mar-2023  
**Revision Summary** Not applicable

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet