

Creation Date 05-Apr-2011 Revision Date 10-Dec-2021 Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Gram Crystal Violet</u>
Cat No.: <u>R40052, R40053, R40073</u>

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd

Wade Road

Basingstoke, Hants, UK

RG24 8PW

Tel: +44 (0) 1256 841144

EU entity/business name Oxoid Deutschland GmbH

Postfach 10 07 53

D-46483 Wesel GERMANY

Tel: + 49 (0) 281 1520 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887 Chemtrec China: 400 120 4937

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids Category 3

Health hazards

Gram Crystal Violet Revision Date 10-Dec-2021

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2

Germ Cell Mutagenicity Category 2

Carcinogenicity Category 1B (H350)
Specific target organ toxicity - (single exposure) Category 2

Environmental hazards

Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H341 - Suspected of causing genetic defects

H371 - May cause damage to organs

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Additional EU labelling

Restricted to professional users

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No

Gram Crystal Violet

				1272/2008
Ethyl alcohol	64-17-5	200-578-6	14	Flam. Liq. 2 (H225)
Methyl alcohol	67-56-1	200-659-6	<1.0	Flam. Liq. 2 (H225)
				Acute Tox. 3 (H301)
				Acute Tox. 3 (H311)
				Acute Tox. 3 (H331)
				STOT SE 1 (H370)
Phenol	108-95-2	EEC No. 203-632-7	<1.0	Acute Tox. 3 (H301)
				Acute Tox. 3 (H311)
				Acute Tox. 3 (H331)
				Skin Corr. 1B (H314)
				Eye Dam. 1 (H318)
				Muta. 2 (H341)
				STOT RE 2 (H373)
Isopropyl alcohol	67-63-0	200-661-7	<1.0	Flam. Liq. 2 (H225)
				Eye Irrit. 2 (H319)
				STOT SE 3 (H336)
C.I. Basic Violet 3 (with >/= 0.1% Michler's	548-62-9	EEC No. 208-953-6	<1.0	Acute Tox. 4 (H302)
ketone)				Eye Dam. 1 (H318)
				Carc. 1B (H350)
				Aquatic Acute 1 (H400)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
	(
Methyl alcohol	STOT SE 1 (H370) :: C>=10%	-	-
	STOT SE 2 (H371) ::		
	3%<=C<10%		
Phenol	Eye Irrit. 2 (H319) :: 1%<=C<3%	-	-
	Skin Corr. 1B (H314) :: C>=3%		
	Skin Irrit. 2 (H315) :: 1%<=C<3%		
C.I. Basic Violet 3 (with >/= 0.1% Michler's	-	1	-
ketone)			

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial

respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. . Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

OXDGCV

Revision Date 10-Dec-2021

Gram Crystal Violet Revision Date 10-Dec-2021

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

DYDCCV

Gram Crystal Violet Revision Date 10-Dec-2021

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Ethyl alcohol	TWA: 1000 ppm TWA; 1920		STEL: 1000 ppm 15 min
	mg/m³ TWA		
	WEL - STEL: 3000 ppm		
	STEL; 5760 mg/m ³ STEL		
Methyl alcohol	WEL - TWA: 200 ppm TWA;	TWA: 200 ppm 8 hr	TWA: 200 ppm 8 hr.
	266 mg/m ³ TWA	TWA: 260 mg/m ³ 8 hr	TWA: 260 mg/m ³ 8 hr.
	WEL - STEL: 250 ppm	Skin	STEL: 600 ppm 15 min
	STEL; 333 mg/m ³ STEL		STEL: 780 mg/m ³ 15 min
			Skin
Phenol	STEL: 4 ppm 15 min	TWA: 2 ppm (8h)	TWA: 2 ppm 8 hr.
	STEL: 16 mg/m ³ 15 min	TWA: 8 mg/m ³ (8h)	TWA: 8 mg/m ³ 8 hr.
	TWA: 2 ppm 8 hr	STEL: 4 ppm (15min)	STEL: 4 ppm 15 min
	TWA: 7.8 mg/m ³ 8 hr	STEL: 16 mg/m³ (15min)	STEL: 16 mg/m ³ 15 min
	Skin	Skin	Skin
Isopropyl alcohol	STEL: 500 ppm 15 min		TWA: 200 ppm 8 hr.
	STEL: 1250 mg/m ³ 15 min		STEL: 400 ppm 15 min
	TWA: 400 ppm 8 hr		Skin
	TWA: 999 mg/m ³ 8 hr		

Biological limit values

List source(s):

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Ethyl alcohol				DNEL = 343mg/kg
64-17-5 (14)				bw/day
Methyl alcohol		DNEL = 20mg/kg		DNEL = 20mg/kg
67-56-1 (<1.0)		bw/day		bw/day
Phenol				DNEL = 1.23mg/kg
108-95-2 (<1.0)				bw/day

Gram Crystal Violet

Isopropyl alcohol 67-63-0 (<1.0)	DNEL = 888mg. bw/day	ı/kg
C.I. Basic Violet 3 (with >/=	DNEL = 0.42mg	g/kg
0.1% Michler's ketone)	bw/day	
548-62-9 (<1.0)		

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Ethyl alcohol 64-17-5 (14)	DNEL = 1900mg/m ³			DNEL = 950mg/m ³
Methyl alcohol 67-56-1 (<1.0)	DNEL = 130mg/m ³	DNEL = 130mg/m ³	DNEL = 130mg/m ³	DNEL = 130mg/m ³
Phenol 108-95-2 (<1.0)	DNEL = 16mg/m ³			DNEL = 8mg/m ³
Isopropyl alcohol 67-63-0 (<1.0)				DNEL = 500mg/m ³
C.I. Basic Violet 3 (with >/= 0.1% Michler's ketone) 548-62-9 (<1.0)				DNEL = 1.48mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Ethyl alcohol	PNEC = 0.96mg/L	PNEC = 3.6mg/kg	PNEC = 2.75mg/L	PNEC = 580mg/L	PNEC = 0.63 mg/kg
64-17-5 (14)		sediment dw		-	soil dw
Methyl alcohol	PNEC = 20.8mg/L	PNEC = 77mg/kg	PNEC = 1540mg/L	PNEC = 100mg/L	PNEC = 100mg/kg
67-56-1 (<1.0)	-	sediment dw	-	-	soil dw
Phenol	PNEC =	PNEC =	PNEC = 0.031mg/L	PNEC = 2.1mg/L	PNEC =
108-95-2 (<1.0)	0.0077mg/L	0.0915mg/kg			0.136mg/kg soil dw
		sediment dw			
Isopropyl alcohol	PNEC = 140.9mg/L	PNEC = 552mg/kg	PNEC = 140.9mg/L	PNEC = 2251mg/L	PNEC = 28mg/kg
67-63-0 (<1.0)	-	sediment dw	-	-	soil dw
C.I. Basic Violet 3 (with >/=	PNEC =				
0.1% Michler's ketone)	0.0024mg/L				
548-62-9 (<1.0)	_				

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Ethyl alcohol 64-17-5 (14)	PNEC = 0.79mg/L	PNEC = 2.9mg/kg sediment dw		PNEC = 0.38g/kg food PNEC = 0.72g/kg food	
Methyl alcohol 67-56-1 (<1.0)	PNEC = 2.08mg/L	PNEC = 7.7mg/kg sediment dw			
Phenol 108-95-2 (<1.0)	PNEC = 0.00077mg/L	PNEC = 0.00915mg/kg sediment dw			
Isopropyl alcohol 67-63-0 (<1.0)	PNEC = 140.9mg/L	PNEC = 552mg/kg sediment dw		PNEC = 160mg/kg food	

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

Revision Date 10-Dec-2021

Gram Crystal Violet Revision Date 10-Dec-2021

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Goggles (European standard - EN 166) **Eye Protection**

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness **EU** standard Glove comments See manufacturers **FN 374** Disposable gloves (minimum requirement) recommendations

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g., sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection**

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

In case of insufficient ventilation, wear suitable respiratory equipment Large scale/emergency use

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls**

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Dark purple **Appearance**

Odor No information available **Odor Threshold** No data available No data available

Melting Point/Range **Softening Point** No data available **Boiling Point/Range** Not applicable Flammability (liquid) Flammable

On basis of test data Not applicable Flammability (solid, gas) Liquid

No data available **Explosion Limits**

Flash Point 36.11 °C / 97 °F Method - CC (closed cup)

Autoignition Temperature No data available No data available **Decomposition Temperature**

3.0 - 5.5Hq

Viscosity No data available

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Ethyl alcohol -0.32

Gram Crystal Violet Revision Date 10-Dec-2021

Methyl alcohol -0.74
Phenol 1.5
Isopropyl alcohol 0.05

Vapor PressureNo data availableDensity / Specific GravityNo data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Explosive Properties explosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information Product does not present an acute toxicity hazard based on known or supplied information

(a) acute toxicity;

Dermal

Inhalation

Oral Based on ATE data, the classification criteria are not met

Based on available data, the classification criteria are not met Based on ATE data, the classification criteria are not met

Based on available data, the classification criteria are not met

Based on ATE data, the classification criteria are not met

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)	-	20000 ppm/10H (Rat)
Methyl alcohol	LD50 = 1187 - 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h
Phenol	LD50 = 340 mg/kg (Rat)	LD50 = 630 mg/kg (Rabbit)	-

Gram Crystal Violet

5045 mg/kg (Rat) 3600 mg/kg (Mouse) Isopropyl alcohol 12800 mg/kg (Rat) 72.6 mg/L (Rat) 4 h C.I. Basic Violet 3 (with >/= 0.1% Michler's LD50 = 420 mg/kg (Rat) ketone)

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (<1.0)	Guinea Pig Maximisation Test		_
	(GPMT)		

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Revision Date 10-Dec-2021

Component	EU	UK	Germany	IARC
C.I. Basic Violet 3 (with >/= 0.1%	Carc Cat. 1B			Group 2B
Michler's ketone)				· ·

No data available (a) reproductive toxicity:

(3)			
Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation	NOAEC =
67-56-1 (<1.0)		2 Generation	1.3 mg/l (air)

(h) STOT-single exposure; Category 2

Results / Target organs Optic nerve, Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment.

Revision Date 10-Dec-2021

Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Ethyl alcohol	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h	EC50 (72h) = 275 mg/l (Chlorella vulgaris)
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h	
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: = 46.42 mg/L, 96h (Pseudokirchneriella subcapitata)
Isopropyl alcohol	LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 11130 mg/L, 96h static (Pimephales promelas) LC50: = 10000000 µg/L, 96h (Daphnia)	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h	EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus)

Component	Microtox	M-Factor
Ethyl alcohol	Photobacterium phosphoreum:EC50 = 34634	
	mg/L/30 min	
	Photobacterium phosphoreum:EC50 = 35470	
	mg/L/5 min	
Methyl alcohol	EC50 = 39000 mg/L 25 min	
	EC50 = 40000 mg/L 15 min	
	EC50 = 43000 mg/L 5 min	
Phenol	EC50 21 - 36 mg/L 30 min	
	EC50 = 23.28 mg/L 5 min	
	EC50 = 25.61 mg/L 15 min	
	EC50 = 28.8 mg/L 5 min	
	EC50 = 31.6 mg/L 15 min	
Isopropyl alcohol	= 35390 mg/L EC50 Photobacterium phosphoreum	
	5 min	
C.I. Basic Violet 3 (with >/= 0.1% Michler's		1
ketone)		

12.2. Persistence and degradability No information available

Component	Degradability			
Methyl alcohol	DT50 ~ 17.2d			
67-56-1 (<1.0)	>94% after 20d			

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
Methyl alcohol	-0.74	<10
Phenol	1.5	No data available
Isopropyl alcohol	0.05	No data available

12.4. Mobility in soil No information available .

Gram Crystal Violet Revision Date 10-Dec-2021

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with local regulations. Waste is classified as hazardous. Dispose

of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1170

14.2. UN proper shipping name Ethanol solution

14.3. Transport hazard class(es) 3 14.4. Packing group III

ADR

14.1. UN number UN1170

14.2. UN proper shipping name Ethanol solution

14.3. Transport hazard class(es) 3 14.4. Packing group III

<u>IATA</u>

14.1. UN number UN1170

14.2. UN proper shipping name Ethanol solution

14.3. Transport hazard class(es) 3 14.4. Packing group III

Gram Crystal Violet Revision Date 10-Dec-2021

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk Not applicable, packaged goods

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Ethyl alcohol	64-17-5	200-578-6	-	-	X	X	KE-13217	X	Х
Methyl alcohol	67-56-1	200-659-6	-	-	Х	Х	KE-23193	X	Х
Phenol	108-95-2	203-632-7	-	-	Х	Х	KE-28209	Х	Х
Isopropyl alcohol	67-63-0	200-661-7	-	-	Х	Х	KE-29363	X	Х
C.I. Basic Violet 3 (with >/= 0.1%	548-62-9	208-953-6	-	-	Х	Х	KE-07006	Х	Х
Michler's ketone)									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Ethyl alcohol	64-17-5	X	ACTIVE	Х	-	Х	Х	Х
Methyl alcohol	67-56-1	X	ACTIVE	Х	-	X	Х	Х
Phenol	108-95-2	Х	ACTIVE	Х	-	Х	Х	Х
Isopropyl alcohol	67-63-0	X	ACTIVE	Х	-	X	Х	Х
C.I. Basic Violet 3 (with >/= 0.1% Michler's ketone)	548-62-9	X	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details)	-
Phenol	-	Use restricted. See item 75. (see link for restriction details)	-
Isopropyl alcohol	-	Use restricted. See item 75. (see link for restriction details)	-
C.I. Basic Violet 3 (with >/= 0.1% Michler's ketone)	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 72. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 208-953-6 - Carcinogenic, Article 57a

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Gram Crystal Violet

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Ethyl alcohol	64-17-5	Not applicable	Not applicable
Methyl alcohol	67-56-1	500 tonne	5000 tonne
Phenol	108-95-2	Not applicable	Not applicable
Isopropyl alcohol	67-63-0	Not applicable	Not applicable
C.I. Basic Violet 3 (with >/= 0.1%	548-62-9	Not applicable	Not applicable
Michler's ketone)			

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ethyl alcohol	WGK1	
Methyl alcohol	WGK 2	
Phenol	WGK2	Class I: 20 mg/m³ (Massenkonzentration)
Isopropyl alcohol	WGK1	
C.I. Basic Violet 3 (with >/= 0.1% Michler's ketone)	WGK3	

Component	France - INRS (Tables of occupational diseases)
Ethyl alcohol	Tableaux des maladies professionnelles (TMP) - RG 84
Methyl alcohol	Tableaux des maladies professionnelles (TMP) - RG 84
Phenol	Tableaux des maladies professionnelles (TMP) - RG 14
Isopropyl alcohol	Tableaux des maladies professionnelles (TMP) - RG 84

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Ethyl alcohol 64-17-5 (14)		Group I	
Methyl alcohol 67-56-1 (<1.0)	Prohibited and Restricted Substances	Group I	
Phenol 108-95-2 (<1.0)	Prohibited and Restricted Substances		
Isopropyl alcohol 67-63-0 (<1.0)		Group I	
C.I. Basic Violet 3 (with >/= 0.1% Michler's ketone) 548-62-9 (<1.0)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

OXDGCV

Revision Date 10-Dec-2021

Revision Date 10-Dec-2021 **Gram Crystal Violet**

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H371 - May cause damage to organs

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapor

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H336 - May cause drowsiness or dizziness

H370 - Causes damage to organs

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method Calculation method **Environmental hazards**

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

05-Apr-2011 **Creation Date**

Gram Crystal Violet Revision Date 10-Dec-2021

Revision Date 10-Dec-2021

Revision Summary Update to CLP Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet