

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

# Section 1 - Identification

Product Name NBF Syntri Safeguard Fixative 10%

Product Code ALP5735SS

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security

Concern.

# Section 2 - Hazard(s) Identification

# Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### **Physical hazards**

No hazards identified

# **Health hazards**

Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 1
Skin Sensitization
Category 1
Germ Cell Mutagenicity
Carcinogenicity
Category 2
Carcinogenicity
Category 1
Specific target organ toxicity - (single exposure)
Category 2

**Environmental hazards** 

No hazards identified

### **Label Elements**

AUS-003725 Version 2 14-Jul-2023 Page 1/11





Signal Word

Danger

#### **Hazard Statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects if inhaled

H350 - May cause cancer

H371 - May cause damage to organs

# **Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Other information

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	94 - 95
Formaldehyde	50-00-0	3.5 - 4
Methyl alcohol	67-56-1	1.2
Sodium phosphate dibasic	7558-79-4	< 1
Sodium phosphate, monobasic	7558-80-7	< 1

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**General Advice** If symptoms persist, call a physician.

AUS-003725 Version 2 14-Jul-2023 Page 2/11

**Self-Protection of the First Aider** Use personal protective equipment as required.

**First Aid Facilities** Eyewash, safety shower and washroom.

Most important symptoms and

effects

. Causes severe eye damage. May cause allergic skin reaction. None reasonably foreseeable. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle

pain or flushing

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

# **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

#### **Hazardous Decomposition Products**

Formaldehyde, Methanol, Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

# **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

# Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Section 6 - Accidental Release Measures

### **Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

## **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

## Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

# Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

# **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# Section 7 - Handling and Storage

# **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid

AUS-003725 Version 2 14-Jul-2023 Page 3 / 11

ingestion and inhalation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks and flame. Keep away from heat. Keep in properly labeled containers.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August. 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Formaldehyde	STEL: 2 ppm STEL: 2.5 mg/m³ TWA: 1 ppm TWA: 1.2 mg/m³	TWA: 0.3 ppm STEL: 0.6 ppm	TWA: 0.1 ppm STEL: 0.3 ppm	STEL: 2 ppm 15 min STEL: 2.5 mg/m³ 15 min TWA: 2 ppm 8 hr TWA: 2.5 mg/m³ 8 hr Carc.	TWA: 0.3 ppm (8
Methyl alcohol	STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> TWA: 200 ppm TWA: 262 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	TWA: 200 ppm STEL: 250 ppm Skin	WEL - TWA: 200 ppm TWA; 266 mg/m³ TWA WEL - STEL: 250 ppm STEL; 333 mg/m³ STEL	100 ppm TWA MAK; 130 mg/m³ TWA MAKSkin absorber

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Methyl alcohol		15 mg/L (urine) end of			Methanol: 15 mg/L urine
		shift (Methyl alcohol)			(end of shift )
					Methanol: 15 mg/L urine
					(for long-term
					exposures: at the end of
					the shift after several
					shifts)

### **Exposure Controls**

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or

AUS-003725 Version 2 14-Jul-2023 Page 4/11

equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Long sleeved clothing Skin and body protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or **Repiratory Protection** 

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Liquid

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

# Section 9 - Physical and Chemical Properties

# Information on basic physical and chemical properties

**Appearance** Clear Colorless

**Physical State** Liquid

Characteristic Formaldehyde Odor

**Odor Threshold** No data available рΗ Not applicable **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** Not applicable

**Flash Point** > 93.3 °C / > 199.9 °F Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** No data available

No data available **Vapor Pressure Vapor Density** No data available

(Air = 1.0)

Specific Gravity / Density No data available **Bulk Density** Not applicable

No information available Water Solubility

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Component log Pow Formaldehyde -0.35Methyl alcohol -0.74

AUS-003725 Version 2 14-Jul-2023 Page 5/11

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

Explosive Properties No information available Oxidizing Properties No information available

Other information

Molecular Formula Solution

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products, Heat, flames and sparks, Heating in air.

**Incompatible Materials** Strong oxidizing agents, Strong acids, Strong bases.

Hazardous Decomposition Products Formaldehyde. Methanol. Carbon monoxide (CO). Carbon dioxide (CO2).

**Hazardous Polymerization** Hazardous polymerization does not occur.

# Section 11 - Toxicological Information

## Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h
Methyl alcohol	LD50 = 1187 - 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h
Sodium phosphate dibasic	LD50 = 17 g/kg (Rat)		
Sodium phosphate, monobasic	LD50 = 8290 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	LC50 > 0.83 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

Component	Test method	Test species	Study result
Formaldehyde	Skin sensitization Test method	Man	Sensitizer
50-00-0 ( 3.5 - 4 )	Patch Test	guinea pig	Sensitization
	Respiratory sensitization in vitro		
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 ( 1.2 )	Guinea Pig Maximisation Test		

AUS-003725 Version 2 14-Jul-2023 Page 6 / 11

(GPMT)

Sensitization No information available

(e) germ cell mutagenicity; Category 2

Mutagenic effects have occurred in humans

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Formaldehyde	Cat 1B	Confirmed			Group 1	Carc Cat. 1B	Cat 3	
		carcinogen						

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 ( 1.2 )			

(h) STOT-single exposure; Category 1

Results / Target organs Optic nerve

Central nervous system (CNS)

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

# Section 12 - Ecological Information

**Ecotoxicity effects** 

The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Formaldehyde	Leuciscus idus: LC50 =	EC50 = 20 mg/L 96h	EC50 (72h) = 4.89 mg/L	
	15 mg/L 96h	EC50 = 2 mg/L 48h	(Desmodesmus	
			subspicatus)	
Methyl alcohol	Pimephales promelas:	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25
	LC50 > 10000 mg/L 96h			min
				EC50 = 40000 mg/L 15
				min
				EC50 = 43000 mg/L 5
				min

No information available Persistence and Degradability

Component	Degradability
Formaldehyde	Readily biodegradable (OECD guideline 301A, 301C and 301D)
50-00-0 ( 3.5 - 4 )	under aerobic and anaerobic conditions.
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (12)	>94% after 20d

Degradation in sewage treatment plant **Bioaccumulative Potential** 

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. No information available

Component	log Pow	Bioconcentration factor (BCF)
Formaldehyde	-0.35	No data available

AUS-003725 Version 2 14-Jul-2023 Page 7/11

Methyl alcohol	-0.74	<10 dimensionless			
Mobility					
Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors				
Persistent Organic Pollutant	This product does not contain any known or suspected substance				
Ozone Depletion Potential	This product does not contain any known or suspected substance				
•					

# Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

# Section 14 - Transport Information

Not regulated IMDG/IMO

Not regulated <u>ADG</u>

Component	Hazchem Code
Formaldehyde	2X
50-00-0 ( 3.5 - 4 )	2W
Methyl alcohol	2WE
67-56-1 ( 1.2 )	

IATA Not regulated

No hazards identified **Environmental hazards** 

**Special Precautions** No special precautions required

**Additional information** None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**National Regulations** Australia

See section 8 for national exposure control parameters.

# Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons			
Formaldehyde - 50-00-0	Schedule 2 listed			
	Schedule 6 listed - except its derivatives;in preparations as free Formaldehyde except: a) for human			

AUS-003725 Version 2 14-Jul-2023 Page 8/11

	therapeutic use, b) in oral hygiene preparations, c) in nail hardener cosmetic preparations containing >=5% of free Formaldehyde, d) in nail hardener cosmetic preparations containing <=0.2% of free Formaldehyde when labelled with the warning statement: PROTECT CUTICLES WITH GREASE OR OIL, e) in all other cosmetic preparations, or f) in other preparations containing <=0.2% of free Formaldehyde when labelled with the warning statement: CONTAINS FORMALDEHYDE Schedule 10 listed
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b) in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of Ethanol  Schedule 6 listed - except its derivatives;except a) when included in Schedule 5, or b) when included in Schedule 10, or c) in preparations containing <=2% of Methanol  Schedule 10 listed
Sodium phosphate dibasic - 7558-79-4	Schedule 5 listed - being the carbonate, silicate or phosphate salts of sodium or potassium alone or in any combination: in solid orthodontic device cleaning preparations, the pH of which as an in-use aqueous solution is >11.5, in solid automatic dishwashing preparations, the pH of which in a 500 g/L aqueous solution or mixture is >11.5 but <=12.5;in other solid preparations, the pH of which in a 10 g/L aqueous solution is >11.5, or in liquid or semi-solid preparations, the pH of which is >11.5, unless: in food additive preparations for domestic use, or in automatic dish washing preparations for domestic use with a pH >12.5;except when separately specified in these Schedules Schedule 5 listed - being the Carbonate, Silicate or Phosphate salts of Sodium or Potassium alone or in any combination: in solid orthodontic device cleaning preparations as an in-use aqueous solution;in solid automatic dishwashing preparations in a 500 g/L aqueous solution or mixture but with pH <=12.5;in other solid preparations in a 10 g/L aqueous solution, or in liquid or semi-solid preparations, unless in food additive preparations for domestic use, or in automatic dish washing preparations for domestic use with a pH >12.5;except when separately specified in these Schedules  Schedule 6 listed - being the carbonate, silicate or phosphate salts of sodium or potassium alone or in any combination for non-domestic use: in solid automatic dishwashing preparations, the pH of which is >12.5 or in liquid or semi-solid automatic dishwashing preparations, the pH of which is >12.5 or in liquid or semi-solid automatic dishwashing preparations, the pH of which is >12.5 or in liquid or semi-solid automatic dishwashing preparations.

## **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Formaldehyde - 50-00-0	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Methyl alcohol - 67-56-1	Present	-
Sodium phosphate dibasic - 7558-79-4	Present	-
Sodium phosphate, monobasic - 7558-80-7	Present	-

# Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

## **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Formaldehyde - 50-00-0	Category 2	

#### Legend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

# National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Formaldehyde - 50-00-0	10 tonne/yr. Threshold category 1
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1

AUS-003725 Version 2 14-Jul-2023 Page 9/11

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met.

Component	Australia	New South Wales	Western Australia	New Zealand
Formaldehyde - 50-00-0	Cat 1B			Confirmed carcinogen

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Formaldehyde	Х	X	200-001-8	-	Х	Х	-	Х	Х	Х	Х	KE-17074
Methyl alcohol	X	Χ	200-659-6	-	X	Х	-	Χ	Х	Х	Х	KE-23193
Sodium phosphate dibasic	Х	Х	231-448-7	-	Х	Х	-	Х	Х	Х	Х	KE-12344
Sodium phosphate, monobasic	Х	Х	231-449-2	·	Х	Х	=	Х	Х	Х	Х	KE-31577

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Formaldehyde	50-00-0	Listed	Not applicable	5 tonne	50 tonne
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne
Sodium phosphate dibasic	7558-79-4	Listed	Not applicable	Not applicable	Not applicable
Sodium phosphate, monobasic	7558-80-7	Listed	Not applicable	Not applicable	Not applicable

# Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Formaldehyde	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details)	-
		Use restricted. See item 75.	

AUS-003725 Version 2 14-Jul-2023 Page 10 / 11

		(see link for restriction details)	
Methyl alcohol	-	Use restricted. See item 69.	-
		(see link for restriction details)	
		Use restricted. See item 75.	
		(see link for restriction details)	
Sodium phosphate, monobasic	-	-	-

https://echa.europa.eu/substances-restricted-under-reach

# Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

AUS-003725 Version 2 14-Jul-2023 Page 11 / 11