

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Sodium 1000ppm single element std

Product Code AJA2600, AJA2648, ROA0749, ROA0750, SPXCLNA2, SPXPLNA2

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary

National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

Health hazards

Skin Corrosion/Irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1

Environmental hazards
No hazards identified

Label Elements

Exclamation Mark



AUS-000703 Version 3 12-Mar-2025 Page 1/10

Signal Word Danger

Hazard Statements

H290 - May be corrosive to metals

H318 - Causes serious eye damage

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % | | |
|-------------------------|-----------|----------|--|--|
| Water | 7732-18-5 | 94.77 | | |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | 5 | | |
| Sodium carbonate | 497-19-8 | 0.23 | | |

Section 4 - First Aid Measures

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

equired.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

AUS-000703 Version 3 12-Mar-2025 Page 2 / 10

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Not combustible. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sodium oxides.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume

AUS-000703 Version 3 12-Mar-2025 Page 3 / 10

hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August. 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| | Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany | |
|---|----------------------------------|-----------|----------------------------|-----------------------|------------------------------------|-------------------------------|--|
| Γ | Nitric acid% [C ≤ STEL: 4 ppm | | TWA: 2 ppm | TWA: 2 ppm TWA: 2 ppm | | TWA: 1 ppm (8 | |
| | 70 %] STEL: 10 mg/m ³ | | TWA: 5.2 mg/m ³ | STEL: 4 ppm | STEL: 2.6 mg/m ³ 15 min | Stunden). AGW - | |
| | TWA: 2 ppm | | STEL: 4 ppm | | _ | TWA: 2.6 mg/m ³ (8 | |
| | TWA: 5.2 mg/m ³ | | STEL: 10 mg/m ³ | | | Stunden). AGW - | |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

| Glove ma | aterial | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|----------|---------|-------------------|-----------------|-----------------|-----------------------|
| Neopre | ene | See manufacturers | - | AS/NZS 2161 | (minimum requirement) |
| | | recommendations | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protectionLong sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

AUS-000703 Version 3 12-Mar-2025 Page 4/10

SAFETY DATA SHEET

Recommended Filter type: Acid gases filter (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Liquid

Liquid

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Clear Physical State Liquid

Odor No information available
Odor Threshold No data available

pH No information available <1

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Evaporation Rate No data available Flammability (solid, gas) Not applicable

Explosion Limits No data available

Vapor Pressure23 hPa @ 20 °CVapor DensityNo data available

Vapor DensityNo data available(Air = 1.0)Specific Gravity / DensityNo data available

Bulk Density

Not applicable

Missible

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component $\log Pow$ Nitric acid ...% [C \leq 70 %] -2.3

Autoignition Temperature
Decomposition Temperature
Viscosity
No data available
No data available
No data available
No information available
No information available

Other information

Molecular Formula Na2 CO3 in 5% HN O3

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials Strong bases.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx). Sodium oxides.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

AUS-000703 Version 3 12-Mar-2025 Page 5 / 10

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral Based on available data, the classification criteria are not met **Dermal** Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

| Component | Component LD50 Oral | | LC50 Inhalation | | |
|-------------------------|---------------------|-----------------------|---------------------------|--|--|
| Water | - | - | - | | |
| Nitric acid% [C ≤ 70 %] | | | LC50 = 2500 ppm. (Rat) 1h | | |
| Sodium carbonate | 2800 mg/kg (Rat) | > 2000 mg/kg (rabbit) | 2.3 mg/l 2h (Rat) | | |

Category 1 B (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

No information available. **Target Organs**

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|------------------|-------------------------|-----------------------|------------------|----------|
| Sodium carbonate | Lepomis macrochirus: | EC50: = 265 mg/L, 48h | | - |
| | LC50: 300 mg/L/96h | (Daphnia magna) | | |
| | Gambusia affinis: LC50: | , , , | | |
| | 740 mg/L/96h | | | |

Persistence and Degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

Bioaccumulative Potential Bioaccumulation is unlikely

AUS-000703 Version 3 12-Mar-2025 Page 6/10

SAFETY DATA SHEET

| Component | log Pow | Bioconcentration factor (BCF) | | | | | | |
|---------------------------------|---|-------------------------------|--|--|--|--|--|--|
| Nitric acid% [C ≤ 70 %] | -2.3 | No data available | | | | | | |
| Mobility | The product is water soluble, and may spread | | | | | | | |
| | environment due to its water solubility Highly mobile in soils | | | | | | | |
| Endocrine Disruptor Information | Information This product does not contain any known or suspected endocrine disruptors | | | | | | | |
| Persistent Organic Pollutant | This product does not contain any known or suspected substance | | | | | | | |
| Ozone Depletion Potential | This product does not contain any known or s | suspected substance | | | | | | |
| | | | | | | | | |

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

IMDG/IMO

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

<u>ADG</u>

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

| Component | Hazchem Code |
|-------------------------|--------------|
| Nitric acid% [C ≤ 70 %] | 2P |
| 7697-37-2 (5) | 2R |
| | 2PE |

<u>IATA</u>

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Shipping Name (NITRIC ACID)

Hazard Class 8
Packing Group III

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

AUS-000703 Version 3 12-Mar-2025 Page 7/10

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component | Standard for the Uniform Scheduling of Medicines and Poisons |
|-------------------------------------|--|
| Nitric acid% [C ≤ 70 %] - 7697-37-2 | Schedule 5 listed - except its salts and derivatives;in preparations except in preparations containing <=0.5% of Nitric acid Schedule 6 listed - except its salts and derivatives;except when included in Schedule 5, or in preparations containing <=0.5% of Nitric acid |
| Sodium carbonate - 497-19-8 | Schedule 5 listed - being the carbonate, silicate or phosphate salts of sodium or potassium alone or in any combination: in solid orthodontic device cleaning preparations, the pH of which as an in-use aqueous solution is >11.5, in solid automatic dishwashing preparations, the pH of which in a 500 g/L aqueous solution or mixture is >11.5 but <=12.5;in other solid preparations, the pH of which in a 10 g/L aqueous solution is >11.5, or in liquid or semi-solid preparations, the pH of which is >11.5, unless: in food additive preparations for domestic use, or in automatic dish washing preparations for domestic use with a pH >12.5;except when separately specified in these Schedules Schedule 5 listed - being the Carbonate, Silicate or Phosphate salts of Sodium or Potassium alone or in any combination: in solid orthodontic device cleaning preparations as an in-use aqueous solution;in solid automatic dishwashing preparations in a 500 g/L aqueous solution or mixture but with pH <=12.5;in other solid preparations in a 10 g/L aqueous solution, or in liquid or semi-solid preparations, unless in food additive preparations for domestic use, or in automatic dish washing preparations for domestic use with a pH >12.5;except when separately specified in these Schedules Schedule 6 listed - being the carbonate, silicate or phosphate salts of sodium or potassium alone or in any combination for non-domestic use: in solid automatic dishwashing preparations, the pH of which is >12.5 Schedule 10 listed |

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Component | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|---------------------------------------|---|------------------------|
| Water - 7732-18-5 | Present | - |
| Nitric acid …% [C ≤ 70 %] - 7697-37-2 | Present | • |
| Sodium carbonate - 497-19-8 | Present | ē |

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

| | Component | Australian - Illicit Drug Precursors/Reagents Substance List | Chemicals of Security Concern |
|---|---------------------------------------|---|-------------------------------------|
| | Nitric acid …% [C ≤ 70 %] - 7697-37-2 | | Listed in Appendix A |
| 1 | | | Precursors to homemade explosives - |
| 1 | | | concentration >=30% |

Legend

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory

Subject to reporting requirements

AUS-000703 Version 3 12-Mar-2025 Page 8/10

| Component | National pollutant inventory |
|-------------------------------------|-----------------------------------|
| Nitric acid% [C ≤ 70 %] - 7697-37-2 | 10 tonne/yr. Threshold category 1 |

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

| Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|-------------------------|------|-------|-----------|--------|------|-----|------|-------|-------------|------|-------|----------|
| Water | X | X | 231-791-2 | - | X | X | - | X | X | | Х | KE-35400 |
| Nitric acid% [C ≤ 70 %] | Х | Х | 231-714-2 | - | Х | Х | - | Х | Х | Х | Х | KE-25911 |
| Sodium carbonate | X | Х | 207-838-8 | - | X | Х | - | Х | Х | Х | Х | KE-31380 |

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|-------------------------------------|------------------------------------|--|
| Nitric acid% [C ≤ 70 %] - 7697-37-2 | Annex I - Y34 | Y34 solid or solution |

| Component | CAS No | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------------|-----------|----------|--|---|--|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | Listed | Not applicable | Not applicable | Not applicable |
| Sodium carbonate | 497-19-8 | Listed | Not applicable | Not applicable | Not applicable |

Authorisation/Restrictions according to EU REACH

| Component | | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|-------------------|-------|---|---|---|
| Nitric acid% [C ≤ | 70 %] | - | Use restricted. See entry 75. | - |
| | | | (see link for restriction details) | |
| Sodium carbona | te | - | Use restricted. See entry 75. | - |
| | | | (see link for restriction details) | |

https://echa.europa.eu/substances-restricted-under-reach

AUS-000703 Version 3 12-Mar-2025 Page 9/10

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit

DNEL - Derived No Effect Level POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

On basis of test data Physical hazards **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-000703 Version 3 12-Mar-2025 Page 10/10