

## SAFETY DATA SHEET

Revision Date 01-Apr-2024

Revision Number 4

### 1. Identification

**Product Name** 3-(Ethoxycarbonyl)phenylzinc iodide, 0.5M in THF

**Cat No. :** H58105

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|   |              |
|---|--------------|
| Flammable liquids   | Category 2   |
| Acute oral toxicity   | Category 4   |
| Skin Corrosion/Irritation   | Category 1 B |
| Serious Eye Damage/Eye Irritation                                 | Category 1   |
| Carcinogenicity   | Category 2   |
| Specific target organ toxicity (single exposure)                  | Category 3   |
| Target Organs - Respiratory system, Central nervous system (CNS). |              |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

Highly flammable liquid and vapor  
Harmful if swallowed

Causes severe skin burns and eye damage  
May cause respiratory irritation  
May cause drowsiness or dizziness  
Suspected of causing cancer



### Precautionary Statements

#### Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Do not breathe dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Keep cool

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Ingestion

Rinse mouth  
Do NOT induce vomiting

#### Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

#### Storage

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

May form explosive peroxides  
WARNING. Cancer - <https://www.p65warnings.ca.gov/>.

## 3. Composition/Information on Ingredients

| Component                           | CAS No      | Weight % |
|-------------------------------------|-------------|----------|
| Tetrahydrofuran                     | 109-99-9    | 83       |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | 17       |

## 4. First-aid measures

|  |   |
|--|---|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.   |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.   |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.   |
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.  |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.  |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Difficulty in breathing. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated |
| <b>Notes to Physician</b>                  | Treat symptomatically   |

## 5. Fire-fighting measures

|   |  |
|---|--|
| <b>Suitable Extinguishing Media</b>     | Dry sand. Carbon dioxide (CO <sub>2</sub> ). Powder. Do not use water or foam. CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available   |
| <b>Flash Point</b>                      | -17 °C / 1.4 °F  |
| <b>Method -</b>                         | No information available   |
| <b>Autoignition Temperature</b>         | No information available   |
| <b>Explosion Limits</b>                 |  |
| <b>Upper</b>                            | No data available  |
| <b>Lower</b>                            | No data available  |
| <b>Sensitivity to Mechanical Impact</b> | No information available   |
| <b>Sensitivity to Static Discharge</b>  | No information available   |

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen iodide. Metal oxides.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
2

**Physical hazards**  
W

## 6. Accidental release measures

|   |  |
|---|--|
| <b>Personal Precautions</b>                 | Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b>            | Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.                               |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.  |

## 7. Handling and storage

|                 |  |
|-----------------|--|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. |
| <b>Storage.</b> | Keep refrigerated. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Incompatible Materials. Strong bases. Oxidizing agent.   |

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component       | ACGIH TLV                            | OSHA PEL   | NIOSH  | Mexico OEL (TWA)   |
|-----------------|--------------------------------------|--|--|--|
| Tetrahydrofuran | TWA: 50 ppm<br>STEL: 100 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 590 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 735 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup> | IDLH: 2000 ppm<br>TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 735 mg/m <sup>3</sup> | TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 735 mg/m <sup>3</sup> |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

|                             |  |
|-----------------------------|--|
| <b>Engineering Measures</b> | Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. |
|-----------------------------|--|

### Personal Protective Equipment

|                                 |   |
|---------------------------------|---|
| <b>Eye/face Protection</b>      | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| <b>Skin and body protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.   |
| <b>Respiratory Protection</b>   | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard  |

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** low boiling organic solvent. Type AX. Brown. conforming to EN371. or. Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|   |                          |
|---|--------------------------|
| <b>Physical State</b>                         | Liquid                   |
| <b>Appearance</b>                             | Yellow - Brown - Black   |
| <b>Odor</b>                                   | No information available |
| <b>Odor Threshold</b>                         | No information available |
| <b>pH</b>                                     | No information available |
| <b>Melting Point/Range</b>                    | No data available        |
| <b>Boiling Point/Range</b>                    | No information available |
| <b>Flash Point</b>                            | -17 °C / 1.4 °F          |
| <b>Evaporation Rate</b>                       | No information available |
| <b>Flammability (solid,gas)</b>               | Not applicable           |
| <b>Flammability or explosive limits</b>       |                          |
| Upper   | No data available        |
| Lower   | No data available        |
| <b>Vapor Pressure</b>                         | No information available |
| <b>Vapor Density</b>                          | No information available |
| <b>Specific Gravity</b>                       | 0.991 g/cm3              |
| <b>Solubility</b>                             | No information available |
| <b>Partition coefficient; n-octanol/water</b> | No data available        |
| <b>Autoignition Temperature</b>               | No information available |
| <b>Decomposition Temperature</b>              | No information available |
| <b>Viscosity</b>                              | No information available |
| <b>Molecular Formula</b>                      | C9 H9 IO2 Zn             |
| <b>Molecular Weight</b>                       | 341.45                   |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactive Hazard</b>                  | None known, based on information available   |
| <b>Stability</b>                        | Air sensitive.   |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition.                      |
| <b>Incompatible Materials</b>           | Strong bases, Oxidizing agent  |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen iodide, Metal oxides |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.   |
| <b>Hazardous Reactions</b>              | None under normal processing.  |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

##### Oral LD50

Category 4. ATE = 300 - 2000 mg/kg.

##### Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

##### Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

#### Component Information

| Component       | LD50 Oral          | LD50 Dermal           | LC50 Inhalation      |
|-----------------|--------------------|-----------------------|----------------------|
| Tetrahydrofuran | 1650 mg/kg ( Rat ) | > 2000 mg/kg (Rabbit) | 180 mg/L ( Rat ) 1 h |

|  |  |  |                       |
|--|--|--|-----------------------|
|  |  |  | 53.9 mg/L ( Rat ) 4 h |
|--|--|--|-----------------------|

**Toxicologically Synergistic Products** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** Limited evidence of a carcinogenic effect. The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component                           | CAS No      | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------------------------|-------------|------------|------------|------------|------------|------------|
| Tetrahydrofuran                     | 109-99-9    | Group 2B   | Not listed | A3         | X          | A3         |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | Not listed | Not listed | Not listed | Not listed | Not listed |

*IARC (International Agency for Research on Cancer)*

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

*Group 2A - Probably Carcinogenic to Humans*

*Group 2B - Possibly Carcinogenic to Humans*

*A1 - Known Human Carcinogen*

*A2 - Suspected Human Carcinogen*

*A3 - Animal Carcinogen*

*ACGIH: (American Conference of Governmental Industrial Hygienists)*

*ACGIH: (American Conference of Governmental Industrial Hygienists)*

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system Central nervous system (CNS)

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

**Endocrine Disruptor Information**

| Component       | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Japan - Endocrine Disruptor Information |
|-----------------|--|--|---|
| Tetrahydrofuran | Group III Chemical                       | Not applicable                                   | Not applicable                          |

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity**

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component       | Freshwater Algae | Freshwater Fish   | Microtox   | Water Flea                                   |
|-----------------|------------------|---|------------|--|
| Tetrahydrofuran | Not listed       | 2160 mg/l LC50 = 96 h<br>Pimephales promelas<br>Leuciscus idus: LC50: 2820 mg/L/48h | Not listed | EC50 48 h 3485 mg/l<br>EC50: >10000 mg/L/24h |

**Persistence and Degradability** May persist based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

| Component       | log Pow |
|-----------------|---------|
| Tetrahydrofuran | 0.45    |

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component                  | RCRA - U Series Wastes | RCRA - P Series Wastes |
|----------------------------|------------------------|------------------------|
| Tetrahydrofuran - 109-99-9 | U213                   | -                      |

### 14. Transport information

#### DOT

UN-No UN3399  
 Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
 Technical Name (3-(Ethoxycarbonyl)phenylzinc iodide, TETRAHYDROFURAN)  
 Hazard Class 4.3  
 Subsidiary Hazard Class 3  
 Packing Group II

#### TDG

UN-No UN3399  
 Proper Shipping Name Organometallic substance, liquid, water-reactive, flammable  
 Hazard Class 4.3  
 Subsidiary Hazard Class 3  
 Packing Group II

#### IATA

UN-No UN3399  
 Proper Shipping Name Organometallic substance, liquid, water-reactive, flammable  
 Hazard Class 4.3  
 Subsidiary Hazard Class 3  
 Packing Group II

#### IMDG/IMO

UN-No UN3399  
 Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE  
 Hazard Class 4.3  
 Subsidiary Hazard Class 3  
 Packing Group II

### 15. Regulatory information

#### United States of America Inventory

| Component                           | CAS No      | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------------------------|-------------|------|---|-----------------------------|
| Tetrahydrofuran                     | 109-99-9    | X    | ACTIVE  | -                           |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | -    | -   | -                           |

#### Legend:

**TSCA** - US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)**

Not applicable

**TSCA 12(b)** - Notices of Export

| Component       | CAS No   | TSCA 12(b) - Notices of Export          |
|-----------------|----------|---|
| Tetrahydrofuran | 109-99-9 | Section 4, 1 % de minimus concentration |

**International Inventories**

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component                           | CAS No      | DSL | NDL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-------------------------------------|-------------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Tetrahydrofuran                     | 109-99-9    | X   | -   | 203-726-8 | X     | X    | X    | X    | X     | KE-33454 |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | -   | -   | -         | -     | -    |      | -    | -     | -        |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component       | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-----------------|--------------------------|---|-------------------------------|
| Tetrahydrofuran | 1000 lb                  | -   | 1000 lb<br>454 kg             |

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Component       | CAS No   | California Prop. 65 | Prop 65 NSRL | Category   |
|-----------------|----------|---------------------|--------------|------------|
| Tetrahydrofuran | 109-99-9 | Carcinogen          | -            | Carcinogen |

**U.S. State Right-to-Know Regulations**

| Component       | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------------|---------------|------------|--------------|----------|--------------|
| Tetrahydrofuran | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland** This product does not contain any DHS chemicals.



**Security****Other International Regulations****Mexico - Grade**

No information available

**Authorisation/Restrictions according to EU REACH**

| Component                           | CAS No      | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------------------------|-------------|---|---|---|
| Tetrahydrofuran                     | 109-99-9    | -   | Use restricted. See item 75.<br>(see link for restriction details)            | -   |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | -   | -   | -   |

**REACH links**
<https://echa.europa.eu/substances-restricted-under-reach>
**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component                           | CAS No      | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------------------------|-------------|----------------|------------------------------|---------------------------|--|
| Tetrahydrofuran                     | 109-99-9    | Listed         | Not applicable               | Not applicable            | Not applicable                             |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

| Component                           | CAS No      | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------------------------|-------------|---|--|----------------------------|------------------------------------|
| Tetrahydrofuran                     | 109-99-9    | Not applicable  | Not applicable   | Not applicable             | Not applicable                     |
| 3-(Ethoxycarbonyl)phenylzinc iodide | 282727-18-8 | Not applicable  | Not applicable   | Not applicable             | Not applicable                     |

**16. Other information****Prepared By**

Health, Safety and Environmental Department  
 Email: chem.techinfo@thermofisher.com  
 www.thermofisher.com

**Revision Date**

01-Apr-2024

**Print Date**

01-Apr-2024

**Revision Summary**

New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**