

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name Sodium arsenite

**CAS No** 7784-46-5

Synonyms Arsenenous acid, sodium salt; Sodium arsenite; Sodium metaarsenite

Product Code AJA1211

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

## Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

## Physical hazards

No hazards identified

## **Health hazards**

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 2

Category 2

Category 3

## **Environmental hazards**

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

### **Label Elements**

AUS-001536 Version 3 12-Mar-2025 Page 1/10





Skull and Crossbones

Signal Word Danger

#### **Hazard Statements**

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H300 + H310 - Fatal if swallowed or in contact with skin

### **Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Sodium arsenite	7784-46-5	>95

## Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

AUS-001536 Version 3 12-Mar-2025 Page 2 / 10

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically.

## Section 5 - Fire Fighting Measures

## **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

## **Hazardous Decomposition Products**

Sodium oxides, arsenic oxides.

### **Specific Hazards Arising from the Chemical**

Very toxic. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### **Emergency procedures**

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

#### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Wear self-contained breathing apparatus and protective suit. Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### **Reference to Other Sections**

AUS-001536 Version 3 12-Mar-2025 Page 3 / 10

Refer to protective measures listed in Sections 8 and 13.

# Section 7 - Handling and Storage

## **Precautions for Safe Handling**

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Protect from moisture.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Sodium arsenite	TWA: 0.05 mg/m <sup>3</sup>		TWA: 0.01 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> 15 min	Haut
	_		_	TWA: 0.1 mg/m <sup>3</sup> 8 hr	
				Carc. except Arsine	

## **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

AUS-001536 Version 3 12-Mar-2025 Page 4/10

Remove gloves with care avoiding skin contamination.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

## Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance Off-white Physical State Solid

**Odor** Odorless

Odor Threshold No data available

**pH** 12.0

Melting Point/Range 615 °C / 1139 °F
Softening Point No data available
Boiling Point/Range No information available

Flash Point Not applicable Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

No information available

**Explosion Limits** No data available

Vapor Pressure No information available

Vapor Density Not applicable Solid

Specific Gravity / Density 1.87

Bulk DensityNo data availableWater SolubilitySoluble in waterSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

Viscosity

Not applicable

No data available

Not applicable

Explosive Properties No information available

Oxidizing Properties No information available

Other information

Molecular FormulaNaAsO2Molecular Weight129.91

## Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Air sensitive. Moisture sensitive.

Conditions to Avoid Avoid dust formation, Incompatible products, Excess heat, Exposure to air, Exposure to

AUS-001536 Version 3 12-Mar-2025 Page 5/10

moisture.

**Incompatible Materials** Strong oxidizing agents, Strong acids.

Hazardous Decomposition Products Sodium oxides. arsenic oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

# Section 11 - Toxicological Information

### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity:

Oral Category 2
Dermal Category 2
Inhalation Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium arsenite	41 mg/kg (Rat)	LD50 = 150 mg/kg (Rat)	

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 1A

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Sodium arsenite					Group 1			Cat. 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available delayed

# Section 12 - Ecological Information

AUS-001536 Version 3 12-Mar-2025 Page 6/10

Ecotoxicity effects	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquation environment. The product contains following substances which are hazardous for environment. May cause long-term adverse effects in the environment. Do not all material to contaminate ground water system.								
Component	Freshwater Fish Water Flea Freshwater Algae Microtox								
Sodium arsenite		EC50: 1.54 mg/L/48h							
Persistence and Degradability	Product contains heav	y metals. Discharge in	to the environment must	t be avoided. Special					
Persistence Degradability Degradation in sewage treatment plant Bioaccumulative Potential	pre-treatment is necessary May persist, based on information available. Not relevant for inorganic substances. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. May have some potential to bioaccumulate								
Mobility  Endocrine Disruptor Information Persistent Organic Pollutant	The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils. This product does not contain any known or suspected endocrine disruptors. This product does not contain any known or suspected substance.								

## Section 13 - Disposal Considerations

Waste from Residues/Unused

**Ozone Depletion Potential** 

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

This product does not contain any known or suspected substance

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with high pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

# Section 14 - Transport Information

### IMDG/IMO

UN-No UN2027

Proper Shipping Name Sodium arsenite, solid

Hazard Class 6.1 Packing Group II

<u>ADG</u>

UN-No UN2027

Proper Shipping Name Sodium arsenite, solid

Hazard Class 6.1
Packing Group

Component	Hazchem Code
Sodium arsenite	2Z
7784-46-5 ( >95 )	2X

IATA

UN-No UN2027

Proper Shipping Name Sodium arsenite, solid

Hazard Class 6.1

AUS-001536 Version 3 12-Mar-2025 Page 7/10

Packing Group

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## National Regulations Australia

See section 8 for national exposure control parameters.

Component	Health Surveillance
Sodium arsenite	Listed
7784-46-5 ( >95 )	Demographic, medical and occupational history
	Physical examination with emphasis on the peripheral nervous
	system and skin
	Records of personal exposure
	Urinary inorganic Arsenic

### Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sodium arsenite - 7784-46-5	Present	-

## Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Sodium arsenite	X	Х	232-070-5	-	X	Х	-	Х	Х	Х	Х	KE-31435

AUS-001536 Version 3 12-Mar-2025 Page 8/10

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories
		of Wastes to Be Controlled
Sodium arsenite - 7784-46-5	Annex I - Y24	Y24

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Sodium arsenite	7784-46-5	Not applicable	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	· · · · · · · · · · · · · · · · · · ·
Sodium arsenite	-	Use restricted. See entry 19. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

AUS-001536 Version 3 12-Mar-2025 Page 9/10

WEL - Workplace Exposure Limit RPE - Respiratory Protective Equipment

WEL - Workplace Exposure Limit

NOEC - No Observed Effect Concentration

POW - Partition coefficient Octanol:Water BCF - Bioconcentration factor

**vPvB** - very Persistent, very Bioaccumulative **PBT** - Persistent, Bioaccumulative, Toxic **VoC** - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

Revision Date 12-Mar-2025

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

AUS-001536 Version 3 12-Mar-2025 Page 10 / 10