

Page 1/8 Revision Date 29-Mar-2025 Version 4

Page 1/8

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Zirconium slug
Product Description: Zirconium slug

Cat No. : 42559 CAS No 7440-67-7

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the substance or mixture	

Label Elements

**Hazard Statements** 

Other Hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Zirconium slug Revision Date 29-Mar-2025

 Component
 CAS No
 Weight %

 Zirconium
 7440-67-7
 >95

 Hafnium metal
 7440-58-6
 <5</td>

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Self-Protection of the First Aider** No special precautions required.

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

**Suitable Extinguishing Media** 

approved class D extinguishers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products** 

Zirconium oxide. Hafnium oxide.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

Zirconium slug

#### **Environmental precautions**

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Pick up and transfer to properly labelled containers.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry place. Keep away from acids.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL	
Zirconium		TWA: 5 mg/m <sup>3</sup>	(Vacated) TWA: 5 mg/m <sup>3</sup>	
		STEL: 10 mg/m <sup>3</sup>	(Vacated) STEL: 10 mg/m <sup>3</sup>	
Hafnium metal		TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 0.5 mg/m <sup>3</sup>	
		_	TWA: 0.5 mg/m <sup>3</sup>	

## Exposure Controls Engineering Measures

None under normal use conditions.

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles)

Hand Protection No special protective equipment required

Skin and body protection Long sleeved clothing

**Respiratory Protection**No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

ALFAA42559

Revision Date 29-Mar-2025

Zirconium slug Revision Date 29-Mar-2025

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

**Appearance** 

**Hygiene Measures** 

Physical State Solid Odorless

Odor Threshold No data available PH Not applicable

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range3580 °C / 6476 °F

Flash Point No information available Method - No information available

**Evaporation Rate** Not applicable Solid

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Vapor Pressure 23 hPa @ 20 °C

Vapor Density

Not applicable

Solid

Specific Gravity / Density

6.506 g/cm3

Solid

20 °C

Bulk Density
Water Solubility
Solubility in other solvents
No data available
Insoluble in water
No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

No data available

No data available

Viscosity

Not applicable

Explosive Properties

No information available

Explosive Properties

Oxidizing Properties

No information available
No information available

## **SECTION 10: STABILITY AND REACTIVITY**

Solid

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Zirconium slug Revision Date 29-Mar-2025

Possibility of Hazardous Reactions

**Hazardous Polymerization Hazardous Reactions**No information available.
None under normal processing.

Conditions to Avoid

None known.

Incompatible Materials

None known.

**Hazardous Decomposition Products** 

Zirconium oxide. Hafnium oxide.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

**Product Information** 

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

Toxicology data for the components

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Zirconium slug Revision Date 29-Mar-2025

**Target Organs** No information available.

Not applicable (j) aspiration hazard;

Solid

Symptoms / effects,both acute and No information available.

delayed

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

**SECTION 12: ECOLOGICAL INFORMATION** 

May cause long-term adverse effects in the environment. Do not allow material to **Ecotoxicity effects** 

contaminate ground water system.

Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

**Persistence** Insoluble in water, May persist.

Not relevant for inorganic substances. Degradability Degradation in sewage

Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants.

Bioaccumulative potential May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Mobility in soil Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water

solubility.

This product does not contain any known or suspected endocrine disruptors **Endocrine Disruptor Information** 

No information available Other adverse effects

**SECTION 13: DISPOSAL CONSIDERATIONS** 

Waste treatment methods

Waste from Residues/Unused

**Products** 

Dispose of in accordance with local regulations

**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or

disposal

**SECTION 14: TRANSPORT INFORMATION** 

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

**ALFAA42559** 

Revision Date 29-Mar-2025 Zirconium slug

IATA Not regulated

**Special Precautions for User** No special precautions required

#### SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listed U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia **International Inventories** 

(AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Zirconium	231-176-9	Х	Х	Х	Х		Х	Х	KE-35607
Hafnium metal	231-166-4	Х	Х	Х	Х		-	-	KE-18170

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

29-Mar-2025 **Revision Date** 

**ALFAA42559** 

Zirconium slug Revision Date 29-Mar-2025

**Revision Summary** 

Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

ALFAA42559