

FSHSX10

## Scintigest Tissue Solubilizer

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**产品说明:**  
**Product Description:** Scintigest Tissue Solubilizer  
 Scintigest Tissue Solubilizer

**Cat No. :** SX10-100

**Supplier** Fisher Scientific Company  
 One Reagent Lane  
 Fair Lawn, NJ 07410  
 Tel: (201) 796-7100

**Emergency Telephone Number** CHEMTREC®, Inside the USA: 800-424-9300  
 CHEMTREC®, Outside the USA: 001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### SECTION 2. HAZARD IDENTIFICATION

**Physical State**  
 Liquid

**Appearance**  
 Light yellow

**Odor**  
 Odorless

#### Emergency Overview

Highly flammable liquid and vapor. Toxic if inhaled. Causes severe skin burns and eye damage. Causes damage to organs. Toxic if swallowed. Toxic in contact with skin. May cause respiratory irritation. Very toxic to aquatic life.

#### Classification of the substance or mixture

|                                                    |                       |
|----------------------------------------------------|-----------------------|
| Flammable liquids.                                 | Category 2            |
| Acute Oral Toxicity                                | Category 3            |
| Acute Dermal Toxicity                              | Category 3            |
| Acute Inhalation Toxicity - Vapors                 | Category 3            |
| Skin Corrosion/Irritation                          | Category 1 A          |
| Serious Eye Damage/Eye Irritation                  | Category 1            |
| Specific target organ toxicity - (single exposure) | Category 1 Category 3 |
| Acute aquatic toxicity                             | Category 1            |

#### Label Elements



## Scintigest Tissue Solubilizer

## Signal Word

## Danger

## Hazard Statements

H225 - Highly flammable liquid and vapor  
H331 - Toxic if inhaled  
H314 - Causes severe skin burns and eye damage  
H370 - Causes damage to organs  
H301 - Toxic if swallowed  
H311 - Toxic in contact with skin  
H335 - May cause respiratory irritation  
H400 - Very toxic to aquatic life

## Precautionary Statements

## Prevention

P242 - Use non-sparking tools  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P240 - Ground and bond container and receiving equipment  
P271 - Use only outdoors or in a well-ventilated area  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Physical and Chemical Hazards

Vapors may cause flash fire or explosion. Highly flammable.

## Health Hazards

Toxic if inhaled. Harmful if inhaled. Corrosive. Causes skin and eye burns. Causes serious eye damage. Causes damage to organs. Toxic if swallowed. Toxic in contact with skin. May cause respiratory irritation.

## Environmental hazards

Very toxic to aquatic life. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component                          | CAS No    | Weight % |
|------------------------------------|-----------|----------|
| Hexadecyltrimethylammonium bromide | 57-09-0   | 70       |
| Methyl alcohol                     | 67-56-1   | 20       |
| Potassium hydroxide                | 1310-58-3 | 9.9      |

## SECTION 4. FIRST AID MEASURES

## General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

## Scintigest Tissue Solubilizer

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

**Inhalation**

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Most important symptoms and effects**

Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Self-Protection of the First Aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

**Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray. Water may be ineffective. Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

**Extinguishing media which must not be used for safety reasons**

No information available.

**Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not allow run-off from fire-fighting to enter drains or water courses.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean Up**

## Scintigest Tissue Solubilizer

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

**Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage**

Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

**Specific Use(s)**

Use in laboratories

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters**

| Component           | China                                                           | Taiwan                                     | Thailand                     | Hong Kong                                                                                  |
|---------------------|-----------------------------------------------------------------|--------------------------------------------|------------------------------|--------------------------------------------------------------------------------------------|
| Methyl alcohol      | TWA: 25 mg/m <sup>3</sup><br>STEL: 50 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup> |                              | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup> |
| Potassium hydroxide | Ceiling: 2 mg/m <sup>3</sup>                                    | -                                          | Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup>                                                               |

| Component           | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH                                                                                                        | The United Kingdom                                                                                                 | European Union                                               |
|---------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Methyl alcohol      | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> | WEL - TWA: 200 ppm<br>TWA: 266 mg/m <sup>3</sup> TWA<br>WEL - STEL: 250 ppm<br>STEL: 333 mg/m <sup>3</sup><br>STEL | TWA: 200 ppm 8 hr<br>TWA: 260 mg/m <sup>3</sup> 8 hr<br>Skin |
| Potassium hydroxide | Ceiling: 2 mg/m <sup>3</sup>          | (Vacated) Ceiling: 2 mg/m <sup>3</sup>                                                                                                                                                   | Ceiling: 2 mg/m <sup>3</sup>                                                                                 | WEL - 2 mg/m <sup>3</sup> STEL                                                                                     |                                                              |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Exposure Controls****Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever

## Scintigest Tissue Solubilizer

possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Viton (R)      | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                 |                   |                                          |
|---------------------------------|-------------------|------------------------------------------|
| <b>Appearance</b>               | Light yellow      |                                          |
| <b>Physical State</b>           | Liquid            |                                          |
| <b>Odor</b>                     | Odorless          |                                          |
| <b>Odor Threshold</b>           | No data available |                                          |
| <b>pH</b>                       | 14                |                                          |
| <b>Melting Point/Range</b>      | No data available |                                          |
| <b>Softening Point</b>          | No data available |                                          |
| <b>Boiling Point/Range</b>      | 65 °C / 149 °F    |                                          |
| <b>Flash Point</b>              | 12.2 °C / 54 °F   | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>         | > 1 (Ether = 1.0) |                                          |
| <b>Flammability (solid,gas)</b> | Not applicable    | Liquid                                   |
| <b>Explosion Limits</b>         | No data available |                                          |
| <b>Vapor Pressure</b>           | 100 mmHg @ 20 °C  |                                          |
| <b>Vapor Density</b>            | 1.1               | (Air = 1.0)                              |

## Scintigest Tissue Solubilizer

|                                                |                          |                                             |
|------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Specific Gravity / Density</b>              | No data available        |                                             |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                      |
| <b>Water Solubility</b>                        | Soluble in water         |                                             |
| <b>Solubility in other solvents</b>            | No information available |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                             |
| <b>Component</b>                               | <b>log Pow</b>           |                                             |
| Hexadecyltrimethylammonium bromide             | 3.2                      |                                             |
| Methyl alcohol                                 | -0.74                    |                                             |
| Potassium hydroxide                            | 0.83                     |                                             |
| <b>Autoignition Temperature</b>                | No data available        |                                             |
| <b>Decomposition Temperature</b>               | No data available        |                                             |
| <b>Viscosity</b>                               | No data available        |                                             |
| <b>Explosive Properties</b>                    |                          | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available |                                             |

## SECTION 10. STABILITY AND REACTIVITY

|                                 |                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------|
| <b>Stability</b>                | Stable under normal conditions.                                                            |
| <b>Hazardous Reactions</b>      | None under normal processing.                                                              |
| <b>Hazardous Polymerization</b> | No information available.                                                                  |
| <b>Conditions to Avoid</b>      | Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Materials to avoid</b>       | No information available.                                                                  |

**Hazardous Decomposition Products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Potassium oxides.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Product Information

(a) acute toxicity;  
Toxicology data for the components

| Component                          | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation               |
|------------------------------------|--------------------------------|-------------------------------|-------------------------------|
| Hexadecyltrimethylammonium bromide | LD50 = 410 mg/kg ( Rat )       |                               |                               |
| Methyl alcohol                     | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |
| Potassium hydroxide                | LD50 = 333-384 mg/kg (Rat)     |                               |                               |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

|                    |                   |
|--------------------|-------------------|
| <b>Respiratory</b> | No data available |
| <b>Skin</b>        | No data available |

| Component                                | Test method                                                       | Test species | Study result    |
|------------------------------------------|-------------------------------------------------------------------|--------------|-----------------|
| Methyl alcohol<br>67-56-1 ( 20 )         | OECD Test Guideline 406<br>Guinea Pig Maximisation Test<br>(GPMT) | guinea pig   | non-sensitising |
| Potassium hydroxide<br>1310-58-3 ( 9.9 ) | OECD Test Guideline 406                                           | guinea pig   | non-sensitising |

## Scintigest Tissue Solubilizer

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

| Component                        | Test method             | Test species / Duration       | Study result           |
|----------------------------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol<br>67-56-1 ( 20 ) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

(h) STOT-single exposure; Category 1  
Category 3

**Results / Target organs** Respiratory system  
Optic nerve  
Central nervous system (CNS)

(i) STOT-repeated exposure; Category 2

**Route of exposure** Oral  
**Target Organs** Gastrointestinal tract (GI).

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component                          | Freshwater Fish                               | Water Flea            | Freshwater Algae                                            | Microtox                                                                        |
|------------------------------------|-----------------------------------------------|-----------------------|-------------------------------------------------------------|---------------------------------------------------------------------------------|
| Hexadecyltrimethylammonium bromide |                                               |                       | EC50: = 0.09 mg/L, 96h<br>(Pseudokirchneriella subcapitata) | = 9.84 mg/L EC50<br>Photobacterium phosphoreum 5 min                            |
| Methyl alcohol                     | Pimephales promelas:<br>LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h |                                                             | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min |

## Persistence and Degradability

**Persistence** Persistence is unlikely, based on information available.

| Component                        | Degradability                  |
|----------------------------------|--------------------------------|
| Methyl alcohol<br>67-56-1 ( 20 ) | DT50 ~ 17.2d<br>>94% after 20d |

**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**SAFETY DATA SHEET****Scintigest Tissue Solubilizer****Bioaccumulative Potential** Bioaccumulation is unlikely

| Component                          | log Pow | Bioconcentration factor (BCF) |
|------------------------------------|---------|-------------------------------|
| Hexadecyltrimethylammonium bromide | 3.2     | No data available             |
| Methyl alcohol                     | -0.74   | <10 dimensionless             |
| Potassium hydroxide                | 0.83    | No data available             |

**Mobility in soil** The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**SECTION 13. DISPOSAL CONSIDERATIONS****Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge. Do not let this chemical enter the environment.**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** Contains Methanol, Potassium hydroxide

**Hazard Class** 3

**Subsidiary Hazard Class** 8

**Packing Group** II

**IMDG/IMO**

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** Contains Methanol, Potassium hydroxide

**Hazard Class** 3

**Subsidiary Hazard Class** 8

**Packing Group** II

**IATA**

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Technical Shipping Name** Contains Methanol, Potassium hydroxide

**Hazard Class** 3

**Subsidiary Hazard Class** 8

**Packing Group** II



## Scintigest Tissue Solubilizer

Special Precautions for User No special precautions required

## SECTION 15. REGULATORY INFORMATION

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                          | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|------------------------------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Hexadecyltrimethylammonium bromide | -                                                   | -                                       | X    | X     | 200-311-3 | X    | X   | X     | X    | X    | X    | KE-34534 |
| Methyl alcohol                     | X                                                   | X                                       | X    | X     | 200-659-6 | X    | X   | X     | X    | X    | X    | KE-23193 |
| Potassium hydroxide                | X                                                   | X                                       | X    | X     | 215-181-3 | X    | X   | X     | X    | X    | X    | KE-29139 |

| Component      | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Methyl alcohol | 500 tonne                                                                                 | 5000 tonne                                                                               |

## National Regulations

## SECTION 16. OTHER INFORMATION

Creation Date 20-Jul-2009  
Revision Date 15-May-2024  
Revision Summary Not applicable.

## Training Advice

Chemical incident response training.

## Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

---

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**