

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal r bottles, stab. with amylene

Product Description: Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal r bottles, stab. with amylene

Cat No. : 47352

Synonyms Dichloromethane; DCM

CAS No 75-09-2

Molecular Formula C H<sub>2</sub> Cl<sub>2</sub>

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.

Uses advised against

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                                    |                   |
|----------------------------------------------------|-------------------|
| Skin Corrosion/Irritation                          | Category 2 (H315) |
| Serious Eye Damage/Eye Irritation                  | Category 2 (H319) |
| Carcinogenicity                                    | Category 2 (H351) |
| Specific target organ toxicity - (single exposure) | Category 3 (H336) |

**Label Elements**


# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

## Signal Word

## Warning

### Hazard Statements

H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer

### Precautionary Statements

#### Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P280 - Wear eye protection/ face protection

#### Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other Hazards

The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal  
Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system  
The vapor has narcotic effect and in high concentrations induces unconsciousness which can be fatal  
Do not use in areas without adequate ventilation.  
Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing  
Decomposes in a fire, giving off toxic fumes: phosgene and hydrochloric acid, Carbon monoxide  
Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers  
This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component          | CAS No  | Weight % |
|--------------------|---------|----------|
| Methylene chloride | 75-09-2 | >99.5    |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

|                                           |                                                                                                                   |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                      |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Self-Protection of the First Aider</b> | Use personal protective equipment as required.                                                                    |

## **Most important symptoms and effects, both acute and delayed**

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Phosgene, Hydrogen chloride gas.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapors or mists. Wear respiratory protection.

### **Environmental precautions**

Should not be released into the environment.

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

## Methods and Material for Containment and Cleaning Up

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Ventilate the area.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation. Reacts with aluminum and its alloys.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in aluminum containers.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component          | Malaysia | ACGIH TLV   | OSHA PEL                                                                                                          |
|--------------------|----------|-------------|-------------------------------------------------------------------------------------------------------------------|
| Methylene chloride |          | TWA: 50 ppm | (Vacated) TWA: 500 ppm<br>(Vacated) STEL: 2000 ppm<br>(Vacated) Ceiling: 1000 ppm<br>TWA: 25 ppm<br>STEL: 125 ppm |

| Component          | European Union                                                                                                               | The United Kingdom                                                                                                         | Germany                                                                                                                                                                                                                                                                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methylene chloride | TWA: 353 mg/m <sup>3</sup> (8h)<br>TWA: 100 ppm (8h)<br>STEL: 706 mg/m <sup>3</sup> (15min)<br>STEL: 200 ppm (15min)<br>Skin | STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 100 ppm<br>Höhepunkt: 360 mg/m <sup>3</sup><br>Haut |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

**Skin and body protection** Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

## Respiratory Protection

In case of inadequate ventilation wear respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

## Recommended Filter type:

low boiling organic solvent Type AX Brown conforming to EN371

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                         |                                              |                                   |
|-----------------------------------------|----------------------------------------------|-----------------------------------|
| Appearance                              | Colorless                                    |                                   |
| Physical State                          | Liquid                                       |                                   |
| Odor                                    | sweet                                        |                                   |
| Odor Threshold                          | No data available                            |                                   |
| pH                                      | Not applicable                               | Insoluble in water                |
| Melting Point/Range                     | -97 °C / -142.6 °F                           |                                   |
| Softening Point                         | No data available                            |                                   |
| Boiling Point/Range                     | 39 °C / 102.2 °F                             |                                   |
| Flash Point                             | No information available                     | Method - No information available |
| Evaporation Rate                        | No data available                            |                                   |
| Flammability (solid,gas)                | Not applicable                               | Liquid                            |
| Explosion Limits                        | <b>Lower</b> 13 vol%<br><b>Upper</b> 22 vol% |                                   |
| Vapor Pressure                          | 350 mbar @ 20°C                              |                                   |
| Vapor Density                           | 2.93                                         | (Air = 1.0)                       |
| Specific Gravity / Density              | 1.33                                         |                                   |
| Bulk Density                            | Not applicable                               | Liquid                            |
| Water Solubility                        | 20 g/L (20°C)                                |                                   |
| Solubility in other solvents            | No information available                     |                                   |
| Partition Coefficient (n-octanol/water) |                                              |                                   |
| Component                               | log Pow                                      |                                   |
| Methylene chloride                      | 1.25                                         |                                   |

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

Autoignition Temperature 556 °C / 1032.8 °F  
Decomposition Temperature No data available  
Viscosity 0.42 mPas @ 25°C  
Explosive Properties No information available  
Oxidizing Properties No information available

Molecular Formula C H<sub>2</sub> Cl<sub>2</sub>  
Molecular Weight 84.93

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions. Decomposes on exposure to light.

### Possibility of Hazardous Reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.  
**Hazardous Reactions** Forms a detonable mixture with nitric acid.

### Conditions to Avoid

Excess heat. Protect from direct sunlight.

### Incompatible Materials

Strong oxidizing agents. Strong acids. Amines.

### Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

**Oral** Based on available data, the classification criteria are not met  
**Dermal** Based on available data, the classification criteria are not met  
**Inhalation** Based on available data, the classification criteria are not met

| Component          | LD50 Oral            | LD50 Dermal          | LC50 Inhalation                                            |
|--------------------|----------------------|----------------------|------------------------------------------------------------|
| Methylene chloride | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat ) | 53 mg/L ( Rat ) 6 h<br>76000 mg/m <sup>3</sup> ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 2

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

(f) carcinogenicity;

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component          | EU | UK | Germany | IARC     |
|--------------------|----|----|---------|----------|
| Methylene chloride |    |    |         | Group 2A |

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;

Category 3

Results / Target organs

Central nervous system (CNS).

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Other Adverse Effects

Tumorigenic effects have been reported in experimental animals.

Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Causes central nervous system depression. Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal. Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system.

Endocrine Disrupting Properties  
Assess endocrine disrupting  
properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

| Component          | Freshwater Fish                           | Water Flea         | Freshwater Algae   | Microtox                                    |
|--------------------|-------------------------------------------|--------------------|--------------------|---------------------------------------------|
| Methylene chloride | Pimephales promelas:<br>LC50:193 mg/L/96h | EC50: 140 mg/L/48h | EC50:>660 mg/L/96h | EC50: 1 mg/L/24 h<br>EC50: 2.88 mg/L/15 min |

Persistence and degradability

Persistence

Persistence is unlikely, based on information available.

Bioaccumulative potential

Bioaccumulation is unlikely

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

| Component          | log Pow | Bioconcentration factor (BCF) |
|--------------------|---------|-------------------------------|
| Methylene chloride | 1.25    | 6.4 - 40 dimensionless        |

## Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                      |                 |
|----------------------|-----------------|
| UN-No                | UN1593          |
| Hazard Class         | 6.1             |
| Packing Group        | III             |
| Proper Shipping Name | Dichloromethane |

### Road and Rail Transport

|                      |                 |
|----------------------|-----------------|
| UN-No                | UN1593          |
| Hazard Class         | 6.1             |
| Packing Group        | III             |
| Proper Shipping Name | Dichloromethane |

### IATA

|                      |                 |
|----------------------|-----------------|
| UN-No                | UN1593          |
| Hazard Class         | 6.1             |
| Packing Group        | III             |
| Proper Shipping Name | Dichloromethane |

#### **Special Precautions for User**

No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

X = listed



# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

| Component          | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|--------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Methylene chloride | 200-838-9 | X    | X   | X     | X    | X    | X     | X    | KE-23893 |

Note Stabilised with Amylene (CAS 513-35-9)

| Component          | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Major<br>Accident Notification | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Safety<br>Report Requirements | Rotterdam Convention<br>(PIC) | Basel Convention<br>(Hazardous Waste) |
|--------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|
| Methylene chloride |                                                                                                    |                                                                                                   |                               | Annex I - Y45                         |

## National Regulations

Persistent Organic Pollutant  
Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical  
Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)  
Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic  
Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of  
Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime  
Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air  
Transport Association

MARPOL - International Convention for the Prevention of Pollution from  
Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By

Revision Date

Revision Summary

Health, Safety and Environmental Department

02-May-2025

SDS sections updated, 2, 3, 6, 8, 15.

In accordance with local and national regulations: Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SAFETY DATA SHEET

Dichloromethane, anhydrous, 99.7+%, packaged under Argon in resealable AcroSeal  
r bottles, stab. with amylene

Revision Date 02-May-2025

---

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**