

## SAFETY DATA SHEET

Creation Date 07-September-2010

Revision Date 26-March-2024

Revision Number 3

### 1. Identification

**Product Name** tert-Butyl alcohol

**Cat No. :** L12338

**CAS-No** 75-65-0  
**Synonyms** tert-Butyl alcohol; 2-Methyl-2-propanol; 2-Methylpropan-2-ol

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                                   |            |
|-------------------------------------------------------------------|------------|
| <b>Flammable liquids</b>                                          | Category 2 |
| <b>Acute Inhalation Toxicity</b>                                  | Category 4 |
| <b>Serious Eye Damage/Eye Irritation</b>                          | Category 2 |
| <b>Specific target organ toxicity (single exposure)</b>           | Category 3 |
| Target Organs - Respiratory system, Central nervous system (CNS). |            |

#### Label Elements

##### **Signal Word**

Danger

##### **Hazard Statements**

Highly flammable liquid and vapor

Harmful if inhaled

Causes serious eye irritation  
May cause respiratory irritation  
May cause drowsiness and dizziness



### Precautionary Statements

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection  
Use non-sparking tools  
Take action to prevent static discharges

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Call a POISON CENTER/ doctor if you feel unwell  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store in a well-ventilated place. Keep container tightly closed  
Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

## 3. Composition/Information on Ingredients

| Component          | CAS-No  | Weight % |
|--------------------|---------|----------|
| tert-Butyl alcohol | 75-65-0 | >95      |

## 4. First-aid measures

|                       |                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b> | If symptoms persist, call a physician.                                                                            |
| <b>Eye Contact</b>    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| <b>Skin Contact</b>   | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Inhalation</b>     | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Ingestion</b>      | Clean mouth with water and drink afterwards plenty of water.                                                      |

|                                        |                                                                                                                                              |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Most important symptoms/effects</b> | Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                        |

## 5. Fire-fighting measures

|                                         |                                                                                                                                         |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Water spray, carbon dioxide (CO <sub>2</sub> ), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                                                                                |
| <b>Flash Point</b>                      | 11 °C / 51.8 °F                                                                                                                         |
| <b>Method -</b>                         | No information available                                                                                                                |
| <b>Autoignition Temperature</b>         | 490 °C / 914 °F                                                                                                                         |
| <b>Explosion Limits</b>                 |                                                                                                                                         |
| <b>Upper</b>                            | 8.0 vol %                                                                                                                               |
| <b>Lower</b>                            | 2.4 vol %                                                                                                                               |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                                                |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                                                |

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

|               |                     |                    |                         |
|---------------|---------------------|--------------------|-------------------------|
| <b>Health</b> | <b>Flammability</b> | <b>Instability</b> | <b>Physical hazards</b> |
| 2             | 3                   | 0                  | N/A                     |

## 6. Accidental release measures

|                                             |                                                                                                                                                                               |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.            |
| <b>Environmental Precautions</b>            | Should not be released into the environment.                                                                                                                                  |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. |
| <b>Storage.</b> | Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids. Alkali metals.                                                                                                                                                                                                                      |

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component          | Alberta                                    | British Columbia | Ontario TWAEV | Quebec                                     | ACGIH TLV    | OSHA PEL                                                                                                                                                                         | NIOSH                                                                                                        |
|--------------------|--------------------------------------------|------------------|---------------|--------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| tert-Butyl alcohol | TWA: 100 ppm<br>TWA: 303 mg/m <sup>3</sup> | TWA: 100 ppm     | TWA: 100 ppm  | TWA: 100 ppm<br>TWA: 303 mg/m <sup>3</sup> | TWA: 100 ppm | (Vacated) TWA: 100 ppm<br>(Vacated) TWA: 300 mg/m <sup>3</sup><br>(Vacated) STEL: 150 ppm<br>(Vacated) STEL: 450 mg/m <sup>3</sup><br>TWA: 100 ppm<br>TWA: 300 mg/m <sup>3</sup> | IDLH: 1600 ppm<br>TWA: 100 ppm<br>TWA: 300 mg/m <sup>3</sup><br>STEL: 150 ppm<br>STEL: 450 mg/m <sup>3</sup> |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment****Eye Protection**

Goggles

**Hand Protection**

Protective gloves

| Glove material  | Breakthrough time | Glove thickness | Glove comments                                         |
|-----------------|-------------------|-----------------|--------------------------------------------------------|
| Butyl rubber    | > 480 minutes     | 0.35 mm         | As tested under EN374-3                                |
| Neoprene gloves | > 480 minutes     | 0.45 mm         | Determination of Resistance to Permeation by Chemicals |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

No protective equipment is needed under normal use conditions.

**Environmental exposure controls**

No information available.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

**Physical State**  
**Appearance**

Liquid  
Clear

|                                        |                             |
|----------------------------------------|-----------------------------|
| Odor                                   | Strong                      |
| Odor Threshold                         | No information available    |
| pH                                     | 7                           |
| Melting Point/Range                    | 25 - 25.5 °C / 77 - 77.9 °F |
| Boiling Point/Range                    | 83 °C / 181.4 °F @ 760 mmHg |
| Flash Point                            | 11 °C / 51.8 °F             |
| Evaporation Rate                       | No information available    |
| Flammability (solid,gas)               | Not applicable              |
| Flammability or explosive limits       |                             |
| Upper                                  | 8.0 vol %                   |
| Lower                                  | 2.4 vol %                   |
| Vapor Pressure                         | 36 mbar @ 20 °C             |
| Vapor Density                          | 2.6                         |
| Specific Gravity                       | 0.775                       |
| Solubility                             | miscible                    |
| Partition coefficient; n-octanol/water | No data available           |
| Autoignition Temperature               | 490 °C / 914 °F             |
| Decomposition Temperature              | No information available    |
| Viscosity                              | 6.43 mPa.s (25°C)           |
| Molecular Formula                      | C4 H10 O                    |
| Molecular Weight                       | 74.12                       |

## 10. Stability and reactivity

|                                  |                                                                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactive Hazard                  | None known, based on information available                                                            |
| Stability                        | May form explosive peroxides.                                                                         |
| Conditions to Avoid              | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials           | Strong oxidizing agents, Strong acids, Alkali metals                                                  |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )                                               |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                              |
| Hazardous Reactions              | None under normal processing.                                                                         |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

#### Component Information

| Component          | LD50 Oral         | LD50 Dermal          | LC50 Inhalation   |
|--------------------|-------------------|----------------------|-------------------|
| tert-Butyl alcohol | >3100 mg/kg (Rat) | >2000 mg/kg (Rabbit) | >31 mg/L/4h (Rat) |

**Toxicologically Synergistic Products** No information available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                 |                                                                                          |
|-----------------|------------------------------------------------------------------------------------------|
| Irritation      | Irritating to eyes and respiratory system                                                |
| Sensitization   | No information available                                                                 |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component          | CAS-No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------|---------|------------|------------|------------|------------|------------|
| tert-Butyl alcohol | 75-65-0 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

|                                                   |                                                                                                                     |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Reproductive Effects</b>                       | No information available.                                                                                           |
| <b>Developmental Effects</b>                      | No information available.                                                                                           |
| <b>Teratogenicity</b>                             | No information available.                                                                                           |
| <b>STOT - single exposure</b>                     | Respiratory system Central nervous system (CNS)                                                                     |
| <b>STOT - repeated exposure</b>                   | None known                                                                                                          |
| <b>Aspiration hazard</b>                          | No information available                                                                                            |
| <b>Symptoms / effects, both acute and delayed</b> | Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |
| <b>Endocrine Disruptor Information</b>            | No information available                                                                                            |
| <b>Other Adverse Effects</b>                      | The toxicological properties have not been fully investigated.                                                      |

## 12. Ecological information

### Ecotoxicity

Do not empty into drains. .

| Component          | Freshwater Algae    | Freshwater Fish                             | Microtox               | Water Flea         |
|--------------------|---------------------|---------------------------------------------|------------------------|--------------------|
| tert-Butyl alcohol | EC50 1000 mg/L 72 h | LC50 >961 mg/L/96h<br>(Pimephales promelas) | EC50 > 10000 mg/L 17 h | EC50 933 mg/L 48 h |

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

| Component          | log Pow |
|--------------------|---------|
| tert-Butyl alcohol | 0.317   |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

|                      |          |
|----------------------|----------|
| UN-No                | UN1120   |
| Proper Shipping Name | BUTANOLS |
| Hazard Class         | 3        |
| Packing Group        | II       |

### TDG

|                      |          |
|----------------------|----------|
| UN-No                | UN1120   |
| Proper Shipping Name | BUTANOLS |
| Hazard Class         | 3        |
| Packing Group        | II       |

### IATA

|                      |          |
|----------------------|----------|
| UN-No                | UN1120   |
| Proper Shipping Name | BUTANOLS |
| Hazard Class         | 3        |
| Packing Group        | II       |

### IMDG/IMO

|                      |          |
|----------------------|----------|
| UN-No                | UN1120   |
| Proper Shipping Name | BUTANOLS |

Hazard Class 3  
Packing Group II

## 15. Regulatory information

### International Inventories

| Component          | CAS-No  | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|--------------------|---------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| tert-Butyl alcohol | 75-65-0 | X   | -    | X    | ACTIVE                                        | 200-889-7 | -      | -   |

| Component          | CAS-No  | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|--------------------|---------|-------|----------|------|------|------|------|-------|-------|
| tert-Butyl alcohol | 75-65-0 | X     | KE-24895 | X    | X    | X    | X    | X     | X     |

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component          | Canada - National Pollutant Release Inventory (NPRI) | Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances | Canada's Chemicals Management Plan (CEPA) |
|--------------------|------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------|
| tert-Butyl alcohol | Part 1, Group A Substance Part 4 Substance           |                                                                            |                                           |

### Other International Regulations

#### Authorisation/Restrictions according to EU REACH

| Component          | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| tert-Butyl alcohol | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

#### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component          | CAS-No  | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------------|---------|----------|------------------------------|---------------------------|--------------------------------------------|
| tert-Butyl alcohol | 75-65-0 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|--------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------|----------------------------|------------------------------------|
|           |        |                                                                              |                                                                             |                            |                                    |

|                    |         | Notification   | Requirements   |                |                |
|--------------------|---------|----------------|----------------|----------------|----------------|
| tert-Butyl alcohol | 75-65-0 | Not applicable | Not applicable | Not applicable | Not applicable |

## 16. Other information

**Prepared By** Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Creation Date** 07-September-2010  
**Revision Date** 26-March-2024  
**Print Date** 26-March-2024  
**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**