

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description:	Acryloyl chloride
Cat No. :	S60298
Synonyms	2-Propenoyl chloride.; Acrylic acid chloride
CAS No	814-68-6
Molecular Formula	C3H3ClO

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

Details of the supplier of the safety data sheet

Importer	Supplier
Fisher Scientific Korea	Thermo Fisher Scientific Chemicals, Inc.
D5,D6, Incheon Airport Logistics Complex	30 Bond Street
150, Gonghangdong-Ro 296 Beon-Gil	Ward Hill, MA 01835-8099
Jung-Gu, Incheon	
Tel: +82-1661-9555	
Fax: +82-2-2023-0603	

E-mail address	Chem.KR@thermofisher.com
-----------------------	--------------------------

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970
 CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887
 Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture
Physical hazards

Flammable liquids	Category 2
-------------------	------------

Health hazards

Acute Inhalation Toxicity - Vapors	Category 2
Serious Eye Damage/Eye Irritation	Category 1

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H330 - Fatal if inhaled

H318 - Causes serious eye damage

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Reacts violently with water

This product does not contain any known or suspected endocrine disruptors

NFPA

Health
4

Flammability
3

Instability
2

Physical hazards
W

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	Common Name	CAS No	Index No	Weight %
Acryloyl chloride	2-Propenoyl	814-68-6	KE-29735	99 - 100

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

	chloride.; Acrylic acid chloride			
--	----------------------------------	--	--	--

Note

Stabilizer Phenothiazine 0.1%.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride.

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions

Should not be released into the environment.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Handle under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Store in freezer.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Acryloyl chloride	814-68-6	Not listed	Not listed	Not listed

Component	CAS No	European Union	The United Kingdom	Germany
Acryloyl chloride	814-68-6	Not listed	Not listed	Not listed

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Acryloyl chloride	814-68-6	Not listed

Exposure Controls

Engineering Measures

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection	Goggles
Hand Protection	Protective gloves
Skin and body protection	Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Personal protective equipment	Use only those certified by the Korea Occupational Safety and Health Administration.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
Recommended Filter type:	Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387
	To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
	When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, etc.)	Clear Liquid	
Odor	Acrid	
Odor Threshold	No data available	
pH	No information available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	74 - 76 °C / 165.2 - 168.8 °F	
Flash Point	-4 °C / 24.8 °F	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	3.12	(Air = 1.0)

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

Specific Gravity / Density	1.114	
Bulk Density	Not applicable	Liquid
Water Solubility	Reacts violently with water	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Acryloyl chloride	814-68-6	No data available

Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	

Molecular Formula	C3H3ClO
Molecular Weight	90.51

SECTION 10: STABILITY AND REACTIVITY

<u>Reactivity</u>	Yes
-------------------	-----

<u>Chemical Stability</u>	Stable under recommended storage conditions. UNSTABLE (REACTIVE) UPON DEPLETION OF INHIBITOR.
---------------------------	---

Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing. Reacts violently with water.

<u>Conditions to Avoid</u>	Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. Exposure to light. Heat. Exposure to moisture.
----------------------------	--

<u>Incompatible Materials</u>	Bases. Water. Amines. Oxidizing agent.
-------------------------------	--

<u>Hazardous Decomposition Products</u>	Carbon monoxide (CO). Carbon dioxide (CO ₂). Hydrogen chloride.
---	---

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation	Not an expected route of exposure.
Ingestion	May be harmful if swallowed.

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

Eyes

Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. Risk of serious damage to eyes.

Skin

Avoid contact with skin. Skin Corrosion/Irritation. Contact with moist skin may cause skin burns.

Information on Health Hazards

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Category 2

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acryloyl chloride	814-68-6	No data available	No data available	No data available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

Component	CAS No	Test method	Test species	Study result
Acryloyl chloride	814-68-6	No data available	No data available	No data available

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Acryloyl chloride	814-68-6	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Acryloyl chloride	814-68-6	No data available	No data available	No data available

There are no known carcinogenic chemicals in this product

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Acryloyl chloride	814-68-6	Not listed	Not listed	Not listed	Not listed	Not listed

(g) reproductive toxicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Acryloyl chloride	814-68-6	No data available	No data available	No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

None known.

(j) aspiration hazard; No data available

Other Adverse Effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Component	CAS No	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Reacts with water so no ecotoxicity data for the substance is available.

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Acryloyl chloride	814-68-6	No data available	No data available	No data available	No data available

Persistence and degradability

Persistence

No information available

Degradability

Persistence is unlikely, based on information available.

Degradation in sewage treatment plant

Reacts with water.

Reacts violently with water.

Bioaccumulative potential

Bioaccumulation is unlikely

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Acryloyl chloride	814-68-6	Not listed

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

UN-No

UN3383

Proper Shipping Name

TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.

Technical Shipping Name

Acryloyl chloride

Hazard Class

6.1

Subsidiary Hazard Class

3

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

Packing Group I

IATA
UN-No FORBIDDEN FOR IATA TRANSPORT
UN383
Proper Shipping Name TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.* FORBIDDEN FOR IATA
TRANSPORT
Technical Shipping Name Acryloyl chloride
Hazard Class 6.1
Subsidiary Hazard Class 3
Packing Group I

IMDG/IMO
UN-No UN383
Proper Shipping Name TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.
Technical Shipping Name Acryloyl chloride
Hazard Class 6.1
Subsidiary Hazard Class 3
Packing Group I
Marine Pollutant No hazards identified

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Acryloyl chloride	814-68-6	KE-29735	X	212-399-0	X	-	X	X	X	X	X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Acryloyl chloride	814-68-6	Annex 1 - KE-29735	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

			mixtures)	(% in mixtures)
Acryloyl chloride	814-68-6	>25%	20000 kg/yr	750000 kg/yr

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Acryloyl chloride	814-68-6	5000 kg	Not applicable	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Acryloyl chloride	814-68-6	Not applicable	Not applicable	Not applicable	2. Group 1 Petroleum (Insoluble) 200 L	Not applicable	Not applicable

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Acryloyl chloride	814-68-6	Not listed	Not listed

US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Acryloyl chloride	814-68-6	Not applicable	TQ: 250 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Acryloyl chloride	814-68-6	100 lb	Not applicable	Not applicable

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

ALFAAS60298

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

H225 - Highly flammable liquid and vapor. H302 - Harmful if swallowed. H330 - Fatal if inhaled. H314 - Causes severe skin burns and eye damage. EUH014 - Reacts violently with water.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P310 - Immediately call a POISON CENTER or doctor/physician. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By

Health, Safety and Environmental Department

Creation Date

15-Apr-2015

Revision Date

12-Jun-2024

Revision Number

2

Revision Summary

New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

Disclaimer

SAFETY DATA SHEET

Acryloyl chloride

Revision Date 12-Jun-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet