

**SAFETY DATA SHEET**

Creation Date 06-Nov-2012

Revision Date 28-Dec-2021

Revision Number 6

**1. Identification**

**Product Name** Poly(vinyl alcohol), 88% hydrolyzed, average M.W. 85000-120000

**Cat No. :** AC450140000; AC450140010; AC450140250; AC450141000;  
AC450145000

**Synonyms** Selvol™ E523 Polyvinyl alcohol

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

**Details of the supplier of the safety data sheet****Company**

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

**2. Hazard(s) identification****Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Target Organs - Optic nerve, Central nervous system (CNS).  
Combustible dust Yes

**Label Elements**

**Signal Word**  
Warning

**Hazard Statements**  
May form combustible dust concentrations in air

### Precautionary Statements

#### Storage

Store in a well-ventilated place. Keep container tightly closed

#### Hazards not otherwise classified (HNOC)

Combustible material

WARNING. Reproductive Harm - <https://www.p65warnings.ca.gov/>.

## 3. Composition/Information on Ingredients

| Component         | CAS No    | Weight % |
|-------------------|-----------|----------|
| Polyvinyl alcohol | 9002-89-5 | >95      |
| Methyl alcohol    | 67-56-1   | 0.1-1    |

## 4. First-aid measures

|                                            |                                                                                                                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                         | Get medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.                       |
| <b>Inhalation</b>                          | Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.                      |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Get medical attention.                                                                  |
| <b>Most important symptoms and effects</b> | No information available.                                                                                       |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                           |

## 5. Fire-fighting measures

|                                         |                                                   |
|-----------------------------------------|---------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                          |
| <b>Flash Point</b>                      | 79 °C / 174 °F                                    |
| <b>Method -</b>                         | Open cup                                          |
| <b>Autoignition Temperature</b>         | No information available                          |
| <b>Explosion Limits</b>                 |                                                   |
| <b>Upper</b>                            | No data available                                 |
| <b>Lower</b>                            | No data available                                 |
| <b>Sensitivity to Mechanical Impact</b> | No information available                          |
| <b>Sensitivity to Static Discharge</b>  | No information available                          |

### Specific Hazards Arising from the Chemical

Combustible material. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Fine dust dispersed in air may ignite. Containers may explode when heated.

### Hazardous Combustion Products

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).  
Formaldehyde.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

Health  
3

Flammability  
1

Instability  
0

Physical hazards  
N/A

## 6. Accidental release measures

### Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

See Section 12 for additional Ecological Information.

### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep container tightly closed in a dry and well-ventilated place. Avoid dust formation. Remove all sources of ignition.

## 7. Handling and storage

### Handling

Wear personal protective equipment/face protection. Use only under a chemical fume hood. Avoid dust formation. Do not breathe (dust, vapor, mist, gas). Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

### Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component      | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH IDLH                                                                                                   | Mexico OEL (TWA)              |
|----------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| Methyl alcohol | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> | TWA: 200 ppm<br>STEL: 250 ppm |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

### Engineering Measures

None under normal use conditions. Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

#### Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**

No protective equipment is needed under normal use conditions.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|                                        |                             |
|----------------------------------------|-----------------------------|
| Physical State                         | Solid                       |
| Appearance                             | White                       |
| Odor                                   | Odorless                    |
| Odor Threshold                         | No information available    |
| pH                                     | No information available    |
| Melting Point/Range                    | 230 - 240 °C / 446 - 464 °F |
| Boiling Point/Range                    | No information available    |
| Flash Point                            | 79 °C / 174 °F              |
| Method -                               | Open cup                    |
| Evaporation Rate                       | Not applicable              |
| Flammability (solid,gas)               | No information available    |
| Flammability or explosive limits       |                             |
| Upper                                  | No data available           |
| Lower                                  | No data available           |
| Vapor Pressure                         | No information available    |
| Vapor Density                          | Not applicable              |
| Specific Gravity                       | No information available    |
| Solubility                             | No information available    |
| Partition coefficient; n-octanol/water | No data available           |
| Autoignition Temperature               | No information available    |
| Decomposition Temperature              | No information available    |
| Viscosity                              | Not applicable              |

## 10. Stability and reactivity

|                                  |                                                                                                                |
|----------------------------------|----------------------------------------------------------------------------------------------------------------|
| Reactive Hazard                  | None known, based on information available                                                                     |
| Stability                        | Stable under normal conditions.                                                                                |
| Conditions to Avoid              | Avoid dust formation. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials           | Strong oxidizing agents                                                                                        |
| Hazardous Decomposition Products | Formaldehyde                                                                                                   |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                                       |
| Hazardous Reactions              | None under normal processing.                                                                                  |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

##### Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

##### Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

##### Mist LC50

Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

#### Component Information

| Component         | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation               |
|-------------------|--------------------------------|-------------------------------|-------------------------------|
| Polyvinyl alcohol | > 5000 mg/kg (rat)             | >7490 mg/kg (rabbit)          | >20 mg/m³/h (rat)             |
| Methyl alcohol    | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L ( Rat ) 4 h |

#### Toxicologically Synergistic

No information available

## Products

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component         | CAS No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Polyvinyl alcohol | 9002-89-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Methyl alcohol    | 67-56-1   | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Optic nerve Central nervous system (CNS)

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** No information available

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

| Component         | Freshwater Algae | Freshwater Fish                               | Microtox                                                                        | Water Flea            |
|-------------------|------------------|-----------------------------------------------|---------------------------------------------------------------------------------|-----------------------|
| Polyvinyl alcohol | Not listed       | Lepomis macrochirus:<br>LC50=10mg/L 96h       | Not listed                                                                      | EC50=8.3 mg/L 48h     |
| Methyl alcohol    | Not listed       | Pimephales promelas: LC50<br>> 10000 mg/L 96h | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min | EC50 > 10000 mg/L 24h |

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

| Component      | log Pow |
|----------------|---------|
| Methyl alcohol | -0.74   |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component                | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Methyl alcohol - 67-56-1 | U154                   | -                      |

## 14. Transport information

|                 |               |
|-----------------|---------------|
| <u>DOT</u>      | Not regulated |
| <u>TDG</u>      | Not regulated |
| <u>IATA</u>     | Not regulated |
| <u>IMDG/IMO</u> | Not regulated |

## 15. Regulatory information

### United States of America Inventory

| Component         | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------|-----------|------|-----------------------------------------------|-----------------------------|
| Polyvinyl alcohol | 9002-89-5 | X    | ACTIVE                                        | XU                          |
| Methyl alcohol    | 67-56-1   | X    | ACTIVE                                        | -                           |

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B))

**TSCA 12(b)** - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component         | CAS No    | DSL | NDL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-------------------|-----------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Polyvinyl alcohol | 9002-89-5 | X   | -   | -         | X     | X    | X    | X    | X     | KE-29060 |
| Methyl alcohol    | 67-56-1   | X   | -   | 200-659-6 | X     | X    | X    | X    | X     | KE-23193 |

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### SARA 313

| Component      | CAS No  | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|-------------------------------|
| Methyl alcohol | 67-56-1 | 0.1-1    | 1.0                           |

**SARA 311/312 Hazard Categories** See section 2 for more information

**CWA (Clean Water Act)** Not applicable

#### Clean Air Act

| Component      | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Methyl alcohol | X         |                         | -                       |

**OSHA** - Occupational Safety and Health Administration Not applicable

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component      | Hazardous Substances RQs | CERCLA EHS RQs |
|----------------|--------------------------|----------------|
| Methyl alcohol | 5000 lb                  | -              |

### California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component      | CAS No  | California Prop. 65 | Prop 65 NSRL | Category      |
|----------------|---------|---------------------|--------------|---------------|
| Methyl alcohol | 67-56-1 | Developmental       | -            | Developmental |

### U.S. State Right-to-Know Regulations

| Component      | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Methyl alcohol | X             | X          | X            | X        | X            |

### U.S. Department of Transportation

Reportable Quantity (RQ): Y  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

#### Mexico - Grade

No information available

### Authorisation/Restrictions according to EU REACH

| Component      | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Methyl alcohol | -                                                                   | Use restricted. See item 69. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component         | CAS No    | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------|-----------|----------|------------------------------|---------------------------|--------------------------------------------|
| Polyvinyl alcohol | 9002-89-5 | Listed   | Not applicable               | Not applicable            | Not applicable                             |
| Methyl alcohol    | 67-56-1   | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component         | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Polyvinyl alcohol | 9002-89-5 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |
| Methyl alcohol    | 67-56-1   | 500 tonne                                                                                 | 5000 tonne                                                                               | Not applicable             | Not applicable                     |

## 16. Other information

#### Prepared By

Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

#### Creation Date

06-Nov-2012

#### Revision Date

28-Dec-2021

#### Print Date

28-Dec-2021

#### Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

---

Harmonized System of Classification and Labeling of Chemicals (GHS).

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**