

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

|                             |                                     |
|-----------------------------|-------------------------------------|
| <b>Product Name</b>         | <u>Diethylamine</u>                 |
| <b>CAS No</b>               | 109-89-7                            |
| <b>Synonyms</b>             | N-Ethylethanamine; N,N-Diethylamine |
| <b>Molecular Formula</b>    | C4 H11 N                            |
| <b>Molecular Weight</b>     | 73.13                               |
| <b>Recommended Use</b>      | Laboratory chemicals.               |
| <b>Uses advised against</b> | No Information available            |

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>D/2100/08, D/2100/17</b>                                                                 |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**HSNO Approval Number**      **HSR001127**

### GHS Classification

#### Physical hazards

Flammable liquids

Category 2

#### Health hazards

|                                                    |              |
|----------------------------------------------------|--------------|
| Acute Oral Toxicity                                | Category 4   |
| Acute Dermal Toxicity                              | Category 3   |
| Acute Inhalation Toxicity - Vapors                 | Category 4   |
| Skin Corrosion/Irritation                          | Category 1 A |
| Serious Eye Damage/Eye Irritation                  | Category 1   |
| Skin Sensitization                                 | Category 1   |
| Specific target organ toxicity - (single exposure) | Category 3   |

#### Environmental hazards

Chronic aquatic toxicity

Category 4

**Label Elements****Signal Word****Danger****Hazard Statements**

H225 - Highly flammable liquid and vapor  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation  
H317 - May cause an allergic skin reaction  
H413 - May cause long lasting harmful effects to aquatic life  
H302 + H332 - Harmful if swallowed or if inhaled

**Precautionary Statements****Prevention**

P233 - Keep container tightly closed  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P363 - Wash contaminated clothing before reuse  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxicity to Soil Dwelling Organisms  
Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component    | CAS No   | Weight % |
|--------------|----------|----------|
| Diethylamine | 109-89-7 | >95      |

## Section 4 - First Aid Measures

### Description of first aid measures

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                             |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Inhalation</b>                          | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.                                                                                                                |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                                                                                                                                    |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                   |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Self-Protection of the First Aider</b>  | Remove all sources of ignition.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated |
| <b>Notes to Physician</b>                  | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.                                                                                 |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors, Carbon monoxide (CO), Nitrogen oxides (NO<sub>x</sub>), Carbon dioxide (CO<sub>2</sub>).

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### **Methods for Containment and Clean Up**

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

#### **Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

#### **Advice on safe handling**

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Flammables area.

#### **Incompatible Materials**

Acids. Strong oxidizing agents.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

### Control parameters

#### **Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

| Component    | New Zealand WEL                                                                             | Australia                                                                              | ACGIH TLV                          | The United Kingdom                                                                                            |
|--------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Diethylamine | TWA: 2 ppm<br>TWA: 6 mg/m <sup>3</sup><br>STEL: 5 ppm<br>STEL: 15 mg/m <sup>3</sup><br>Skin | STEL: 25 ppm<br>STEL: 75 mg/m <sup>3</sup><br>TWA: 10 ppm<br>TWA: 30 mg/m <sup>3</sup> | TWA: 5 ppm<br>STEL: 15 ppm<br>Skin | STEL: 10 ppm 15 min<br>STEL: 30 mg/m <sup>3</sup> 15 min<br>TWA: 5 ppm 8 hr<br>TWA: 15 mg/m <sup>3</sup> 8 hr |

**Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

**Appropriate engineering controls****Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Individual protection measures, such as personal protective equipment**

|                        |                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------|
| <b>Eye Protection</b>  | Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications) |
| <b>Hand Protection</b> | Protective gloves                                                                                  |

| Glove material                                    | Breakthrough time                    | Glove thickness | AUS/NZ Standard | Glove comments        |
|---------------------------------------------------|--------------------------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber, Neoprene,<br>Natural rubber, PVC. | See manufacturers<br>recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b> | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>   | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices |
| <b>Recommended Filter type:</b> | Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)                                                                                                                                                                                                                                  |
| <b>Recommended half mask:-</b>  | Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted                                                                                                                                                                         |

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

|                       |                   |
|-----------------------|-------------------|
| <b>Physical State</b> | Liquid            |
| <b>Appearance</b>     | Colorless         |
| <b>Odor</b>           | Fishy             |
| <b>Odor Threshold</b> | No data available |

|                                         |                                       |                                          |
|-----------------------------------------|---------------------------------------|------------------------------------------|
| pH                                      | 12.0                                  |                                          |
| Melting Point/Range                     | -50 °C / -58 °F                       |                                          |
| Softening Point                         | No data available                     |                                          |
| Boiling Point/Range                     | 55 - °C / 131 - 136.4 °F              |                                          |
| Flammability (liquid)                   | Highly flammable                      | On basis of test data                    |
| Flammability (solid,gas)                | Not applicable                        | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 1.7<br><b>Upper</b> 10.1 |                                          |
| Flash Point                             | -23 °C / -9.4 °F                      | <b>Method</b> - No information available |
| Autoignition Temperature                | 312 °C / 593.6 °F                     |                                          |
| Decomposition Temperature               | No data available                     |                                          |
| Viscosity                               | No data available                     |                                          |
| Water Solubility                        | Soluble                               |                                          |
| Solubility in other solvents            | No information available              |                                          |
| Partition Coefficient (n-octanol/water) |                                       |                                          |
| Component                               | <b>log Pow</b>                        |                                          |
| Diethylamine                            | 0.58                                  |                                          |
| Vapor Pressure                          | 250 mbar @ 20 °C                      |                                          |
| Density / Specific Gravity              | 0.710                                 |                                          |
| Bulk Density                            | Not applicable                        | Liquid                                   |
| Vapor Density                           | No data available                     | (Air = 1.0)                              |
| Particle characteristics                | Not applicable (liquid)               |                                          |

**Other information**

|                      |                                             |
|----------------------|---------------------------------------------|
| Molecular Formula    | C4 H11 N                                    |
| Molecular Weight     | 73.13                                       |
| VOC Content(%)       | 100                                         |
| Explosive Properties | Vapors may form explosive mixtures with air |

## Section 10 - Stability and Reactivity

|                                  |                                                                                                                                                           |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity                       | None known, based on information available                                                                                                                |
| Stability                        | Stable under recommended storage conditions.                                                                                                              |
| Sensitivity to Mechanical Impact | No information available                                                                                                                                  |
| Sensitivity to Static Discharge  | No information available                                                                                                                                  |
| Hazardous Polymerization         | No information available.                                                                                                                                 |
| Hazardous Reactions              | None under normal processing.                                                                                                                             |
| Conditions to Avoid              | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition.                                                     |
| Incompatible Materials           | Acids, Strong oxidizing agents.                                                                                                                           |
| Hazardous Decomposition Products | Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide (CO). Nitrogen oxides (NOx). Carbon dioxide (CO <sub>2</sub> ). |

## Section 11 - Toxicological Information

**Acute Effects****Information on likely routes of exposure****Product Information**

|            |                        |
|------------|------------------------|
| Inhalation | Harmful by inhalation. |
|------------|------------------------|

|                  |                                                                                                                                  |
|------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Eyes</b>      | Causes burns. Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.             |
| <b>Skin</b>      | Causes burns.                                                                                                                    |
| <b>Ingestion</b> | Harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth, throat, and stomach. |

**Numerical measures of toxicity****(a) acute toxicity;**

|                   |                   |
|-------------------|-------------------|
| <b>Oral</b>       | No data available |
| <b>Dermal</b>     | No data available |
| <b>Inhalation</b> | No data available |

| Component    | LD50 Oral         | LD50 Dermal                 | LC50 Inhalation                             |
|--------------|-------------------|-----------------------------|---------------------------------------------|
| Diethylamine | 540 mg/kg ( Rat ) | LD50 = 582 mg/kg ( Rabbit ) | 17.3 mg/L/4h ( Rat )<br>4000 ppm/4h ( Rat ) |

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** No data available

**(d) respiratory or skin sensitization;**

|                    |                   |
|--------------------|-------------------|
| <b>Respiratory</b> | No data available |
| <b>Skin</b>        | No data available |

**(e) germ cell mutagenicity;** No data available

Not mutagenic in AMES Test

**(f) carcinogenicity;** No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** No data available

**Results / Target organs** Respiratory system

**(i) STOT-repeated exposure;** No data available

**Target Organs** No information available.

**(j) aspiration hazard;** Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed**

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

**Section 12 - Ecological Information****Ecotoxicity****Aquatic ecotoxicity**

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component    | Freshwater Fish                                                                                                                                                       | Water Flea                            | Freshwater Algae                                       | Microtox                                                                                                                       |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Diethylamine | LC50: 100 - 180 mg/L, 96h semi-static (Poecilia reticulata)<br>LC50: = 25 mg/L, 96h (Oncorhynchus mykiss)<br>LC50: = 855 mg/L, 96h flow-through (Pimephales promelas) | EC50: = 100 mg/L, 48h (Daphnia magna) | EC50: = 20 mg/L, 96h (Pseudokirchneriella subcapitata) | EC50 = 21.8 mg/L 15 min<br>EC50 = 24.8 mg/L 30 min<br>EC50 = 27.2 mg/L 15 min<br>EC50 = 35.0 mg/L 5 min<br>EC50 = 47 mg/L 17 h |

**Terrestrial ecotoxicity**

There is no data for this product

**Persistence and Degradability**

Readily biodegradable

**Persistence**

Persistence is unlikely, based on information available.

**Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential**

Bioaccumulation is unlikely

| Component    | log Pow | Bioconcentration factor (BCF) |
|--------------|---------|-------------------------------|
| Diethylamine | 0.58    | No data available             |

**Mobility**

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

**Other adverse effects**
**Endocrine Disruptor Information**  
**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste treatment methods****Waste from Residues/Unused Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information**

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with high pH-value must be neutralized before discharge.

## Section 14 - Transport Information



| Component                        | Hazchem Code |
|----------------------------------|--------------|
| Diethylamine<br>109-89-7 ( >95 ) | 2WE          |

**NZS 5433:2020**

UN-No UN1154  
Proper Shipping Name DIETHYLAMINE  
Hazard Class 3  
Subsidiary Hazard Class 8  
Packing Group II

**IATA**

UN-No UN1154  
Proper Shipping Name DIETHYLAMINE  
Hazard Class 3  
Subsidiary Hazard Class 8  
Packing Group II

**IMDG/IMO**

UN-No UN1154  
Proper Shipping Name DIETHYLAMINE  
Hazard Class 3  
Subsidiary Hazard Class 8  
Packing Group II

Environmental hazards No hazards identified

Transport in bulk according to  
Annex II of MARPOL 73/78 and the  
IBC Code Not applicable, packaged goods

Special Precautions No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.

Additional information None known

## **Section 15 - Regulatory Information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                      |           |
|----------------------|-----------|
| HSNO Approval Number | HSR001127 |
|----------------------|-----------|

**National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

**International Regulations**

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Authorisation/Restrictions  
according to EU REACH**

| Component    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Diethylamine | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

**International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component    | CAS No   | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|--------------|----------|-------|------|-----------|--------|-----|----------|-------|------|
| Diethylamine | 109-89-7 | X     | X    | 203-716-3 | -      | -   | KE-13688 | X     | X    |

| Component    | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|--------------|----------|------|-----------------------------------------------|-----|------|-------|------|------|
| Diethylamine | 109-89-7 | X    | ACTIVE                                        | X   | -    | X     | X    | X    |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

**This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations**

**Legend**

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

**Key literature references and sources for data**

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Revision Date**

13-Mar-2023

**Revision Summary**

Not applicable

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet