

Creation Date 08-Jan-2008

Revision Date 22-Sep-2023

Revision Number 7

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Description:** Sodium hydride, 60% dispersion in mineral oil  
**Cat No. :** 189860000; 189860010; 189860050; 189861000; 189862500  
**Molecular Formula** H Na

**Unique Formula Identifier (UFI)** RG40-031W-JX0K-A2MN

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
e-mail - infoch@thermofisher.com

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

#### Poison Centre - Emergency information services

**Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## 2.1. Classification of the substance or mixture

### CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Substances/mixtures which, in contact with water, emit flammable gases

Category 1 (H260)

#### Health hazards

Based on available data, the classification criteria are not met

#### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

**Danger**

### **Hazard Statements**

H260 - In contact with water releases flammable gases which may ignite spontaneously

### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P302 + P335 + P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

P370 + P378 - In case of fire: Use sand for extinction

P402 + P404 - Store in a dry place. Store in a closed container

P501 - Dispose of contents/container in accordance with local, regional, national and international regulations.

## 2.3. Other hazards

Water reactive

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

| Component                    | CAS No    | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|------------------------------|-----------|-------------------|----------|---------------------------------------------------|
| White mineral oil, petroleum | 8042-47-5 | EEC No. 232-455-8 | 40       | -                                                 |
| Sodium hydride               | 7646-69-7 | EEC No. 231-587-3 | 60       | Water-react. 1 (H260)                             |

| Components        | Reach Registration Number |
|-------------------|---------------------------|
| White mineral oil | 01-2119487078-27          |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                   |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                            |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.   |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.             |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.      |
| <b>Self-Protection of the First Aider</b> | No special precautions required.                                                                                  |

### 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable Extinguishing Media**  
Dry sand.

**Extinguishing media which must not be used for safety reasons**  
Water. Foam. Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Water reactive. Contact with water liberates extremely flammable gases. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

**Hazardous Combustion Products**  
Hydrogen.

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### 6.2. Environmental precautions

Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from moisture. Keep from any possible contact with water. Store under an inert atmosphere.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 4.3

**Switzerland - Storage of hazardous substances**

Storage class - SC 4.3  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure limits**

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

List source(s): **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component                    | Italy | Germany                                                                                                                                       | Portugal | The Netherlands | Finland |
|------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|---------|
| White mineral oil, petroleum |       | TWA: 5 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 4<br>TWA: 5 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 20 mg/m <sup>3</sup> |          |                 |         |

| Component                    | Austria | Denmark | Switzerland                        | Poland | Norway |
|------------------------------|---------|---------|------------------------------------|--------|--------|
| White mineral oil, petroleum |         |         | TWA: 5 mg/m <sup>3</sup> 8 Stunden |        |        |

| Component                    | Estonia | Gibraltar | Greece | Hungary                               | Iceland |
|------------------------------|---------|-----------|--------|---------------------------------------|---------|
| White mineral oil, petroleum |         |           |        | TWA: 5 mg/m <sup>3</sup> 8 órában. AK |         |

| Component                    | Latvia                   | Lithuania | Luxembourg | Malta | Romania |
|------------------------------|--------------------------|-----------|------------|-------|---------|
| White mineral oil, petroleum | TWA: 5 mg/m <sup>3</sup> |           |            |       |         |

| Component                    | Russia                                    | Slovak Republic | Slovenia                                                                                                         | Sweden | Turkey |
|------------------------------|-------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------|--------|--------|
| White mineral oil, petroleum | Skin notation<br>MAC: 5 mg/m <sup>3</sup> |                 | TWA: 5 mg/m <sup>3</sup> 8 urah respirable fraction<br>STEL: 20 mg/m <sup>3</sup> 15 minutah respirable fraction |        |        |

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component                                        | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|--------------------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| White mineral oil, petroleum<br>8042-47-5 ( 40 ) |                              |                                 |                                | DNEL = 217.05mg/kg bw/day         |

| Component                                        | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|--------------------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| White mineral oil, petroleum<br>8042-47-5 ( 40 ) |                                  |                                     |                                    | DNEL = 164.56mg/m <sup>3</sup>        |
| Sodium hydride<br>7646-69-7 ( 60 )               |                                  |                                     | DNEL = 1mg/m <sup>3</sup>          |                                       |

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## Predicted No Effect Concentration (PNEC)

No information available.

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                     |                   |
|---------------------|-------------------|
| Physical State      | Powder Solid      |
| Appearance          | Light grey        |
| Odor                | Odorless          |
| Odor Threshold      | No data available |
| Melting Point/Range | 800 °C / 1472 °F  |
| Softening Point     | No data available |

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Boiling Point/Range                     | No information available |                                   |
| Flammability (liquid)                   | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | 165 °C / 329 °F          | Method - No information available |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | > 225°C                  |                                   |
| pH                                      | No information available |                                   |
| Viscosity                               | Not applicable           | Solid                             |
| Water Solubility                        | Reacts with water        |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Component                               | log Pow                  |                                   |
| White mineral oil, petroleum            | 6                        |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | No data available        |                                   |
| Bulk Density                            | No data available        |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Particle characteristics                | No data available        |                                   |

## 9.2. Other information

|                                                                        |                                                      |
|------------------------------------------------------------------------|------------------------------------------------------|
| Molecular Formula                                                      | H Na                                                 |
| Molecular Weight                                                       | 24                                                   |
| Substances/mixtures which, in contact with water, emit flammable gases | Emitted gas ignites spontaneously Gas(es) = Hydrogen |
| Evaporation Rate                                                       | Not applicable - Solid                               |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Water reactive. Moisture sensitive.

### 10.3. Possibility of hazardous reactions

|                          |                                          |
|--------------------------|------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### 10.4. Conditions to avoid

Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Acids. Strong oxidizing agents. Alcohols. Water.

### 10.6. Hazardous decomposition products

Hydrogen.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## Product Information

### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

## Toxicology data for the components

| Component                    | LD50 Oral         | LD50 Dermal          | LC50 Inhalation |
|------------------------------|-------------------|----------------------|-----------------|
| White mineral oil, petroleum | >5000 mg/kg (Rat) | >3000 mg/kg (Rabbit) | -               |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

No information available.

(j) aspiration hazard; Not applicable  
Solid

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

This product contains the following substance(s) which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.



# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

| Component                    | Freshwater Fish                                  | Water Flea | Freshwater Algae |
|------------------------------|--------------------------------------------------|------------|------------------|
| White mineral oil, petroleum | LC50: > 10000 mg/L, 96h<br>(Lepomis macrochirus) |            |                  |

|                                              |                                                           |
|----------------------------------------------|-----------------------------------------------------------|
| <b>12.2. Persistence and degradability</b>   | No information available                                  |
| <b>Persistence</b>                           | Persistence is unlikely, based on information available.  |
| <b>Degradability</b>                         | Not relevant for inorganic substances, Reacts with water. |
| <b>Degradation in sewage treatment plant</b> | Water reactive.                                           |

|                                        |                                                           |
|----------------------------------------|-----------------------------------------------------------|
| <b>12.3. Bioaccumulative potential</b> | Product does not bioaccumulate due to reaction with water |
|----------------------------------------|-----------------------------------------------------------|

| Component                    | log Pow | Bioconcentration factor (BCF) |
|------------------------------|---------|-------------------------------|
| White mineral oil, petroleum | 6       | No data available             |

|                               |                                                              |
|-------------------------------|--------------------------------------------------------------|
| <b>12.4. Mobility in soil</b> | Reacts with water . Is not likely mobile in the environment. |
|-------------------------------|--------------------------------------------------------------|

|                                                 |                 |
|-------------------------------------------------|-----------------|
| <b>12.5. Results of PBT and vPvB assessment</b> | Water reactive. |
|-------------------------------------------------|-----------------|

|                                              |                                                                           |
|----------------------------------------------|---------------------------------------------------------------------------|
| <b>12.6. Endocrine disrupting properties</b> |                                                                           |
| <b>Endocrine Disruptor Information</b>       | This product does not contain any known or suspected endocrine disruptors |

|                                     |                                                                |
|-------------------------------------|----------------------------------------------------------------|
| <b>12.7. Other adverse effects</b>  |                                                                |
| <b>Persistent Organic Pollutant</b> | This product does not contain any known or suspected substance |
| <b>Ozone Depletion Potential</b>    | This product does not contain any known or suspected substance |

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

|                                            |                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from Residues/Unused Products</b> | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.                                                                                                                                     |
| <b>Contaminated Packaging</b>              | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                                   |
| <b>European Waste Catalogue (EWC)</b>      | According to the European Waste Catalog, Waste Codes are not product specific, but application specific.                                                                                                                                                                                                   |
| <b>Other Information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.                                                                                                    |
| <b>Switzerland - Waste Ordinance</b>       | Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600<br><a href="https://www.fedlex.admin.ch/eli/cc/2015/891/en">https://www.fedlex.admin.ch/eli/cc/2015/891/en</a> |

## SECTION 14: TRANSPORT INFORMATION

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## IMDG/IMO

**14.1. UN number** UN1427  
**14.2. UN proper shipping name** SODIUM HYDRIDE  
**14.3. Transport hazard class(es)** 4.3  
**14.4. Packing group** I

## ADR

**14.1. UN number** UN1427  
**14.2. UN proper shipping name** SODIUM HYDRIDE  
**14.3. Transport hazard class(es)** 4.3  
**14.4. Packing group** I

## IATA

**14.1. UN number** UN1427  
**14.2. UN proper shipping name** SODIUM HYDRIDE  
**14.3. Transport hazard class(es)** 4.3  
**14.4. Packing group** I

**14.5. Environmental hazards** No hazards identified  
**14.6. Special precautions for user** No special precautions required.  
**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                    | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|------------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| White mineral oil, petroleum | 8042-47-5 | 232-455-8 | -      | -   | X     | X    | KE-35412 | X    | X    |
| Sodium hydride               | 7646-69-7 | 231-587-3 | -      | -   | X     | X    | KE-31467 | X    | X    |

| Component                    | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|------------------------------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| White mineral oil, petroleum | 8042-47-5 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |
| Sodium hydride               | 7646-69-7 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Not applicable

| Component                    | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| White mineral oil, petroleum | 8042-47-5 | -                                                                   | -                                                                             | -                                                                                                     |
| Sodium hydride               | 7646-69-7 | -                                                                   | -                                                                             | -                                                                                                     |

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

## Seveso III Directive (2012/18/EC)

| Component                    | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|------------------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| White mineral oil, petroleum | 8042-47-5 | Not applicable                                                                            | Not applicable                                                                           |
| Sodium hydride               | 7646-69-7 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

| Component                    | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|------------------------------|---------------------------------------|-------------------------|
| White mineral oil, petroleum | WGK1                                  |                         |
| Sodium hydride               | WGK1                                  |                         |

| Component                    | France - INRS (Tables of occupational diseases)         |
|------------------------------|---------------------------------------------------------|
| White mineral oil, petroleum | Tableaux des maladies professionnelles (TMP) - RG 36bis |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H260 - In contact with water releases flammable gases which may ignite spontaneously

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

# SAFETY DATA SHEET

Sodium hydride, 60% dispersion in mineral oil

Revision Date 22-Sep-2023

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 08-Jan-2008

**Revision Date** 22-Sep-2023

**Revision Summary** Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**