

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **Zinc Copper composite**
Cat No. : **44013**
Molecular Formula Typically Zn 90-95, Cu 5-10 wt%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Flammable solids	Category 2 (H228)
Health hazards Based on available data, the classification criteria are not met	
Environmental hazards	
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 2 (H411)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

- H228 - Flammable solid
- H400 - Very toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

Section 3: Composition/information on ingredients

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Copper	7440-50-8	EEC No. 231-159-6	5 - 10	Flam. Sol. 2 (H228) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)
Zinc	7440-66-6	EEC No. 231-175-3	90 - 95	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits	M-Factor	Component notes
-----------	-------------------------------	----------	-----------------

ALFAA44013

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

	(SCL's)		
Copper	-	1 (Acute)	-
Zinc	-	1	-

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Zinc oxide, Copper oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Protect from light.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 4.1B

Switzerland - Storage of hazardous substances

Storage class - SC 4.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered,

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Copper		STEL: 0.6 mg/m ³ 15 min STEL: 2 mg/m ³ 15 min TWA: 1 mg/m ³ 8 hr TWA: 0.2 mg/m ³ 8 hr	TWA / VME: 0.2 mg/m ³ (8 heures). TWA / VME: 1 mg/m ³ (8 heures). STEL / VLCT: 2 mg/m ³ .	TWA: 0.2 mg/m ³ 8 uren TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 0.01 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Copper		TWA: 0.01 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.02 mg/m ³	TWA: 0.2 mg/m ³ 8 horas TWA: 1 mg/m ³ 8 horas	TWA: 0.1 mg/m ³ 8 uren	TWA: 0.02 mg/m ³ 8 tunteina
Zinc		TWA: 0.1 mg/m ³ (8 Stunden). MAK TWA: 2 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.4 mg/m ³ Höhepunkt: 4 mg/m ³			

Component	Austria	Denmark	Switzerland	Poland	Norway
Copper	MAK-KZGW: 4 mg/m ³ 15 Minuten MAK-KZGW: 0.4 mg/m ³ 15 Minuten MAK-TMW: 1 mg/m ³ 8 Stunden MAK-TMW: 0.1 mg/m ³ 8 Stunden	TWA: 1.0 mg/m ³ 8 timer TWA: 0.1 mg/m ³ 8 timer STEL: 2 mg/m ³ 15 minutter STEL: 0.2 mg/m ³ 15 minutter	STEL: 0.2 mg/m ³ 15 Minuten TWA: 0.1 mg/m ³ 8 Stunden	TWA: 0.2 mg/m ³ 8 godzinach	TWA: 0.1 mg/m ³ 8 timer TWA: 1 mg/m ³ 8 timer STEL: 3 mg/m ³ 15 minutter. value calculated dust STEL: 0.3 mg/m ³ 15 minutter. value calculated fume

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Copper	TWA: 0.1 mg/m ³	TWA-GVI: 0.2 mg/m ³ 8 satima. Cu fume TWA-GVI: 1 mg/m ³ 8 satima. Cu dust STEL-KGVI: 2 mg/m ³ 15 minutama. dust Cu	TWA: 0.2 mg/m ³ 8 hr. Cu fume TWA: 1 mg/m ³ 8 hr. Cu dusts and mists STEL: 2 mg/m ³ 15 min STEL: 0.6 mg/m ³ 15 min		TWA: 1 mg/m ³ 8 hodinách. dust TWA: 0.1 mg/m ³ 8 hodinách. fume Ceiling: 2 mg/m ³ dust Ceiling: 0.2 mg/m ³ fume

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Copper	TWA: 1 mg/m ³ 8 tundides. total dust TWA: 0.2 mg/m ³ 8 tundides. respirable dust		STEL: 2 mg/m ³ TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	STEL: 0.2 mg/m ³ 15 percekben. CK TWA: 0.1 mg/m ³ 8 órában. AK TWA: 0.01 mg/m ³ 8 órában. AK	TWA: 1.0 mg/m ³ 8 klukkustundum. total dust and powder TWA: 0.1 mg/m ³ 8 klukkustundum. Cu inhalable fraction, fume Ceiling: 2 mg/m ³ total dust and powder Ceiling: 0.2 mg/m ³ Cu inhalable fraction, fume

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Copper	STEL: 1 mg/m ³ TWA: 0.5 mg/m ³	TWA: 1 mg/m ³ inhalable fraction IPRD TWA: 0.2 mg/m ³ respirable fraction IPRD			TWA: 0.5 mg/m ³ 8 ore STEL: 0.2 mg/m ³ 15 minute STEL: 1.5 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Copper	TWA: 0.5 mg/m ³ 1234 MAC: 1 mg/m ³	TWA: 1 mg/m ³ inhalable fraction TWA: 0.2 mg/m ³ respirable fraction		TLV: 0.01 mg/m ³ 8 timmar. NGV	
Zinc		TWA: 0.1 mg/m ³ respirable fraction TWA: 2 mg/m ³ inhalable fraction			

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Copper 7440-50-8 (5 - 10)		DNEL = 273mg/kg bw/day		DNEL = 137mg/kg bw/day
Zinc 7440-66-6 (90 - 95)				DNEL = 83mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Zinc 7440-66-6 (90 - 95)				DNEL = 5mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Copper 7440-50-8 (5 - 10)	PNEC = 7.8µg/L	PNEC = 87mg/kg sediment dw		PNEC = 230µg/L	PNEC = 65mg/kg soil dw
Zinc 7440-66-6 (90 - 95)	PNEC = 20.6µg/L	PNEC = 235.6mg/kg sediment dw		PNEC = 100µg/L	PNEC = 106.8mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Copper 7440-50-8 (5 - 10)	PNEC = 5.2µg/L	PNEC = 676mg/kg sediment dw			
Zinc 7440-66-6 (90 - 95)	PNEC = 6.1µg/L	PNEC = 121mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments (minimum requirement)
Natural rubber	See manufacturers	-	EN 374	
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance	Grey	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	Not applicable	Solid
Water Solubility	Insoluble in water	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Particle characteristics No data available

9.2. Other information

Molecular Formula Typically Zn 90-95, Cu 5-10 wt%
Flammable solids Burning rate or burning time = > 5 minutes and <= 10 minutes > 2.2 mm/s or < 45 secs
Wetted zone passed - No
Evaporation Rate Not applicable - Solid

Section 10: Stability and reactivity

10.1. Reactivity None known, based on information available

10.2. Chemical stability Light sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid Exposure to light.

10.5. Incompatible materials None known.

10.6. Hazardous decomposition products Zinc oxide. Copper oxides.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;
Oral Based on available data, the classification criteria are not met
Dermal No data available
Inhalation No data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper	-	-	LC50 > 5.11 mg/L (Rat) 4 h
Zinc	LD50 = 630 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Copper	Onchorhynchys mykiss: LC50=0.15 mg/L 96h Cuprinus carpio: LC50=0.8 mg/L 96h	EC50: = 0.03 mg/L, 48h Static (Daphnia magna)	0.0426-0.0535 mg/L EC50 72 h 0.031-0.054 mg/L EC50 96 h
Zinc	LC50: = 0.41 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h (Cyprinus carpio)	EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)	EC50: 0.09 - 0.125 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella subcapitata)

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

	LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus)		
--	---	--	--

Component	Microtox	M-Factor
Copper		1 (Acute)
Zinc		1

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
Persistence Insoluble in water, May persist.
Degradability Not relevant for inorganic substances.
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

12.4. Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties
Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

empty into drains.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

Section 14: Transport information

IMDG/IMO

14.1. UN number UN3089
14.2. UN proper shipping name Metal powder, flammable, n.o.s.
Technical Shipping Name (zinc copper composite)
14.3. Transport hazard class(es) 4.1
14.4. Packing group III

ADR

14.1. UN number UN3089
14.2. UN proper shipping name Metal powder, flammable, n.o.s.
Technical Shipping Name (zinc copper composite)
14.3. Transport hazard class(es) 4.1
14.4. Packing group III

IATA

14.1. UN number UN3089
14.2. UN proper shipping name Metal powder, flammable, n.o.s.
Technical Shipping Name (zinc copper composite)
14.3. Transport hazard class(es) 4.1
14.4. Packing group III

14.5. Environmental hazards Dangerous for the environment
Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Copper	7440-50-8	231-159-6	-	-	X	X	KE-08896	X	-
Zinc	7440-66-6	231-175-3	-	-	X	X	KE-35518	X	-

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Copper	7440-50-8	X	ACTIVE	X	-	X	X	X
Zinc	7440-66-6	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Copper	7440-50-8	-	Use restricted. See entry 75. (see link for restriction details)	-
Zinc	7440-66-6	-	Use restricted. See entry 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Copper	7440-50-8	Not applicable	Not applicable
Zinc	7440-66-6	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Copper	WGK2	Class III : 1 mg/m ³ (Massenkonzentration)
Zinc	WGK2	

Component	France - INRS (Tables of occupational diseases)
Zinc	Tableaux des maladies professionnelles (TMP) - RG 61

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Copper 7440-50-8 (5 - 10)	Prohibited and Restricted Substances		
Zinc 7440-66-6 (90 - 95)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects
H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical incident response training.

Prepared By

Health, Safety and Environmental Department

Revision Date

20-May-2025

Revision Summary

SDS sections updated.

SAFETY DATA SHEET

Zinc Copper composite

Revision Date 20-May-2025

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet