

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: **2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF**  
 Product Description: **2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF**  
 Cat No. : H54820  
 Molecular Formula C7 H6 Cl2 Mg

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                   |                     |
|-----------------------------------|---------------------|
| Flammable liquids                 | Category 2 (H225)   |
| Acute oral toxicity               | Category 4 (H302)   |
| Skin Corrosion/Irritation         | Category 1 B (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318)   |

**Label Elements**


Signal Word

Danger

Hazard Statements

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

H225 - Highly flammable liquid and vapor  
H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage

## Precautionary Statements

### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P240 - Ground and bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P331 - Do NOT induce vomiting  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

EUH014 - Reacts violently with water  
EUH019 - May form explosive peroxides

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component                                  | CAS No     | Weight % |
|--------------------------------------------|------------|----------|
| Methyltetrahydrofuran                      | 96-47-9    | 90.2     |
| Magnesium, chloro[(2-chlorophenyl)methyl]- | 29874-00-8 | 9.8      |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

#### Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

unconscious person. Call a physician immediately.

## Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

## Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

### Notes to Physician

Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

Water.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### Hazardous Combustion Products

None under normal use conditions.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles

#### Hand Protection

Protective gloves

#### Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### Recommended Filter type:

low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

vapours filter Type A Brown conforming to EN14387  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
When RPE is used a face piece Fit Test should be conducted

## Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

## Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Appearance

#### Physical State

Liquid

#### Odor

No information available

#### Odor Threshold

No data available

#### pH

No information available

#### Melting Point/Range

No data available

#### Softening Point

No data available

#### Boiling Point/Range

No information available

#### Flash Point

-11 °C / 12.2 °F

**Method -** No information available

#### Evaporation Rate

No data available

#### Flammability (solid,gas)

Not applicable

Liquid

#### Explosion Limits

No data available

#### Vapor Pressure

23 hPa @ 20 °C

#### Vapor Density

No data available

(Air = 1.0)

#### Specific Gravity / Density

No data available

#### Bulk Density

Not applicable

Liquid

#### Water Solubility

Immiscible

#### Solubility in other solvents

No information available

### Partition Coefficient (n-octanol/water)

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

#### Viscosity

No data available

#### Explosive Properties

Vapors may form explosive mixtures with air

#### Oxidizing Properties

No information available

#### Molecular Formula

C7 H6 Cl2 Mg

#### Molecular Weight

185.33

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

Yes.

## Chemical Stability

Water reactive.

## Possibility of Hazardous Reactions

### **Hazardous Polymerization**

No information available.

### **Hazardous Reactions**

None under normal processing. Reacts violently with water.

## Conditions to Avoid

Exposure to moist air or water. Exposure to moisture. Keep away from open flames, hot surfaces and sources of ignition.

## Incompatible Materials

None known.

## Hazardous Decomposition Products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

Oral

Category 4

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

### Toxicology data for the components

| Component             | LD50 Oral              | LD50 Dermal           | LC50 Inhalation      |
|-----------------------|------------------------|-----------------------|----------------------|
| Methyltetrahydrofuran | 300-2000 mg/kg ( Rat ) | 4500 mg/kg ( Rabbit ) | 6000 ppm ( Rat ) 4 h |

#### (b) skin corrosion/irritation;

Category 1 B

#### (c) serious eye damage/irritation;

Category 1

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

| Component             | Freshwater Fish                                                  | Water Flea                                             | Freshwater Algae                                   | Microtox |
|-----------------------|------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------|----------|
| Methyltetrahydrofuran | LC50 (96h) > 100 mg/l<br>Onchorhynchus mykiss<br>(Rainbow trout) | Chronic NOEC >=120<br>mg/l (21 days, Daphnia<br>magna) | NOEC >= 104 mg/l<br>(72h)<br>EC50 > 104 mg/l (72h) |          |

### Persistence and degradability

**Persistence** Persistence is unlikely.

| Component                                 | Degradability |
|-------------------------------------------|---------------|
| Methyltetrahydrofuran<br>96-47-9 ( 90.2 ) | (2%) 28 days  |

**Bioaccumulative potential** Bioaccumulation is unlikely

**Mobility in soil** Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Other adverse effects** No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

|                               |                                                                                                                                                                                                                                                                                            |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Contaminated Packaging</b> | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                   |
| <b>Other Information</b>      | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. |

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                         |                                                                                               |
|-------------------------|-----------------------------------------------------------------------------------------------|
| UN-No                   | UN2924                                                                                        |
| Hazard Class            | 3                                                                                             |
| Subsidiary Hazard Class | 8                                                                                             |
| Packing Group           | II                                                                                            |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s. (2-Chlorobenzylmagnesium chloride, METHYLTETRAHYDROFURAN) |

### Road and Rail Transport

|                         |                                                                                               |
|-------------------------|-----------------------------------------------------------------------------------------------|
| UN-No                   | UN2924                                                                                        |
| Hazard Class            | 3                                                                                             |
| Subsidiary Hazard Class | 8                                                                                             |
| Packing Group           | II                                                                                            |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s. (2-Chlorobenzylmagnesium chloride, METHYLTETRAHYDROFURAN) |

### IATA

|                         |                                                                                               |
|-------------------------|-----------------------------------------------------------------------------------------------|
| UN-No                   | UN2924                                                                                        |
| Hazard Class            | 3                                                                                             |
| Subsidiary Hazard Class | 8                                                                                             |
| Packing Group           | II                                                                                            |
| Proper Shipping Name    | Flammable liquid, corrosive, n.o.s. (2-Chlorobenzylmagnesium chloride, METHYLTETRAHYDROFURAN) |

**Special Precautions for User** No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** X = listed

| Component                                  | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|--------------------------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Methyltetrahydrofuran                      | 202-507-4 | X    | X   | X     | -    | X    | X     | X    | KE-33479 |
| Magnesium, chloro[(2-chlorophenyl)methyl]- | -         | X    | -   | -     | -    | -    | -     | -    | -        |

### National Regulations

**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance



# SAFETY DATA SHEET

2-Chlorobenzylmagnesium chloride, 0.50M in 2-MeTHF

Revision Date 30-Mar-2025

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By**

**Revision Date**

**Revision Summary**

Health, Safety and Environmental Department

30-Mar-2025

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**