

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product Identifier**

Perihal Produk: **LAP Disk W/Reagent Kit**
Product Description: **LAP Disk W/Reagent Kit**
Cat No. : **R30168501**

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Thermo Scientific Microbiology Sdn Bhd
No.6, Jalan TTC 6, Taman Teknologi Cheng,
Cheng, 75250 Melaka, Malaysia
+606 334 0975 .

Supplier Remel
12076 Santa Fe Drive Lenexa,
KS 66215 United States
Telephone: 1-800-255-6730
Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

Emergency Telephone Number

(603) 5122 8888
CHEMTREC Malaysia **1-800-815-308** (Malay)
CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

SECTION 2: HAZARDS IDENTIFICATION**Classification of the substance or mixture**

Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Reproductive Toxicity	Category 1B (H360FD)

Label Elements

Signal Word

Danger

Hazard Statements

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H360FD - May damage fertility. May damage the unborn child

Precautionary Statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
2-Methoxyethanol	109-86-4	4.97
Acetic acid	64-19-7	2.49
Sodium lauryl sulfate	151-21-3	0.5
(S)-2-Amino-4-methyl-N-2-naphthylvaleramide monohydrochloride	893-36-7	0.69
Tris (hydroxymethyl) aminomethane	77-86-1	0.7
ID221 p-Dimethylaminocinnamaldehyde	6203-18-5	0.01
Water	7732-18-5	92.03

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation

Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, give oxygen.

Self-Protection of the First Aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
2-Methoxyethanol		TWA: 0.1 ppm Skin	(Vacated) TWA: 25 ppm (Vacated) TWA: 80 mg/m ³ Skin TWA: 25 ppm TWA: 80 mg/m ³
Acetic acid		TWA: 10 ppm STEL: 15 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³

Component	European Union	The United Kingdom	Germany
2-Methoxyethanol	TWA: 1 ppm (8h) Skin	STEL: 3 ppm 15 min STEL: 9 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 3 mg/m ³ 8 hr Skin	TWA: 1 ppm (8 Stunden). AGW - exposure factor 8 TWA: 3.2 mg/m ³ (8 Stunden). AGW - exposure factor 8 TWA: 1 ppm (8 Stunden). MAK applies for the sum of the concentrations of 2-Methoxyethanol and its Acetate in air TWA: 3.2 mg/m ³ (8 Stunden). MAK applies for the sum of the concentrations of 2-Methoxyethanol and its Acetate in air Höhepunkt: 8 ppm Höhepunkt: 25.6 mg/m ³ Haut
Acetic acid	TWA: 25 mg/m ³ (15min) TWA: 10 ppm (15min) STEL: 50 mg/m ³ (8h) STEL: 20 ppm (8h)	STEL: 37 mg/m ³ STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 25 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m ³

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical State

Liquid

Odor

No information available

Odor Threshold

No data available

pH

No information available

Melting Point/Range

No data available

Softening Point

No data available

Boiling Point/Range

No information available

Flash Point

No information available

Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

No data available

Vapor Pressure

No data available

Vapor Density

No data available

(Air = 1.0)

Specific Gravity / Density

No data available

Bulk Density

Not applicable

Liquid

Water Solubility

No information available

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Component

log Pow

2-Methoxyethanol

-0.77

Acetic acid

-0.2

Sodium lauryl sulfate

1.6

Autoignition Temperature

No data available

Decomposition Temperature

No data available

Viscosity

No data available

Explosive Properties

No information available

Oxidizing Properties

No information available

VOC Content(%)

7.46

SECTION 10: STABILITY AND REACTIVITY

Reactivity

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.
None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat.

Incompatible Materials

None known.

Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Methoxyethanol	LD50 = 2370 mg/kg (Rat)	LD50 = 1280 mg/kg (Rabbit)	LC50 = 1478 ppm (Rat) 7 h
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h
Sodium lauryl sulfate	LD50 = 1288 mg/kg (Rat)	LD50 = 200 mg/kg (Rabbit)	LC50 > 3900 mg/m ³ (Rat) 1 h
Tris (hydroxymethyl) aminomethane	LD50 = 5900 mg/kg (Rat)	LD50 > 5000 mg/kg (Rat)	
Water	-	-	-

Chronic Toxicity

Carcinogenicity

There are no known carcinogenic chemicals in this product

Legend:

X - Listed '-' - Not Listed S - Indicates a substance that is identified in a proposed or final Significant New Use Rule.

Sensitization

No information available

Mutagenic Effects

No information available

Reproductive Effects

No information available

Developmental Effects

No information available

Target Organs

No information available.

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
2-Methoxyethanol	LC50: = 9650 mg/L, 96h static (Lepomis macrochirus) LC50: = 16000 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus)			
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min
Sodium lauryl sulfate	1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 4.3-8.5 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h 4.2 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia magna)	EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus)	= 0.46 mg/L EC50 Photobacterium phosphoreum 30 min = 0.72 mg/L EC50 Photobacterium phosphoreum 15 min = 1.19 mg/L EC50 Photobacterium phosphoreum 5 min
ID221 p-Dimethylaminocinnamaldehyde	LC50: 5.38 - 6.47 mg/L, 96h flow-through (Pimephales promelas)			

Persistence and degradability No information available

Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
2-Methoxyethanol	-0.77	No data available
Acetic acid	-0.2	No data available
Sodium lauryl sulfate	1.6	No data available

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

Mobility in soil No information available.

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

IATA Not regulated

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
2-Methoxyethanol	203-713-7	X	X	X	X	X	X	X	KE-23272
Acetic acid	-	X	X	X	X	X	X	X	X
Sodium lauryl sulfate	205-788-1	X	X	X	X	X	X	X	KE-21884
(S)-2-Amino-4-methyl-N-2-naphthylvaleramide monohydrochloride	-	-	-	-	-	-	-	-	KE-21963
Tris (hydroxymethyl) aminomethane	-	X	X	X	X	X	X	X	KE-01403
ID221	-	X	X	X	X	X	X	-	-
p-Dimethylaminocinnamaldehyde	-	X	X	X	X	X	X	X	-
Water	231-791-2	X	X	X	X	X	X	X	KE-35400

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetic acid				Annex I - Y34

National Regulations

SAFETY DATA SHEET

LAP Disk W/Reagent Kit

Revision Date 29-Mar-2023

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

29-Mar-2023

Revision Summary

Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet