

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** n-Butyl acrylate

**CAS No** 141-32-2

**Synonyms** 2-Propenoic acid butyl ester

**Product Code** **L03476**

**Address** ThermoFisher Scientific Australia Pty Ltd  
5 Caribbean Drive, Scoresby  
VICTORIA 3179, Australia

**Emergency Tel.** **CHEMTREC®**  
**03 9757 4559 or +613 9757 4559**

**Telephone / Fax Numbers** Tel: 1300 735 292  
Fax: 1800 067 639

**E-mail address** ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids Category 3

#### Health hazards

Acute Inhalation Toxicity - Vapors Category 4  
Skin Corrosion/Irritation Category 2  
Serious Eye Damage/Eye Irritation Category 2  
Skin Sensitization Category 1  
Specific target organ toxicity - (single exposure) Category 3

#### Environmental hazards

Chronic aquatic toxicity Category 3

#### Label Elements



Flame



Exclamation Mark

**Signal Word****Warning****Hazard Statements**

H226 - Flammable liquid and vapor  
H317 - May cause an allergic skin reaction  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P312 - Call a POISON CENTER or doctor if you feel unwell  
P363 - Wash contaminated clothing before reuse  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

Lachrymator (substance which increases the flow of tears)  
Stench  
Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component       | CAS No   | Weight %    |
|-----------------|----------|-------------|
| Butyl acrylate  | 141-32-2 | > 99        |
| 4-Methoxyphenol | 150-76-5 | 0.001-0.002 |

## Section 4 - First Aid Measures

**Inhalation**

Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.

|                                            |                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion</b>                           | Do NOT induce vomiting. Get medical attention.                                                                                                                                                                                                                                                                                        |
| <b>Skin Contact</b>                        | Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.                                                                                                                                                                                                                                             |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                                                                                                                                                                                                       |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                                      |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                                                                  |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                       |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

### Environmental Precautions

Avoid release to the environment. See Section 12 for additional Ecological Information. Collect spillage. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if

available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

#### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Use only non-sparking tools.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

#### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component       | Australia                                                                           | New Zealand WEL                                                                      | ACGIH TLV                | The United Kingdom                                                                                          | Germany                                                                                                                                                                                                                                                    |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Butyl acrylate  | STEL: 5 ppm<br>STEL: 26 mg/m <sup>3</sup><br>TWA: 1 ppm<br>TWA: 5 mg/m <sup>3</sup> | TWA: 2 ppm<br>TWA: 11 mg/m <sup>3</sup><br>STEL: 4 ppm<br>STEL: 22 mg/m <sup>3</sup> | TWA: 2 ppm               | STEL: 5 ppm 15 min<br>STEL: 26 mg/m <sup>3</sup> 15 min<br>TWA: 1 ppm 8 hr<br>TWA: 5 mg/m <sup>3</sup> 8 hr | TWA: 2 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 11 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 2 ppm (8 Stunden). MAK<br>TWA: 11 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 4 ppm<br>Höhepunkt: 22 mg/m <sup>3</sup> Haut |
| 4-Methoxyphenol | TWA: 5 mg/m <sup>3</sup>                                                            | TWA: 5 mg/m <sup>3</sup>                                                             | TWA: 5 mg/m <sup>3</sup> |                                                                                                             |                                                                                                                                                                                                                                                            |

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Exposure Controls

##### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

**Hand Protection**

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Viton (R)      | See manufacturers recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection**

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:**

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-**

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent) When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

|                                                |                                                |                                          |
|------------------------------------------------|------------------------------------------------|------------------------------------------|
| <b>Appearance</b>                              | Colorless                                      |                                          |
| <b>Physical State</b>                          | Liquid                                         |                                          |
| <b>Odor</b>                                    | Stench                                         |                                          |
| <b>Odor Threshold</b>                          | No data available                              |                                          |
| <b>pH</b>                                      | No information available                       |                                          |
| <b>Melting Point/Range</b>                     | -64 °C / -83.2 °F                              |                                          |
| <b>Softening Point</b>                         | No data available                              |                                          |
| <b>Boiling Point/Range</b>                     | 145 °C / 293 °F                                | @ 760 mmHg                               |
| <b>Flash Point</b>                             | 39 °C / 102.2 °F                               | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No data available                              |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable                                 | Liquid                                   |
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.5 Vol%<br><b>Upper</b> 7.8 Vol% |                                          |
| <b>Vapor Pressure</b>                          | 5 mbar @ 20 °C                                 |                                          |
| <b>Vapor Density</b>                           | 4.4                                            | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 0.890                                          |                                          |
| <b>Bulk Density</b>                            | Not applicable                                 | Liquid                                   |
| <b>Water Solubility</b>                        | 1.4 g/l (20°C)                                 |                                          |
| <b>Solubility in other solvents</b>            | No information available                       |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                                |                                          |
| <b>Component</b>                               | <b>log Pow</b>                                 |                                          |
| Butyl acrylate                                 | 2.38                                           |                                          |
| 4-Methoxyphenol                                | 1.3                                            |                                          |
| <b>Autoignition Temperature</b>                | 297 °C / 566.6 °F                              |                                          |
| <b>Decomposition Temperature</b>               | No data available                              |                                          |
| <b>Viscosity</b>                               | 0.869 mPa.s at 20 °C                           |                                          |

**Explosive Properties**  
**Oxidizing Properties**

No information available

explosive air/vapour mixtures possible

**Other information****Molecular Formula**

C7 H12 O2

**Molecular Weight**

128.17

**Section 10 - Stability and Reactivity****Reactivity**

None known, based on information available

**Stability**

Light sensitive.

**Conditions to Avoid**

Temperatures above 30°C, Keep away from open flames, hot surfaces and sources of ignition, Excess heat, Exposure to light, Incompatible products.

**Incompatible Materials**

Strong oxidizing agents, Strong acids, Strong bases, Peroxides.

**Hazardous Decomposition Products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).**Hazardous Polymerization**

Hazardous polymerization may occur upon depletion of inhibitor.

**Section 11 - Toxicological Information****Information on Toxicological Effects****Product Information****(a) acute toxicity;****Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Category 4

| Component       | LD50 Oral                 | LD50 Dermal                  | LC50 Inhalation              |
|-----------------|---------------------------|------------------------------|------------------------------|
| Butyl acrylate  | LD50 = 3150 mg/kg ( Rat ) | LD50 > 2 mg/kg ( Rabbit )    | LC50 = 10.3 mg/L ( Rat ) 4 h |
| 4-Methoxyphenol | 1600 mg/kg (Rat)          | LD50 > 2000 mg/kg ( Rabbit ) |                              |

**(b) skin corrosion/irritation;**

Category 2

**(c) serious eye damage/irritation;**

Category 2

**(d) respiratory or skin sensitization;****Respiratory**

Based on available data, the classification criteria are not met

**Skin**

Category 1

**Sensitization**

May cause sensitization by skin contact

**(e) germ cell mutagenicity;**

Based on available data, the classification criteria are not met

**(f) carcinogenicity;**

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

## Section 12 - Ecological Information

**Ecotoxicity effects** Toxic to aquatic organisms. Do not empty into drains. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

| Component       | Freshwater Fish                                                                                                        | Water Flea                            | Freshwater Algae                                        | Microtox                                                                     |
|-----------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------------|
| Butyl acrylate  | LC50: = 5.2 mg/L, 96h flow-through (Oncorhynchus mykiss)                                                               | EC50: = 8.2 mg/L, 48h (Daphnia magna) | EC50: = 5.5 mg/L, 96h (Pseudokirchneriella subcapitata) | EC50 = 31.0 mg/L 30 min<br>EC50 = 35.0 mg/L 15 min<br>EC50 = 37.0 mg/L 5 min |
| 4-Methoxyphenol | LC50: = 28.5 mg/L, 96h flow-through (Oncorhynchus mykiss)<br>LC50: = 84.3 mg/L, 96h flow-through (Pimephales promelas) |                                       |                                                         | EC50 = 3.66 mg/L 5 min<br>EC50 = 4.30 mg/L 15 min<br>EC50 = 4.61 mg/L 30 min |

**Persistence and Degradability** Expected to be biodegradable

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential**

Bioaccumulation is unlikely

| Component       | log Pow | Bioconcentration factor (BCF) |
|-----------------|---------|-------------------------------|
| Butyl acrylate  | 2.38    | No data available             |
| 4-Methoxyphenol | 1.3     | No data available             |

**Mobility** The product is water soluble, and may spread in water systems. : Will likely be mobile in the environment due to its water solubility Highly mobile in soils

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues/Unused Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information**

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## Section 14 - Transport Information

### IMDG/IMO

UN-No UN2348  
Proper Shipping Name BUTYL ACRYLATES, STABILIZED  
Hazard Class 3  
Packing Group III

### ADG

UN-No UN2348  
Proper Shipping Name BUTYL ACRYLATES, STABILIZED  
Hazard Class 3  
Packing Group III

### IATA

UN-No UN2348  
Proper Shipping Name BUTYL ACRYLATES, STABILIZED  
Hazard Class 3  
Packing Group III

Environmental hazards No hazards identified

Special Precautions Inhibitors have been added to stabilize this product; Inhibitor levels should be maintained; Hazardous polymerization may occur upon depletion of inhibitor

Additional information None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations Australia

See section 8 for national exposure control parameters.

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

No poison schedule number allocated.

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                  | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|----------------------------|-------------------------------------------------------------|------------------------|
| Butyl acrylate - 141-32-2  | Present                                                     | -                      |
| 4-Methoxyphenol - 150-76-5 | Present                                                     | -                      |

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

**National pollutant inventory** Not applicable

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

**International Inventories**

| Component       | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|-----------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Butyl acrylate  | X    | X     | 205-480-7 | -      | X    | X   | -    | X     | X    | X    | X     | KE-29450 |
| 4-Methoxyphenol | X    | X     | 205-769-8 | -      | X    | X   | -    | X     | X    | X    | X     | KE-23353 |

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**International Regulations**

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**

Not applicable.

| Component       | CAS No   | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------|----------|----------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Butyl acrylate  | 141-32-2 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |
| 4-Methoxyphenol | 150-76-5 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

**Authorisation/Restrictions according to EU REACH**

| Component       | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Butyl acrylate  | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |
| 4-Methoxyphenol | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

|                                                                                                      |                                                                                                                              |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>AICS</b> - Australian Inventory of Chemical Substances                                            | <b>NZIoC</b> - New Zealand Inventory of Chemicals                                                                            |
| <b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory                      | <b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances |
| <b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List                      | <b>ENCS</b> - Japanese Existing and New Chemical Substances                                                                  |
| <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances                                     | <b>KECL</b> - Korean Existing and Evaluated Chemical Substances                                                              |
| <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances                            | <b>CAS</b> - Chemical Abstracts Service                                                                                      |
| <b>TWA</b> - Time Weighted Average                                                                   | <b>ACGIH</b> - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)            |
| <b>IARC</b> - International Agency for Research on Cancer                                            | <b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code                            |
| <b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association | <b>ADG</b> Australian Code for the Transport of Dangerous Goods by Road and Rail                                             |
| <b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships                  | <b>OECD</b> - Organisation for Economic Co-operation and Development                                                         |
| <b>NZS 5433:2012</b> - Transport of Dangerous Goods on Land                                          | <b>LC50</b> - Lethal Concentration 50%                                                                                       |
| <b>LD50</b> - Lethal Dose 50%                                                                        | <b>ATE</b> - Acute Toxicity Estimate                                                                                         |
| <b>EC50</b> - Effective Concentration 50%                                                            | <b>RPE</b> - Respiratory Protective Equipment                                                                                |
| <b>WEL</b> - Workplace Exposure Limit                                                                | <b>NOEC</b> - No Observed Effect Concentration                                                                               |
| <b>DNEL</b> - Derived No Effect Level                                                                | <b>BCF</b> - Bioconcentration factor                                                                                         |
| <b>POW</b> - Partition coefficient Octanol:Water                                                     | <b>PBT</b> - Persistent, Bioaccumulative, Toxic                                                                              |
| <b>vPvB</b> - very Persistent, very Bioaccumulative                                                  |                                                                                                                              |
| <b>VOC</b> - (Volatile Organic Compound)                                                             |                                                                                                                              |

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

|                         |                              |
|-------------------------|------------------------------|
| <b>Revision Date</b>    | 18-Nov-2022                  |
| <b>Revision Summary</b> | SDS sections updated, 9, 14. |

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet